COMMONWEALTH BUREAU OF HELMINTHOLOG
THE WHITE HOUSE,
ST. ALBANS, HERTS
18.4.68

UNITED STATES DEPARTMENT OF AGRICULTURE

INDEX-CATALOGUE

OF

MEDICAL and VETERINARY ZOOLOGY

SUBJECTS: TREMATODA and TREMATODE DISEASES

PART 10: CHECKLIST OF GENERIC, SPECIFIC, and SUBSPECIFIC NAMES

N–Z

UNITED STATES DEPARTMENT OF AGRICULTURE

INDEX-CATALOGUE
OF
MEDICAL AND VETERINARY ZOOLOGY

SUBJECTS: TREMATODA and TREMATODE DISEASES
PART 10: CHECKLIST OF GENERIC, SPECIFIC, and SUBSPECIFIC NAMES
N–Z

By
MILDRED A. DOSS
Collaborator, U.S. Department of Agriculture
and
Research Associate, University of Maryland

Issued December 1968

UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON : 1968

For sale by the Superintendent of Documents, U.S. Government Printing Office
Washington, D.C., 20402 - Price $1

This investigation was supported in whole by Public Health Service Research Grant, E4334, from the U.S. National Institute of Allergy and Infectious Diseases to the University of Maryland.

FOREWORD

The following is a list of generic, specific, and subspecific names of Trematoda listed in the Index-Catalogue of Medical and Veterinary Zoology. Subjects: Trematoda, Genera and Supergenera A–Z. It is also a supplement to the preceding Catalogue in that genera and species described since 1960, the closing date of the series, as well as many not available at time of compilation have been included. It serves as a link to bind together the information contained in the other catalogues of the Trematoda series, i.e., the Parasite, or master catalogue, the Host Catalogue, and the Geographical Catalogue. This list must be used with the Author Catalogue of the Index-Catalogue of Medical and Veterinary Zoology as the bibliographical key. If a given genus or species has not been listed in the Author Catalogue, bibliographical information as well as host, location, and locality have been added to this checklist. Such information is also being entered in the Host and Geographical Catalogues and is marked with an asterisk *.

Basic information on the genera includes the author of the genus, the year published, the pages of the description, and the type if given by the author. Example:

TAGIA Sproston, N. G., 1946a, 190, 419–420 (tod: *T. ecuadori*).

For species and subspecies, the basic information regarding author, date of publication, pagination, and illustrations, is given and also the genus or genera in which the species or subspecies has been placed and the years in which such combinations were made. Example:

excavata Rudolphi, C. A., 1803a, 28–29. 1803: FASCIOLA. 1809: DISTOMA. 1819: HOLOSTOMA. 1819: AMPHISTOMA. 1850: HEMISTOMUM. 1936: PROALARIA. 1929: DIPLOSTOMUM. 1933: PRODIPLOSTOMUM (tod). 1935: TYLODELPHYS.

Thus anyone seeking complete information concerning this species must check the Parasite Catalogue under nine combinations with this name.

Collective group names for immature forms such as Adolescaria, Cercaria, and Metacercaria are treated for convenience as if they were genera. Brackets [ ] around date, word, or group of words mean that the enclosed information was supplied by the compiler. Parentheses ( ) around a date indicate that the original description has not been seen.

This checklist is designed to contribute to the stabilization of nomenclature in a small segment of the immense field of Zoology. Authors using it can quickly ascertain whether a selected generic name has been used previously or whether a specific name has ever been combined with a given generic name, and thus avoid creating a homonym.

Digitized by the Internet Archive
in 2025

https://archive.org/details/index-catalogue-of-medical-and-veterinary-zoology-special_1968-12_10

INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

SUBJECTS: TREMATODA and TREMATODE DISEASES
Part 10: CHECKLIST OF GENERIC, SPECIFIC, AND SUBSPECIFIC NAMES N-Z

By MILDRED A. DOSS

nāsmarki Mukherjee, R. P., 1963a, 70, 71-72, fig. 1 (Ovis aries; rumen; Bareilly, U. P., India). 1963: CEYLONOCOTYLE.

naevius Caballero y C., E.; & Zerecero y D., C., 1941a, 615-621, figs. 1-2. 1941: POLYSTOMA.

nagatyi Lamothe Argumedo, R., [1963a], 102, 109 (n. n. for Hamacreadium lethrini Nagaty & Abdel Aal, 1962). [1963]: HAMACREADIUM.

nagatyi Manter, H. W., 1940c, 6-7, 10, 17, fig. 6. 1940: RHIPIDOCOTYLE.

nagibinae Gläser, H. J., 1965b, 485-490, figs. 1-5 (Abramis ballerus; Kiemen; Oder (Krs. Seelow)). 1965: DIPLOZOON.

NAGMIA Nagaty, H. F., 1930a, 104, 107 (tod: N. yorkei).

naguibmahfouzi Hilmy, I. S., 1949b, 4, 10-12, fig. 6. 1949: SOLENORCHIS.

nahaense Yamaguti, S., 1942c, 329, 366-367, fig. 18. 1942: DERETREMA.

nahaensis Ozaki, Y., 1937a, 127, 131, 149, fig. 4. 1937: GYLIAUCHEN.

naia Dujardin, F., 1845a, 387, for naja. 1845: DISTOMA.

naidis proboscideae Diesing, K. M., 1858d, 283. 1858: CERCARIAEUM.

nainitalensis Baugh, S. C., 1962b, 506-508, fig. 3 (Myophonus caeruleus temminckii; rectum; Naini Tal, U. P., India). 1962: LEUCOCHLORIDIUM.

nairagi Yamaguti, S., 1968, 14, 45-46, fig. 22 (Monogenetic trematodes of Hawaiian fishes) (Makaira sp.; gills, Tetrapterus angustirostris; buccal cavity; Hawaii). 1968: CAPSALOIDES.

nairi Mudaliar, S. V.; & Ramanujachary, G., 1945a, 1-4, pls. 1-3. 1945: SCHISTOSOMA. 1947: ORNITHOBILHARZIA.

nairi Peter, C. T., 1955d, 219, 220-224, pl., fig. 1. 1955: CERCARIA.

nairi Skrjabin, K. I.; & Popov, N. P., 1924c, 30, 1924: ECHINOSTOMA.

naja Rudolphi, C. A., 1819a, 99, 377-378, 589. 1819: DISTOMA. 1845: DISTOMA. (DICROCOELIUM). 1899: MACRODERA (type). 1902: SAPHEDERA (type).

najae Nicoll, W., 1912f, 854-855, fig. 122A. 1912: STYPHLODORA.

najii Mehra, H. R., 1921d, 38-39. 1921: OMMATOBREPHUS lobatum.

nakagawai Faust, E. C., 1924e, 289. 1924: CERCARIA.

nakazawai Kobayashi, H., 1915c, 258, 259, 260, 263, 270, 368, 371, pl., fig. 5. 1915: STERINGOTREMA. 1957: MARKEVITSCHIELLA.

namrui Kunta, R. E.; & Chandler, A. C., 1956a, 445, 446, 454-456, 459, pl. II, figs. 1-3. 1956: CYNODIPLOSTOMUM (tod).

nana Bykhovskaia, I. E. (Pavlovskaia), [1954b], 32, 101, 102, fig. 18. [1954]: RENICOLA. 1962: PSEUDORENICOLA (tod) (Odening, K., 1962b, 57).

nana Chandler, A. C.; & Rausch, R., 1946a, 328-329, pl., fig. 4. 1946: FIBRICOLA.

nana Ransom, B. H., 1920 1, 562, 566-568, 570, fig. 30. 1920: ASCOCOTYLE. 1929: PARASCOCOTYLE. 1930: ASCOCOTYLE (PHAGICOLA). 1932: PHAGICOLA.

nana Rudolphi, C. A., 1802b, 68-69. 1802: FASCIOLA. 1809: DISTOMA. 1901: PLAGIORCHIS. 1928: LEPODERMA. 1931: PLAGIORCHIS (PLAGIORCHIS).

nanaimoensis McFarlane, S. H., 1936a, 335, 342, 345-346, fig. 3, e, g. 1936: DINURUS. 1947: TUBULOVESICULA.

nanchangensis Hsiung, T. S., 1934a, 5-8, 9, pl. 2, figs. 5-8. 1934: HAEMATOLOECHUS. 1936: PNEUMONOECES. 1939: HAEMATOLOECHUS (HAEMATOLOECHUS).

nanchangensis bychovskii Odening, K., 1958a, 64, 70, 95, 96-97, 103. 105, fig. 17. 1958: HAEMATOLOECHUS (ANOMOLEITHUS). 1962: PNEUMONOECES (Skrjabin, K. I.; & Antipin, D. N., 1962a, 94).

nanchangensis major Yamaguti, S., 1936e, 551, 569-570, fig. 22. 1936: PNEUMONOECES. 1939: HAEMATOLOECHUS (HAEMATOLOECHUS).

nanchangensis nanchangensis (Hsiung, T. S., 1934a, 5-8, 9, pl. 2, figs. 5-8). 1958: HAEMATOLOECHUS (ANOMOLECITHUS). 1962: PNEUMONOECES (Skrjabin, K. I.; & Antipin, D. N., 1962a, 94).

nanii Szidat, L., 1954a, 6, 7, 36-37, 38, fig. 10 a-c. 1954: SACCOCOELIOIDES. 1958: LECITHOBOTRYS (SACCACOELIOIDES) (Yamaguti, S., 1958a, 93).

NANNOENTERUM Ozaki, Y., 1924b, 173, 187, 199 (tod: N. pentagonum).

nanodes Braun, M. G. C. C., 1901g, 942-943. 1901: URORYGMA.

NANOPHYES Chapin, E. A., 1926d, 36-37 (tod: N. salmincola).

NANOPHYETUS Chapin, E. A., 1927a, 60 (Nanophyes Chapin, 1926 nec Nanophyes Chaudoir, 1845 renamed) (tod: N. salmincola).

nanum Denton, J. F.; & Byrd, E. E., 1951a, 168-171, 200, fig. 36 a-d. 1951: BRACHYLECITHUM.

nanum Dubois, G., 1937c, 396. 1937: POSTHODIPLOSTOMUM.

nanus Dogiel, V. A.; & Bykhovskii, B. E., 1934a, 256, 258, 259, 261, 277-279, 346, figs. 18-19. 1934: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 40).

nanus Stiles, C. W.; & Goldberger, J., 1908a, 30-33, figs. 45-66. 1908: AGAMODISTOMUM. 1929: DIPLOSTOMULUM.

NAPLORCHIS Shul'ts, R. E. S., 1931d, 5, for Haplorchis.

narayani Mudaliar, S. V., 1938a, 109-114, pl. 7, figs. 1-2, pl. 8, figs. 3-4. 1938: ECHINOCHASMUS.

narcine Hargis, W. J. (jr.), 1955b, 130, 131, 134-136, figs. 14-18. 1955: AMPHIBDELLOIDES.

narcine Unnithan, R. V., 1964a, 241, 245, 246, 247, pl. III, figs. 1-6 (Narcine timlei; gills; Trivandum, India). 1964: AMPHIBDELLA.

nardoi Polonio, A. F., (1859a), 20 pp. see Parona, C., 1894a, 627. (1859): DISTOMA.

narendrai Baugh, S. C., [1957c], 309-311, 313, fig. 4 a-b. [1957]: CAPRIMOLGORCHIS.

naria Skrjabin, K. I., 1942a, 58, for varia Linton, 1910. 1942: HAPLADENA.

narii Rao, B. V., 1965a, 68, 77-80, fig. 8 (Canis aureus naria; small intestine; Lakkavaram, Andhra Pradesh, India). 1965: SPELOTREMA.

narimeen Unnithan, R. V., 1964a, 241, 242, 243, pl. I, figs. 1-3 (Lates calcarifer; gills; Mandapam, India). 1964: DIPLECTANUM.

nasae Nagaty, H. F.; & Abdel Aal, T. M., 1962d, 225-226, 230, pl., fig. 1 (Nasa sp., Holoc[e]ntrus spiniferus; Ghardaga, Red Sea). 1962: BRACHYPHALLUS.

nasae Nagaty, H. F.; & Abdel Aal, T. M., 1962g, 308, 309-310, 313, 314, pl., fig. 2. (Epenepfelus [i.e. Epinephelus] fasciatus, Nasa sp.; both from Ghardaga, Red Sea). 1962: HELICOMETRA. 1966: STENOPERA (Pritchard, M. H., 1966b, 198).

nasale Malkani, P. G., 1933c, 273. 1933: SCHISTOSOMA spindalis.

nasale Varma, A. K., 1954a, 12, 14, for nasalis. 1954: SCHISTOSOMA.

nasalis Rao, M. A. N., 1933a, 37, figs. 1-2, pls. 7-9. 1933: SCHISTOSOMA.

nasalis Rogers, W. A., 1967, 501, 502, 503, figs. 1-20 (Hypentelium etowanum; nasal cavity; Lee County, Chambers Co. Alabama, Gilmer County Georgia) (J. Parasitol., v. 53 (3). 1957: APLODISCUS (tod).

nasalis Strelkov, I. A.; & Ha, K., 1964a, 1236-1237, 1238, figs. 1, 4 (Scardinius erythrophthalmus, Rutilus rutilus; nasal cavity; lakes of Pskovsk Oblast & Karelia). 1964: DACTYLOGYRUS.

NASICOLA Yamaguti, S., 1968, 14, 53, 55 (Monogenetic trematodes of Hawaiian fishes) (tod: N. klawei (Stunkard)).

nasicola Fain, A., 1955g, 382-385, 387. 1955: TRICHOBILHARZIA.

nasicola Witenberg, G. G., 1923b, 85, 95, 99, 128-129, pl. 2, fig. 12. 1923: OPHTHALMOPHAGUS. 1927: SPANIOMETRA. 1932: HYPTIASMUS.

NASITREMA Ozaki, Y., 1935d, 116, 131, 135, 136 (tod: N. spathulatum).

NASOBRANCHITREMA Yamaguti, S., 1965, 55, 68, 69 (Pacific Science, v. 19 (1), Jan.) (tod: N. pacificum).

nasonis Yamaguti, S., 1965, 55, 58, 59, 60, fig. 2 (Pacific Science, v. 19 (1), Jan.) (Naso hexacanthus; gills; Hawaii). 1965: OLIGONCOBENEDENIA (tod).

nasonis Yamaguti, S., 1968, 16, 103-104, fig. 76 (Monogenetic trematodes of Hawaiian fishes) (Naso brevirostris; gills; Hawaii). 1968: PSEUDANCYROCEPHALUS.

nasonis Young, P. C., 1967, 1017-1019, figs. 1-6 (J. Parasitol., v. 53 (5), Oct.) (Naso annulatus; gills; Heron Island, Queensland, Australia). 1967: TETRANCISTRUM.

nassa Martin, W. E., 1945a, 207-212, pl. 2, figs. 8-11. 1945: CERCARIA.

nassae mutabilis de Filippi, F., 1855b, 22. 1855: DISTOMA.

nassicola Cable, R. M.; & Hunninen, A. V., 1938a, 29-30. 1938: CERCARIA. 1939: CORNUCOPULA. 1940: GYNAECOTYLA. 1953: MICROPHALLOIDES.

nasuae La Rue, G. R.; & Townsend, E. W., 1927a, 167. 1927: ALARIA. 1953: ALARIA (PARALARIA).

nasusi Bravo Hollis, M.; & Brenes Madrigal, R. R., [1959a], 203-206, fig. [1959]: MULTITESTIS.

natalensis Porter, A., 1938a, 6, 9, 349-351, pl. 58, figs. 3-4. 1938: PLEUROGENES.

natalia Porter, A., 1938a, 5, 8, 256-259, 465, 470, pl. 31, figs. 7-9. 1938: CERCARIA.

nataliae Rogers, W. A., 1967, 747, 748, 749, figs. 12-16 (J. Parasitol., v. 53 (4), Aug.) (Hybopsis amblops; Cahaba River, Bibb County, Alabama). 1967: GYRODACTYLUS.

natans Johnston, T. H.; & Muirhead, N. G., 1949a, 102-105, 106, figs. 1-6. 1949: CERCARIA.

natator Claparède, J. L. R. A. E., 1863a, 13, pl. 5, figs. 1-4. 1863: ONCHOGASTER.

nathi Gupta, N. K., [1954a], 172 [nomen nudum]; 1954e, 85, 87-90, 97, fig. 1. 1954: ASTIOTREMA.

nathipandei Odening, K., 1964e, 234, 239, 240 (fowl; Indien). 1964: NOTOCOTYLUS.

naticae Chubrik, G. K., 1942a, 1233, 1234, fig. 1. 1942: CERCARIA.

natricis Baylis, H. A.; & Cannon, H. G., 1924b, 194-196, pl. 6. 1924: ENCYCLOMETRA.

natricis Byrd, E. E.; & Denton, J. F., 1938b, 43, 44-45, 46, fig. 16. 1938: STYPHLODORA.

natricis Dollfus, R. P. F., 1957f, 42-47, figs. 1-2. 1957: OPISTHIOGLYPHE.

natricis Dubois, G., 1958a, 55, 63-65, 66, figs. 6-7. 1958: PROSOSTEPHANUS. [1962]: SERPENTOSTEPHANUS (tod) (Sudarikov, V. E., [1962b], 398).

natricis Holl, F. J.; & Allison, L. N., 1935a, 197-198, figs. 1-3. 1935: ZEUGORCHIS. 1936: PSEUDORENIFER. 1938: PARALECHRIORCHIS. 1952: DASYMETRA.

natricis MacCallum, G. A., 1921c, 201, fig. 100. 1921: RENIFER. 1957: NEORENIFER. 1957: OCHETOSOMA.

natricis Mödlinger, G., 1926b, 193-195, 198, pl. 3, figs. 1, 5. 1925: ORTHORCHIS (tod).

NATRIODERA Mehra, H. R., 1937a, 430, 455, 462 (tod: N. verlatum (Talbot, 1934)).

natritis Bhalerao, G. D., 1938a, 81-86, figs. 1-2. 1938: TRAVASSOSSTOMUM (tod).

nattereri Cobbold, T. S., 1860a, 52 (cornu Diesing, 1839a, renamed). 1860: AMPHISTOMA.

naucrotis Nagaty, H. F., 1957a, 218, 219, 220, pl., figs. 4-5. 1957: STEPHANOSTOMUM.

naukuchiensis Malaki, A.; & Singh, S., 1962a, 139-143, figs. 3-4 (Melanoides tuberculatus tigrina; Naukuchia Tal, Bhimtal). 1962: CERCARIA.

nautica Ališauskaitė, V., [1959a], 32, 33, 35-36, 39. [1959]: CERCARIA.

navarroensis Crane, J. W.; & Mizelle, J. D., 1967, 270, 271, 272, figs. 14-20 (J. Parasitol., v. 53 (2)) (Hesperoleucus navarroensis; external surface; Navarro River, Mendocino Co., California). 1967: GYRODACTYLUS.

NAVICULARIA Mendheim, H., 1943a, 253 (type: N. variospinosum (Odhner, 1910)).

navicularia Sinitsin, D. F., 1911a, 32-33, 37, 89, pl. 4, figs. 71-72. 1911: CERCARIA.

navicularis Ergens, R., 1956b, 350, 364, 366, 367, 372, 375, pl. XI, figs. 64-71. 1956: DACTYLOGYRUS.

navicularis Gusev, A. V., 1955b, 213-215, 216, 355, 394, 397, fig. 13 (1). 1955: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 40).

navicularius Gilbert, P. T., 1938a, 91-95, 104, 105, pl. 11, figs. 1-4. 1938: IGUANACOLA (tod).

naviculoides Ergens, R., 1960a, 6, fig. 3a. 1960: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 40).

naviculum Macy, R. W., 1936c, 353, 354-356, 358, pl. 42, figs. 2-3, 6. 1936: PROSTHODENDRIUM. 1955: PROSTHODENDRIUM ascidia [spelled navicola]. 1960: ACANTHATRIUM (PROSTHODENDRIUM) (Etges, F. J., 1960c, 526).

NAVIFORMIA Lal, M. B., 1935b, 461 (tod: N. naviformes).

naviformis Tubangui, M. A., 1932f, 373-374, pl. 1, figs. 2-3. 1932: NOTOCOTYLUS. 1935: NAVIFORMIA (tod).

NAVIGIOLUM Onji, Y.; & Nishio, T., [1929b], 378, 393. (mt: N. nigrum).

ndeleleensis Baer, J. G., 1959b, 8, 33, 34, 35, 160, fig. 16 (Hirundo abyssinica unitatis; vésicule biliaire; Parcs Nationaux du Congo Belge). 1959: BRACHYLECITHUM.

nearcticum Paul, A. A., 1935a, 442. 1935: POLYSTOMA integerrimum. 1939: POLYSTOMA.

NEASCUS Hughes, R. C., 1927a, 248-267 (larval group).

nebrii Nagaty, H. F.; & Abdel Aal, T. M., 1961b, 766, 767, 769, pl. 2, figs. 4-4a (Nebrius concolor; coelom; Red Sea). 1961: PERNAGMIA.

nebularium Khan, M. H., 1935a, 346-349, 361, 364, 369, fig. 1. 1935: CYCLOCOELUM. 1939: HAEMATOTREPHUS. 1958: CORPOPYRUM.

nebulosae Nagaty, H. F.; & Abdel Aal, T. M., 1962f, 302-303, 305, pl., fig. 2 (Lethrinus nebulosus; Ghardaga, Red Sea). 1962: HAMACREADIUM.

nebulosi Young, P. C., 1967, 1019-1021, figs. 7-12 (J. Parasitol., v. 53 (5), Oct.) (Siganus nebulosus, S. oramin, Siganus sp.; gills; Noumea, New Caledonia, Herin Island & Moreton Bay, Queensland, Australia). 1967: TETRANCISTRUM.

necopinum Dietz, E., 1909b, 11. 1909: ECHINOSTOMA.

necturi Perkins, M. G. L., 1928a, 343-344, 351, pl. 20, fig. 1. 1928: CERCORCHIS. 1940: TELORCHIS.

nedbailovi Sadovskaia, N. P. in Skrjabin, K. I.; & Antipin, D. N., [1959a], 312, 317, fig. 88. [1959]: PLAGIORCHIS (MULTIGLANDULARIS).

NEELYDIPLOSTOMUM Gupta, R., 1958a, 190 (tod: N. gavialis).

neerlandica 1 Honer, M. R., 1963a, 61, 62, fig. 13 (Bithynia tentaculata; Netherlands). 1963: CERCARIA.

neerlandica 2 Honer, M. R., 1963a, 62, 63, fig. 14 (? Bithynia tentaculata; Netherlands). 1963: CERCARIA.

neerlandica 3 Honer, M. R., 1963a, 34, 36, 63 (Planorbis planorbis; Netherlands). 1963: CERCARIA.

neerlandica 4 Honer, M. R., 1963a, 63, 64, fig. 14 (Limnaea ovata; Netherlands). 1963: CERCARIA.

neerlandica 5 Honer, M. R., 1963a, 63, 64, fig. 14 (Limnaea ovata; Netherlands). 1963: CERCARIA.

neerlandica 6 Honer, M. R., 1963a, 64, 65, fig. 15 (Bithynia tentaculata; Netherlands). 1963: CERCARIA.

neerlandica 7 Honer, M. R., 1963a, 65, 66, fig. 16 (Planorbis carinatus; Netherlands). 1963: CERCARIA.

neerlandica 8 Honer, M. R., 1963a, 66, 67, fig. 16 (Limnaea palustris; Netherlands). 1963: CERCARIA.

neerlandica 9 Honer, M. R., 1963a, 65, 67, fig. 15 (Netherlands). 1963: CERCARIA.

neerlandicum 1 Honer, M. R., 1963a, 58, 67, 68, fig. 11 (=C. neerlandica 10) (Planorbis planorbis; Netherlands). 1963: CERCARIAEUM.

nefzaouia I Callot, J., 1936a, 132-136, fig. 2. 1936: CERCARIA.

nefzaouia II Callot, J., 1936a, 136-139, fig. 3. 1936: CERCARIA.

nefzaouia III Callot, J., 1936a, 139-140, fig. 4. 1936: CERCARIA.

nefzaouia IV Callot, J., 1936a, 141-142, fig. 6. 1936: CERCARIA.

negacotyle Diesing, K. M., 1850a, 379, for megacotyle. 1850: DISTOMA.

neglecta de Filippi, F., 1854a, 24, 26, pl. 2, figs. 26-27. 1854: CERCARIA. 1855: CERCARIA (EUCERCARIA). 1858: CERCARIA (GYMNOCEPHALA).

neglectum von Linstow, O. F. B., 1887d, 101-102, pl. 2, fig. 3. 1887: DISTOMA. [1899: Pleurogenes claviger].

neglectum Lutz, A., 1924a, 66, 87, pl. 10, figs. 20, 25. 1924: ECHINOSTOMUM.

neidharti Nagaty, H. F., 1937a, 10, 118-123, 166, 167, pl., fig. 56. 1937: NEIDHARTIA (tod).

NEIDHARTIA Nagaty, H. F., 1937a, 1, 12, 14, 15, 118 (tod: N. neiharti).

neivai Travassos, L. P., 1921b, 123, fig. 5. 1921: TYPHLOCOELUM. 1927: CYCLOCOELUM. 1929: NEIVAIA (tod). 1950: CYCLOCOELUM (CYCLOCOELUM).

neivai Travassos, L. P., 1926m, 17-18, fig. 1. 1926: DENDRORCHIS (tod). 1950: PHYLLODISTOMUM.

neivai Travassos, L. P.; & Artigas, P., 1927a, 212-214, fig. 1927: PNEUMONOECES. 1933: HAEMATOLOECHUS. 1960: NEOHAEMATOLOECHUS (Odening, K., (1960), Das Tierreich, Lief. 75).

NEIVAIA Travassos, L. P., 1929h, [54] (tod: N. neivai).

nemachili Bykhovskii, B. E., 1936b, 250, 252-253, 272, fig. 1. 1936: GYRODACTYLUS.

nemachili Paperna, I., 1964e, 1, 10-11, 21, fig. 30 (Nemachilus sp.; intestine; spring of Ein Harod, Israel). 1964: PLAGIOPORUS.

nemachilus Kaw, B. L., 1950a, 69, 107-110, fig. 18A-B. 1950: ALLOCREADIUM.

nemachilus Krotov, A. I., 1959c, 7-8, 9, fig. 1. 1959: CREPIDOSTOMUM.

nematalosae Tripathi, Y. R., [1959a], 76, 81-83, fig. 38. [1959]: MAZOCRAEOIDES.

nemathi Dollfus, R. P. F., 1953d, 509-511, pl., fig. 2. 1953: SZIDATIA.

NEMATHOBOTHRIUM Monticelli, F. S., 1892a, 314 for Nematobothrium.

NEMATOBOTHRIUM van Beneden, P. J., 1858a, 11, 107-111, 200, 344, 345 (mt: N. filarinae).

nematocirrus Mueller, J. F., 1937b, 209, 212-213, 216, 217, 218, 219, figs. 1-2, 51-53. 1937: CLEIDODISCUS.

nematoides Cohn, L., 1904a, 238-240, fig. 5. 1904: PRONOPHARYNX.

nematoides Creplin, F. C. H., 1846a, 129. 1846: MONOSTOMA.

nematoides Muehling, P., 1898a, 18. 1898: DISTOMA. [1899: TELORCHIS]. 1901: TELORCHIS. 1909: CERCORCHIS.

NEMATOPHILA Travassos, L. P., 1934a, 268-269 (tod: N. grande).

NEMATOSTRIGEA Sandground, J. H., 1934b, 278, 279, 281 (mt: N. serpens (Nitzsch)).

nematulum Noble, A. E.; & Noble, G. A., 1937a, 55-60, figs. 1-6. 1937: ACCACLADIUM.

nengi Tripathi, Y. R., [1959a], 23, 48-50, 59, fig. 24. [1959]: ANCYROCEPHALUS. 1967: HAMATOPEDUNCULARIA (Young, P. C., 1967, 1008, 1012 (J. Parasitol., v. 53 (5), Oct.).

NENIMANDIJEA Kaw, B. L., 1950a, 82, 88, 90 (tod: N. kashmirensis).

nenue Yamaguti, S., 1968, 16, 118-119, fig. 91 (Monogenetic trematodes of Hawaiian fishes) (Kyphosus cinerascens; gills; Hawaii). 1968: DIPLECTANUM.

NEOCANTHOPARYPHIUM Yamaguti, S., 1958a, 634-635 (tod: N. petrovi (Nevostrueva, 1954)).

NEOALARIA Lal, M. B., 1939c, 112, 117, 179, 180-181 (tod: N. thaparia).

NEOALLOCREADIUM Akhmerov, A. A., 1960c, 286, 294 (tod: N. elongatum).

neoamericanus Siddiqi, A. H.; & Cable, R. M., 1960a, 257, 264, 280-281, 336, fig. 29. 1960: PARACRYPTOGONIMUS.

NEOAPOCREADIUM Siddiqi, A. H., 1959a, 428-429.

NEOARTYFECHINOSTOMUM Agrawal, V., 1963a, 130, 133, 134 (tod: N. shubgrai).

NEOAXINE Price, E. W., [1946a], 22 (tod: N. constricta).

NEOBENEDENIA Yamaguti, S., 1963a, 128 (tod: N. melleni (MacCallum, 1927)).

NEOBENEDENIELLA Yamaguti, S., 1963a, 129 (syn.: Benedeniella Yamaguti, 1958 preoccupied) (tod: N. congeri (Yamaguti, 1958)).

NEOBILHARZIA Szidat, L., 1942a, 518.

NEOBUCEPHALOPSIS Dayal, J., 1948a, 51 (tod: N. bagarius).

NEOCALCEOSTOMA Tripathi, Y. R., [1959a], 62, 64, 65 (tod: N. elongatum).

neocellata Szidat, L., 1942a, 494, 495, 496, 513, 516-519, 520, 523, figs. 10-12, 13-17, 18b. 1942: CERCARIA.

neoceratodi Angel, L. M., 1966, 1058-1061, figs. 1-4 (J. Parasitol., v. 52 (6)) (Neoceratodus forsteri; digestive tract; Burnett River, Queensland, Australia). 1966: BANCROFTREMA (tod).

NEOCHASMUS Van Cleave, H. J.; & Mueller, J. F., 1932a, 21 (tod: N. umbellus).

NEOCHETOSOMA Caballero y C., E., 1949a, 207.

NEOCLADORCHIS Bhalerao, G. D., 1937f, 119, 120, 121 (tod: N. poonaensis).

NEOCLUPECOTYLE Price, E. W., 1961, 146, 149 (tod: N. megaconfibula (Hargis, 1955) n. comb.).

neocomense Fuhrmann, O., 1928a, 3-6, figs. 1-2. 1928: PETASIGER. 1941: PETASIGER (NEOPETASIGER). 1943: NAVICULARIA.

NEOCOTYLE Travassos, L. P., 1922f, 190 (tod: N. neocotyle).

neocotyle Travassos, L. P., 1922f, 190. 1922: NEOCOTYLE (tod).

NEOCREADIUM Howell, M. J., 1966a, 23, 24, 26, 27, 28 (tod: N. geniagni).

NEOCRICOCEPHALUS Gupta, S. P., 1962c, 71, 73 (tod: N. vitallani).

NEOCTANGIUM Ruiz, J. M., [1943b], 35-40, 41, 43, figs. 1-5 (tod: N. travassosi).

NEODACTYLOGYRUS Price, E. W., 1938b, 48, 49 (tod: N. megastoma (Wagener, 1857)).

NEODERMOPHTHERIUS Price, E. W., 1963a, 213, 217 (tod: N. harkemai).

NEODERMOPHTHIRIUS [Correction for Neodermophtherius Price, 1963a] Price, E. W., 1964a, 128.

NEODIPLECTANUM Mizelle, J. D.; & Blatz, V., 1941a, 106-107 (tod: N. wenningeri).

NEODIPLORCHIS Yamaguti, S., 1963a, 293-294 (tod: N. scaphiopi (Rodgers, 1941)).

NEODIPLOSTOMOIDES Vidyarthi, R. D., 1938a, 33, 34-35 (tod: N. mehrii).

NEODIPLOSTOMULUM Dubois, G., 1938b, 211, 253 (larval group).

NEODIPLOSTOMUM Railliet, A., 1919d, 229 (n. n. for Diplostomum Brandes) (type: N. spathulaeforme).

NEODIPLOTREMA Yamaguti, S., 1938a, 541 (type: N. pelamydis).

NEODIPLOZOON Tripathi, Y. R., [1960a], 116 (n. n. for Diplotrema Tripathi, 1959).

NEODOLLFUSTREMA Long, S.; & Lee, W. C., 1964a, 575, 576, 580 (tod: N. gravidum (Manter, 1940)).

NEOECHINOSTOMA Agrawal, V., 1963a, 127, 130 (tod: N. spinosa).

NEOERPOCOTYLE Price, E. W., 1942a, 40, 48-49 (tod: N. maccallumi).

NEOGANADA Dayal, J., 1938d, 132-137 (tod: N. barbankiae).

NEOGENOLINEA Siddiqi, A. H.: & Cable, R. M., 1960a, 258, 313 (tod: N. opisthonemae).

NEOGLYPHE (Shaldybin, 1954) Yamaguti, S., 1958a, 808 (raised to generic rank) (tod: N. locellus (Kossack, 1910)).

NEOGOGATEA Chandler, A. C.; & Rausch, R., 1947a, 283, 290, 291 (mt: N. bubonis).

NEOGYRODACTYLUS Baugh, S. C., 1957a, [issued July 11], 40-45 (tod: N. indicus).

NEOGYRODACTYLUS Prudhoe, S., 1957a, [issued July 6], 4, 9 (tod: N. congolensis).

NEOHAEMATOLOECHUS Odening, K., (1960) (Das Tierreich, Lief, 75).

NEOHALIOTREMA Yamaguti, S., 1965, 55, 62, 64 (Pacific Science, v. 19 (1), Jan.) (tod: N. maomao).

NEOHAPLOPORUS Manter, H. W., 1963c, 224, 225 (tod: N. pacificus).

NEOHARVARDIA Gupta, R., 1963c, 77-79, 81 (tod: N. pandubi).

NEOHELICOMETRA Siddiqi, A. H.; & Cable, R. M., 1960a, 257, 300 (tod: N. scorpaenae).

NEOHETEROBOTHRIUM Price, E. W., 1943b, 48, 51 (tod: N. affine (Linton, 1898)).

NEOHETEROCOTYLE Hargis, W. J., 1955e, 203, 204, 205, 224 (tod: N. inpristi).

NEOHEXOSTOMA Price, E. W., 1961a, 4, 6 (tod: N. thunninae (Parona & Perugia, 1889)).

NEOHILOCOMETRA Siddiqi, A. H., 1959a, 428-429 (mt: N. cablei).

NEOLEPIDAPEDON Manter, H. W., 1954b, 475, 486-487, 489, 562 (tod: N. polyprioni).

NEOLEPOCREADIUM Thomas, J. D., 1960a, 326, 327 (tod: N. caballeroi).

NEOLEPODERMA Mehra, H. R., 1937a, 430, 454, 460 (tod: N. noblei).

NEOLEUCOCHLORIDIUM Kagan, I. G., 1950b, 19; 1950c, 353 (N. holostomum).

neomaenis MacCallum, G. A., 1917b, 49-50, figs. 20-20b. 1917: DICLIDOPHORA. 1941: CHORICOTYLE. 1943: CYCLOCOTYLA. 1945: ECHINOPELMA.

neomagnorus Siddiqi, A. H.; & Cable, R. M., 1960a, 257, 264, 287, 340, fig. 48. 1960: PROCTOECES.

NEOMAZOCREAS Price, E. W., 1943a, 10 (tod: N. dorosomatis (Yamaguti, 1938)).

NEOMEGASOLENA Siddiqi, A. H.; & Cable, R. M., 1960a, 257, 292 (N. chaetodipteri).

NEOMICROCOTYLE Ramalingam, K., 1960b, 369 (tod: N. indicus).

NEOMICRODERMA Park, J. T., 1940a, 113, 117, 118-119 (tod: N. elongata).

neomidis Baer, J. G., (1932). (1932): METORCHIS.

NEOMURRAYTREMA Tripathi, Y. R., [1959a], 23, 27, 28, 29, 61 (N. tengra).

NEONOTOPORUS Srivastava, H. D., 1942a, 128, 131 (tod: Notoporus trachuri).

neopacificum Velasquez, C. C., 1962a, 539, 540, 541, pl., figs. 2, 5 (Lates calcarifer; stomach; Luzon Island, Philippines). 1962: LECITHOCHIRIUM.

NEOPARADIPLOSTOMUM Bisseru, B., 1957c, 85, 89, 94, 95, 99, 101 (tod: N. magnitesticulatum).

NEOPARAMONOSTOMUM Lal, M. B., 1936b, 30-31, 32 (tod: N. ionorne (Travassos, 1921)).

NEOPECOELINA Gupta, S. P., [1955], 87, 91 (tod: N. saharanpurensis).

NEOPECOELUS Manter, H. W., 1947a, 293, 294, 385 (tod: N. scorpaenae).

neopercis Yamaguti, S., 1938c, 18-20, fig. 9. 1938: CAUDOTESTIS. [1954]: PLAGIOPORUS [(CAUDOTESTIS)]. 1958: PLAGIOPORUS (PLAGIOPORUS).

neopercis Yamaguti, S., 1938c, 1, 28-29, fig. 14. 1938: DECEMTESTIS.

NEOPHASIS Stafford, J., 1904b, 485-486 (mt: N. pusilla).

neophroni Baugh, S. C., 1958a, 215-218, pl., fig. 5. 1958: MESOSTEPHANUS.

neophroni Mehra, H. R., 1943c, 140-144, 156, fig. 3. 1943: HOLOSTEPHANUS.

NEOPISTHORCHIS Chatterji, P. N.; & Kruidenier, F. J., 1961a, 416, 422 (mt: N. solus).

NEOPODOCOTYLE Dayal, J., 1944b, 88 (tod: N. indica).

NEOPODOCOTYLOIDES Pritchard, M. H., 1966a, 166, 170 (tod: N. sinusaccus).

NEOPOLYSTOMA Price, E. W., 1939d, 81, 87 (tod: N. orbiculare (Stunkard, 1916)).

NEOPRONOCEPHALUS Mehra, H. R , 1932d, 244, 245, 247; 1932a, 324, 328; 1932c, 544 (tsd: N. triangularis).

NEOPROSORHYNCHUS Dayal, J., 1947a, 120 (mt: N. puris).

NEOPROSTHODENDRIUM Hall, J. E., 1959b, 1902 (mt: H. progeneticum).

NEOPYCNOPORUS Ogata, T., 1954a, 124 (mt: N. megacotyle).

NEORENICOLA Odening, K., 1962b, 57, 58, 61 (tod: N. monorchis (Dollfus & Capron, 1958)).

NEORENIFER Byrd, E. E.; & Denton, J. F., 1938a, 381, 383, 389-391, 394, 397, 398 (tod: N. orula (Talbot, 1934)).

neosebastodis Crowcroft, P. W., 1947c, 114-118, figs. 6-8. 1947: HELICOMETRA.

NEOSPIRORCHIS Price, E. W., 1934b, 132, 139, 140 (tod: N. schistosomatoides).

NEOSPROSTONIA Jain, S. L., 1959b, 477 (n. n. for Sprostonia Jain, 1959).

NEOSTEGANODERMA Byrd, M. A., 1964a, 105, 107, 108 (mt: N. glandulosa).

NEOSTICTODORA Sogandares-Bernal, F., 1959c, 125, 127, 131 (tod: N. huttoni).

NEOSTRIGEA Bisseru, B., 1956e, 217, 229-230, 232 (N. africana).

neotenicum Peters, L. E., 1957a, 136-137, 138, 141, 142, pl., figs. 1-5. 1957: ALLOCREADIUM.

NEOTHORACOCOTYLE Hargis, W. J., 1954b, 1115 (nomen solum); 1956d, 39-40 (tod: N. coryphaenae).

neothunni Yamaguti, S., 1968, 14, 37-38, fig. 16 (Monogenetic trematodes of Hawaiian fishes) (Neothunnus macropterus; gills; Hawaii). 1968: CAPSALA.

neotidis Bisseru, B., 1956b, 65-68, figs. 1-4. 1956: STRIGEA.

neotropicalis Faust, E. C.; & Hoffman, W. A., 1934a, 1, 36-38, 44, 48, 87-90, 96, pl. 4, figs. 19-22. 1934: CERCARIA.

neotropicalis Mizelle, J. D.; & Price, C. E., 1965a, 30, 31, 32-33, figs. 12-16 (Serrasalmus nattereri; gills; Amazon River (Steinhart Aquarium, San Francisco, California). 1965: ANACANTHORUS.

NEOZOOGONUS Arai, H. P., 1954a, 357 (tod: N. californicus).

nephriticum Gvozdev, E. V., 1945a, 45-48, figs. 1-4. 1945: ACOLPENTERON.

nephriticum Mehlis in Creplin, F. C. H., 1846a, 138. 1846: MONOSTOMA. 1904: EUCOTYLE (tod).

NEPHROBIUS Poche, F., 1926b, 225 (tod: N. colymbi).

nephrocephalum Diesing, K. M., 1850a, 391, turdi renamed. 1850: DISTOMA. 1860: ECHINOSTOMA.

nephrocephalum Diesing, K. M., 1858e, 327, M. renicapite renamed. 1858: MONOSTOMA.

NEPHROCEPHALUS Odhner, T., 1902e, 27-29, 42 (mt: N. sessilis).

nephrocystis Lutz, A., 1924a, 65-66, 72, 86-87, pl. 5, fig. 3, pl. 6, fig. 8, pl. 10, fig. 22, pl. 12, figs. 33, 36, 37. 1924: ECHINOSTOMUM.

nephrocystis Lutz, A., 1928a, 117. 1928: NEODIPLOSTOMUM.

nephrocystis Lutz, A., 1928a, 118-119. 1928: TRIPLOSTOMUM. 1937: LOPHOSICYA-DIPLOSTOMUM.

nephrocystis Simroth, H.; & Hoffmann, H., 1928a, 1336. 1928: CERCARIA echinostomi.

nephrodorchis Dadai, J., 1906b, 535-540, fig. 7. 1906: PSEUDOCLADORCHIS.

NEPHROECHINOSTOMA Oshmarin, P. G.; & Belous, E. V., 1951b, 166, 167 (tod: N. aquilae).

NEPHROMONORCHA Leonov, V. A., 1958a, 273, 284 (mt: N. skrjabini).

nephronis Vidyarthi, R. D., 1937c, 199-201, fig. 4. 1937: STRIGEA.

nephropis Cunningham, J. T., 1884a, 399. 1884: STICHOCOTYLE.

nephroplexis Martin, W. E., 1934b, 335-336. 1934: CERCARIAEUM.

NEPHROSTOMUM Dietz, E., 1909b, 24 (tod: N. ramosum (Sonsino)).

NEPHROTREMA Baer, J. G., 1931e, 338 (tod: N. truncatum (Leuckart, 1842)).

neptuneae Lebour, M. V., 1912a, 419, 420, 440-441, pl. 28, figs. 1-2. 1912: CERCARIA.

nereicola Rebecq, J.; & Prévot, G., 1962a, 3272-3274, fig. (Nereis diversicolor; parapodes des vingt premiers segments; Camargue, domestic ducks (exper.)). 1962: GYMNOPHALLUS.

nervosa Faust, E. C., 1922c, 251, 267, pl. 21, fig. 2. 1922: CERCARIA.

nesalia Rajagopalan, V. R., 1957a, 21, for nasalis. 1957: SCHISTOSOMA.

netoi Travassos, L. P.; Teixeira de Freitas, J. F.; & Bührnheim, P. F., 1965, 46-48, fig. 1 (Atas Soc. Biol. Rio de Janeiro, v. 9 (4), Sept. 30) (Oligoplites saurus; intestino; Estado do Espirito Santo, Brasil). 1965: MONASCUS.

nettae Gower, W. C., 1938c, 3, 17-19, 46, 73, 74, 91, pl. 2, fig. 2. 1938: MARITREMA. 1939: MARITREMINOIDES (tod). 1953: PSEUDOSPELOTREMA.

nettapi Fain, A., 1960c, 296-299, 303, figs. 2-4. 1960: GIGANTOBILHARZIA.

nettioni Baugh, S. C., 1958a, 224-225, fig. 8. 1958: METORCHIS.

nettioni Baugh, S. C., 1958a, 208-210, fig. 2. 1958: PARAMONOSTOMUM.

neujeani Fain, S., 1953e, 19, 42, 161, 197-198, 296, 297, pl. XXIX, fig. 1. 1953: CERCARIA.

neurogangliorum Corradetti, A., 1937a, 43, 46-48, 49, 51, 1 fig., pl. 3, figs. 1-7. 1937: AGAMODISTOMUM.

NEURONAIA Goodsir, H. D. S.; & Goodsir, D. S., 1845a, 126.

neuronaia monroi Maddox, R. L., 1867a, 97, 98, pl. 8, see monroii. 1867: DISTOMA.

neuronaii monroii Cobbold, T. S., 1872b, 92, for neuronaia. 1872: DISTOMA. 1905: ? GASTEROSTOMA.

neustica Seitner, P. G., 1945a, 275-276, 277, 278, 279, 281, pl. 2, figs. 10-11. 1945: CERCARIA.

neusticoides Hall, J. E., 1960a, 235, 236, 237, 243, figs. 23-24. 1960: CERCARIA.

neyrai González Castro, J., 1945a, 127-149, pls. 1-4. 1945: NOTOCOTYLUS.

nibeae Yamaguti, S., 1959b, 241, 254-255, 262, pl. 20, fig. 8 (Nibea schlegeli; small intestine; Japan). 1959: ALLOLASIOTOCUS.

nicarete Rothschild, M., 1935b, 153, 154, 158, 166-167, fig. 8. 1935: CERCARIA.

nicobarica I Sewell, R. B. S., 1931a, 786-788, pl. 46, fig. 1. 1931: CERCARIA.

nicobarica II Sewell, R. B. S., 1931a, 788-792, pl. 46, figs. 2-4. 1931: CERCARIA.

nicobarica III Sewell, R. B. S., 1931a, 792-797, pl. 47, figs. 5-6. 1931: CERCARIA.

nicobarica IV Sewell, R. B. S., 1931a, 797-801, pl. 47, fig. 7. 1931: CERCARIA.

nicobarica V Sewell, R. B. S., 1931a, 801-804, pl. 47, fig. 8. 1931: CERCARIA.

nicolai Isaichikov, I. M., 1926e, 12 [nomen nudum]; 1927t, 261, 262-269, figs. 1-2. 1927: KNIPOWITSCHIATREMA (tod).

nicolai Isaichikov, I. M., 1927p, 125 [nomen nudum]. 1927: KNIPOVITSCHIA.

NICOLLA Wiśniewski, L. W., 1934b, 32, 33, 34-35, 38, 40 (tod: N. ovata).

nicolli Bhalerao, G. D., 1936c, 186, 187, 191-194, 204, fig. 3. 1936: STYPHLODORA.

nicolli Cable, R. M.; & Hunninen, A. V., 1938a, 29-30. 1938: SPELOTREMA. 1944: MICROPHALLUS.

nicolli Dubois, G., 1937b, 241-243, fig. 8. 1937: STRIGEA.

nicolli Gupta, N. K., 1954c, 121-123, fig. 1. 1954: OMMATOBREPHUS.

nicolli Holl, F. J.; & Allison, L. N., 1935a, 226-228, pl. 37, figs. 1-3. 1935: DASYMETRA.

nicolli Isaichikov, I. M., 1928d, 19, 21, 29, 31-33, 34, 35, 36, pl. 1, fig. 4. 1928: LEBOURIA (CAUDOTESTIS). 1934: PLAGIOPORUS. 1934: CAUDOTESTIS. 1958: PLAGIOPORUS (PLAGIOPORUS).

nicolli Manter, H. W., 1934c, 259, 323-324, 329, 338, 339, 342, pl. 15, figs. 96-98. 1934: HEMIPERINA (tod). 1958: HEMIPERA.

nicolli Manter, H. W., 1934c, 258, 297-298, 339, 340, 341, pl. 8, figs. 51-53. 1934: LEPIDAPEDON.

nicolli Palombi, A., 1934a, 471, 474, 476. 1934: BACCIGER. [n. n. for B. bacciger of Nicoll, 1914, pl. 481, fig. 3].

nicolli Pande, B. P., 1938e, 55-58, figs. 1-2. 1938: ALLOCREADIUM. [1954]: ALLOCREADIUM (ALLOCREADIUM).

nicolli Pande, B. P., 1939b, 23-25, figs. 1-2. 1939: PETASIGER.

nicolli Tiwari, I. P., 1959b, 283, 286-287, 291, fig. 2. 1959: XENOPHARYNX.

nicolli Travassos, L. P., 1921e, 89-90, pl. 25. 1921: MARITREMA.

nicolli Witenberg, G. G., 1925c, 176, 190, 198, 200-202, 203, 247, pl. 1, fig. 5. 1925: HARMOSTOMUM (HARMOSTOMUM). 1932: BRACHYLAEMUS (BRACHYLAEMUS). 1925: BRACHYLAEMUS fuscatus. 1934: BRACHYLAIMA.

NICOLLIA Wisniewski, L. W., 1933e, 33, for Nicolla.

nicollii Mehra, H. R., 1936a, 217, 218-225, figs. 1-2. 1936: HARMOTREMA.

NICOLLODISCUS Srivastava, H. D., 1937*v*, 400 (mt: N. gangeticus).

niger Rogers, W. A.; & Mizelle, J. D., 1966, 707, 710-711, figs. 39-48 (J. Parasitol., v. 52 (4)) (Moxostoma duquesnei; Alabama). 1966: DACTYLOGYRUS.

nigerianum Babero, B. B.; & Okpala, I., 1962a, 61-62, fig. 1 (Agama colonarum; gall bladder & biliary ducts; Lagos, Nigeria). 1962: INFIDUM.

nigerica Gupta, R., 1963a, 117-121, 125, 128, figs. 1-3 (Phalacrocorax niger; small intestine; Uttar Pradesh, India). 1963: STEPHANOPRORA.

nigericus Gupta, R., [1962c], 112 (Phalacrocorax niger; India). [1962]: SCHWARTZITREMA.

NIGERINA Baugh, S. C., 1958a, 221-224 (tod: N. hardoiensis).

nigra Müller, O. F., 1774a, 54. 1774: FASCIOLA. 1787: PLANARIA.

nigrae Diesing, K. M., 1858e, 322. 1858: HOLOSTOMUM anatis.

nigrae Viborg, E. N., 1758a, see Rudolphi, C. A., 1809a, index. 1795: DISTOMA ardeae.

nigrescens Olsson, P., 1876b, 19-20, pl. 3, fig. 41. 1876: DISTOMA.

nigrita Fain, A., 1953e, 19, 40, 54-58, 244, 245, pl. III, figs. 1-4. 1953: CERCARIA.

nigrivasis Méhelÿ, L., 1929b, 77-90, pls. 10-11, figs. 1-11. 1929: OPISTHODISCUS diplodiscoides. 1959: OPISTHODISCUS.

nigrocaudata Ito, J., 1956d, 235, 240-242, figs. 9-13. 1956: CERCARIA.

nigrocystica Bradley, B., 1926b, 577, figs. xii-xiv. 1926: CERCARIA.

nigroflavum Rudolphi, C. A., 1819a, 118-119, 425-427. 1819: DISTOMA. 1893: DISTOMA (ACCACOELIUM). 1901: ACCACOELIUM. 1903: ECHINOSTOMA. [1928: ACCACLADOCOELIUM (tod)]. 1934: ACCACLADOCOELIUM.

nigromaculatus Lee, L. -Y., 1936a, 124-127, 131-132, pl. IX, figs. 1-7b. 1936: DIPLORCHIS.

nigrogranulosa Faust, E. C., 1924e, 293. 1924: CERCARIA.

nigropunctatum Linstow, O. F. B., 1883a, 310, pl. 9, fig. 52. 1883: MONOSTOMA. 1911: CYCLOCOELUM. 1923: CORPOPYRUM.

nigrospora Vergun, G. I., 1957a, 158-159, pl., fig. 6. 1957: CERCARIA.

nigrostavum Deslongchamps, E. E., 1829b, 238, for nigroflavum. 1829: DISTOMA.

nigrotincta Pelseneer, P., 1906a, 166, 178, pl. 9, fig. 9. 1906: CERCARIA.

nigrouterinum Baelz, E., 1883a, 236. 1883: DISTOMA.

nigrovenosum Bellingham, O., 1844a, 429. 1844: DISTOMA. 1895: DISTOMA (DICROCOELIUM). 1899: LECITHODENDRIUM. 1902: [DISTOMA] (BRACHYCOELIUM). 1909: LEPTOPHALLUS (mt).

nigrovenosum natricis torquatae Diesing, K. M., 1855c, 64, based on Bellingham, 1844. 1855: DISTOMA.

nigrum von Linstow, O. F. W., 1883a, 307. 1883: DISTOMA.

nigrum Onji, Y.; & Nishio, T., [1924b], 393-396, pl. 1, figs. 19-22, pl. 4, fig. 5, German summary, 9. [1924]: NAVIGIOLUM.

nikolskyi Gusev, A. V., 1955b, 272, 273, 274, 395, 398, pl., fig. 35 (4). 1955: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 40).

NILOCOTYLE Näsmark, K. E., [1937a], 329, 331, 332, 445, 519, 521.

nilotica Baer, J. G., 1959b, 7, 24-26, 27, fig. 9. 1959: MESORCHIS denticulatus.

niloticum McClelland, W. F. J., 1957a, 252-254, 255, 256. 1957: BREVICAECUM.

niloticum Odhner, T., 1910d, 117-119, 159. 1910: ECHINOSTOMA. 1915: ECHINOPARYPHIUM. 1939: MOLINIELLA.

niloticus Vercammen-Grandjean, P. H., 1960d, 49, 113-114, pl. 24, figs. 162-166. 1960: PLAGIOPORUS.

nimia Linton, E., 1910b, 18, 21, 29, 33, 89, pls. 5-6, figs. 40-48. 1910: HELICOMETRINA.

nipponensis Faust, E. C., 1924e, 291. 1924: CERCARIA.

nipponica Ozaki, Y., 1934c, 111-114, figs. 1-2. 1934: PETALOCOTYLE (mt).

nipponicum Goto, S., 1891a, 151-192, pls. 21-23. 1891: DIPLOZOON.

nipponicum Yamaguti, S., 1940b, 36, 100-103, 107, figs. 44-46, pl. 2, figs. 9-12. 1940: LAMPRITREMA (tod).

nipponicum Yamaguti, S., 1942b, 131, 157-159, 160, fig. 8, pl. 6, fig. 22. 1942: TORTICAECUM.

nipponicum Yamaguti, S., [1954a], 144 (n. n. for Stephanochasmus casus Linton, 1910 of Yamaguti, 1934). [1954]: STEPHANOSTOMUM.

nipponicus Yamaguti, S., 1939d, 131, 204-206, 207, 208, 209, fig. 1, pl. 24, figs. 46-47. 1939: HOLOSTEPHANUS.

nipponicus Yamaguti, S., 1941a, 321, 333-335, fig. 11. 1941: EUAMPHIMERUS.

nipponicus Yamaguti, S., 1942d, 405-407, figs. 5-6. 1942: LECITHODESMUS.

nipponicus Yamaguti, S., 1951c, 283, 284-286, 294, pl. 2, fig. 3. 1951: HADWENIUS.

nipponicus Yamaguti, S., 1951b, 247, 259-260, 281, pl. 3, fig. 7. 1951: OPECOELUS.

nipponicus crecis Macko, J. K., 1965a, 219-224, figs. 1-7 (Crex crex; splach tenkého creva; Senné, Slovensko). 1965: EUAMPHIMERUS.

nisbetii Nicoll, W., 1914h, 341-343, pl. 23, fig. 5. 1914: LEPODERMA. 1917: PLAGIORCHIS (LEPODERMA). 1931: PLAGIORCHIS (PLAGIORCHIS).

nisus Chatterji, P. N., 1942b, 14, 20-22, fig. 3. 1942: NEODIPLOSTOMUM.

nitens Linton, E., 1898c, 534-535, pl. 51, figs. 5-6, pl. 52, fig. 1. 1898: DISTOMA. 1940?: LECITHOSTAPHYLUS. 1947: STEGANODERMA. 1957: MANTERODERMA.

nitidulae Harper, W. F., 1932a, 307, 309, 312-313, 317, figs. 7-8. 1932: CERCARIA politae.

nitidum Leidy, J., 1856b, 45. 1856: HOLOSTOMUM. 1950: DISTOMA.

nitidus Linton, E., 1928b, 6-8, pl. 2, fig. 10, pl. 3, figs. 11-16. 1928: PETASIGER. 1943: NAVICULARIA (Mendheim, H., 1943a, 253). 1947: PETASIGER (NEOPETASIGER).

nittanyense Zeliff, C. C., 1946a, 340-342, fig. 1. 1946: CYCLOCOELUM. 1958: HAEMATOTREPHUS.

NITZSCHIA von Baer, K. E., 1826a, 125 (mt: N. elegans for Hirudo sturionis Abildgaard, renamed elegans).

NIZAMIA Dayal, J., 1938e, 53, 56, 57 (mt: N. hyderabadi).

nobilis Molnár, K., 1964b, 459-461, figs. 1 (1-5) (Hypophthalmichthys nobilis; Hungary). 1964: DACTYLOGYRUS.

noblei Giles, D. E., 1962a, 293-295, fig. 1 (Mytilus californianus; Marin County, California). 1962: CERCARIA.

noblei King, R. E., 1962a, 330-334, fig. 1 (Sardinops caerulea; stomach; San Quintin Bay, Baja California, Mexico). 1962: PARAHEMIURUS.

noblei Menzies, R. J., 1946a, 428-439, pl., figs. 1-5. 1946: BENEDENIA. 1963: PSEUDOBENEDENIA (Yamaguti, S., 1963a, 130).

noblei Nahhas, F. M.; & Cable, R. M., 1964a, 212-213, 215, pl., fig. 49 (Abudefduf saxatilis; stomach; Curaçao). 1964: GENOLINEA.

noblei Park, J. T., 1936a, 360-362, 364, pl. 43, figs. 1-5. 1936: PLAGIORCHIS. 1937: NEOLEPODERMA (PLAGIORCHIS) (tod). 1937: PLAGIORCHOIDES (tod).

nocens Onji, Y.; & Nishio, T., 1916c, 941-946, fig. 2. 1916: HETEROPHYES. 1940: HETEROPHYES heterophyes.

nochi Wesley, W. K., 1943b, 255-259, pl., fig. 1. 1943: CYCLOCOELUM.

noci Barrois, T. C., 1908a, 791-793. 1908: CHIORCHIS.

nocomis Fischthal, J. H., 1942d, 273-274, 275, pl. 1, fig. 3. 1942: PHYLLODISTOMUM.

nocti Nagaty, H. F.; & Abdel Aal, T. M., 1961, 235-236, fig. 3 (Sangus noct.; alimentary tract; Marine Biological Station, Ghardaga, Red Sea). 1961: PARACRYPTOGONIMOIDES (mt).

noctophilus Macy, R. W., 1936b, 321-323, fig. 25. 1936: GLYPTOPORUS (tod).

noctulae Cobbold, T. S., 1860a, 39, Monostoma vespertilionis renamed. 1860: MONOSTOMA.

noctulae Rudolphi, C. A., 1819a, 119, 1819: DISTOMA.

nocturnus Looss, A., 1907b, 479-480, fig. 2. 1907: PHILOPHTHALMUS.

nodulosa von Frölich, J. A., 1791a, 76-80. 1791: FASCIOLA. 1800: DISTOMA. 1845: DISTOMA (CROSSODERA) (type). 1860: CROSSODERA. [1896: BUNODERA (type)]. 1899: BUNODERA (type). 1922: ASYMPHYLODORA.

nodulosa von Linstow, O. F. B., 1873a, 3, pl. 1, fig. 1873: CERCARIA.

nokomis Macy, R. W., 1935c, 437 [nomen nudum]; 1937b, 363-364, 365, fig. 2. 1935: PARALECITHODENDRIUM. [1936: PROSTHODENDRIUM]. 1937: PROSTHODENDRIUM. 1960: ACANTHATRIUM (PROSTHODENDRIUM) (Etges, F. J., 1960c, 527).

nolfi Brooks, F. G., 1943a, 333, 337, 338, pl., figs. 18-19. 1943: CERCARIA.

nolfi Hoffman, G. L., 1953c, 13, 15, 16, 17. 1953: NEASCUS.

norae Martin, W. E., 1960b, 412-413, figs. 5-6. 1960: COITOCAECUM.

norai Tripathi, Y. R., [1959a], 6, 7. [1959]: GYRODACTYLUS medius.

nordiana Bashkirova, E. I., 1941b, 248-249, 287, pl. 7, figs. 18-19. 1941: ECHINOPARYHIUM.

nordmanni Diesing, K. M., 1850a, 428. 1850: ENCOTYLLABE (type). 1878: TRISTOMA. 1890: PLECTANOCOTYLE.

NORDOSTTREMA Isaichikov, I. M., 1928d, 19, 71, 72 (tod: N. messjatsevi).

NORDOTREMA Layman, E. M.; & Borovkova, M. M., 1926a, 36, for Nordosttrema.

normanni Braun, M. G. C. C., 1890a, 550, for nordmanni. 1890: ENCOTYLLABE.

norvegicum Loewen, S. L., 1934b, 250-251, fig. 1. 1934: AGAMODISTOMUM.

norverca Witenberg, G. G., 1934a, 327, for noverca. 1934: OPISTHORCHIS.

nossens Asada, J., 1927a, 926, 927, for nocens. 1927: HETEROPHYES.

nossibei Euzet, L.; & Razarihelisoa, M., 1959a, 79-82, figs. 2-6. 1959: PSEUDOLAMELLODISCUS.

notabilis Nicoll, W., 1909b, 397, 475-479, pl. 10, fig. 17. 1909: PLAGIORCHIS. 1928: LEPODERMA. 1931: PLAGIORCHIS (MULTIGLANDULARIS). 1959: PLAGIORCHIS (MULTIGLANDULARIS) notabilis.

notabilis Niewiadomska, K., 1966, 21-25, fig. 1 (Acta Parasitol. Polon., v. 14 (3) (Planorbis planorbis; Mamry Północne Lake). 1966: CERCARIA.

notabilis micronotabilis (Semenov, V. D., 1927a, 232-234, fig. 2). 1959: PLAGIORCHIS (MULTIGLANDULARIS).

notabilis notabilis (Nicoll, W., 1909b, 397, 475-479, pl. 10, fig. 17). 1959: PLAGIORCHIS (MULTIGLANDULARIS).

NOTAULUS Skrjabin, K. I., 1913i, 375, 378 (tod: N. asiaticus).

nothrica Seitner, P. G., 1945a, 276-277, 278, 279, 281, pl. 2, figs. 8-9. 1945: CERCARIA.

notidobiae von Linstow, O. F. W., 1896i, 379. 1896: DISTOMA.

NOTOCOTYLA Ishii, N., 1933c, 91, 92, 93, 94, 99, for Notocotyle.

NOTOCOTYLE Diesing, K. M., 1850a, 288, 411, for Notocotylus 1838 (mt: N. triseriale).

notocotyli attenuati Simroth, H.; & Hoffmann, H., 1928a, 1338. 1928: CERCARIA.

NOTOCOTYLOIDES Dollfus, R. P. F., 1966c, 292, 297, 298 (tod: N. petasatum (Deslongchamps, 1824)).

NOTOCOTYLUS Diesing, K. M., 1839a, 234 (mt: N. triserialis).

notopalae Johnston, T. H.; & Beckwith, A. C., 1945a, 234-241, 242, figs. 6-16. 1945: CERCARIA.

NOTOPORUS Yamaguti, S., 1938c, 2, 55 (tod: N. leiognathi).

notopteri Jain, S. L., 1958b, 450, for notopterus. 1958: UROCLEIDUS.

notopterus Jain, S. L., 1955a, 31-35, figs. 1-5. 1955: UROCLEIDUS. 1963: ANCYLODISCOIDES (Yamaguti, S., 1963a, 58).

notothenia Manter, H. W., 1954b, 476, 547, 549-550, 563, figs. 81-82. 1954: DEROGENES.

nototheniae Johnston, T. H., 1931b, 91-96, figs. 1-4. 1931: PSEUDOBENEDENIA (tod).

nototheniae Manter, H. W., 1954b, 476, 550-551, 555, 563, fig. 83. 1954: MITROSTOMA.

notropidus Fischthal, J. H., 1942d, 271-273, 275, pl. 1, fig. 2. 1942: PHYLLODISTOMUM.

notura Hall, J. E., 1960a, 230, 232, 244, figs. 6-9. 1960: CERCARIA.

nouveli Dollfus, R. P. F., 1939b, 210-233, figs. 1-10. 1939: ACHILLURBANIA.

novalichesensis Tubangui, M. A., 1932f, 392-394, fig. 5, pl. 9, fig. 1. 1932: ECHINOCHASMUS. 1947: ECHINOCHASMUS (ECHINOCHASMUS).

noveboracensis Hung, S. -L., 1926b, 1-2, fig. 1. 1926: PARAMETORCHIS.

noveboracensis McIntosh, A., 1937b, 23-24, fig. 9. 1937: POSTHARMOSTOMUM.

noveboracensis Price, E. W., 1962c, 402, 406, 407, 411-412, pl. II, figs. 9-12 (Caranx hippos, C. ruberi [sic]; gills; both from New York). 1962: CEMOCOTYLE.

noveboracensis Price, E. W.; & McIntosh, A., 1953a, 227-229, 231, 232, fig. 1. 1953: COTYLOPHORON.

novemdecim Lutz, A., 1928a, 105, pl. 24, fig. 7. 1928: PETASIGER. 1947: PETASIGER (PETASIGER). 1943: NAVICULARIA (Mendheim, 1943a, 253).

NOVEMTESTIS Yamaguti, S., 1942b, 131, 139, 142 (tod: N. armatus).

noverca Braun, M. G. C. C., 1902d, 836. 1902: OPISTHORCHIS. 1907: DISTOMA. 1911: AMPHIMERUS.

noverca lobata Bhalerao, G. D., 1931f, 360. 1931: OPISTHORCHIS.

noverca orbiculata Bhalerao, G. D., 1931f, 360. 1931: OPISTHORCHIS.

NOVETREMA Rohde, K., 1962, 466-469.

novicia Barker, F. D., 1916b, 175-184, pl. 25, figs. 1-4. 1916: NUDACOTYLE (tod).

novocerca Velu, H.; & Barotte, J. H., 1924a, 303, 345, for noverca. 1924: OPISTHORCHIS.

novum Verma, S. C., 1936c, 158-159. 1936: PARYPHOSTOMUM. 1950: ECHINOSTOMUM.

noyeri Joyeux, C. E., 1922e, 338-341, 343, figs. 8-9. 1922: NOTOCOTYLUS.

nozawae Goto, S., 1894a, 249-251. 1894: TRISTOMA. 1929: CAPSALA. 1960: TRISTOMELLA.

nozawai Saint-Remy, G., 1898a, 538, for nozawae. 1898: TRISTOMA.

nubeculata Holliman, R. B., 1961a, 38, 39, figs. 74-76 (Cerithidea scalariformis; St. Marks Light & Shell Point, Wakulla County, Florida). 1961: CERCARIA.

nuchalis Wood, R. A.; & Mizelle, J. D., 1957a, 192, 193, 200, pl. II, figs. 1-15. 1957: DACTYLOGYRUS.

nuda Komiya, Y., 1952b, 455-457, 458, 459, 560, fig. 1a-b. 1952: CERCARIA.

NUDACIRAXINE Price, E. W., 1962, 10, 15, 16 (tod: N. gracilis (Linton, 1940)).

NUDACOTYLE Barker, F. D., 1916b, 175-178, 181 (tod: N. novicia).

nudicaudatum Nasir, P., 1960c, 833-847, figs. 1-12. 1960: ECHINOSTOMA.

nugax Szidat, L., 1928d, 205, 208, 211. 1928: STRIGEA.

numenii Odening, K., 1963a, 249-252, figs. 1-2 (Numenius phaeopus; Dünndarmhälfte; Insel Hiddensee (westlich Rügen), Mittlere Ostsee). 1963: CURTUTERIA (tod).

numenii Oshmarin, P. G., 1963b, 51-53, fig. 20. 1963: PARORCHIS acanthus.

numenii Sobolev, A. A., 1943c, 378. 1943: OPHTHALMOTREMA. 1963: PHILOPHTHALMUS (Penner, L. R.; & Fried, B., 1963a, 976).

numenii tenuirostris Rivolta, S.; & Delprato, P., 1881a, 133. 1881: MONOSTOMA.

NUMENIOTREMA Belopol'skaia, M. M., 1952a, 689, 736 (tod: N. musculosa).

nyanzae Leiper, R. T., 1910c, 237-238, fig. 28. 1910: FASCIOLA. 1948: FASCIOLOIDES.

nyanzi Jackson, H. G., 1921a, 54-55, for nyanzae. 1921: FASCIOLA.

nybelini Markevich, A. P., 1933d, 18-20, figs. 1-2. 1933: DACTYLOGYRUS. 1938: NEODACTYLOGYRUS.

nyctali Gvozdev, E. V., [1954b], 125-126, fig. 1. [1954]: CASTROIA.

nyctanassae Cable, R. M.; Connor, R. S.; & Balling, J. W., 1960a, 189, 194, 224-225, 252, fig. 40. 1960: PSEUDOSPELOTREMA.

nycteridis Faust, E. C., 1919f, 209-215, fig. 1, pl. 20. 1919: ACANTHATRIUM (tod & mt). 1935: LECITHODENDRIUM. 1936: PROSTHODENDRIUM. 1949: ACANTHATRIUM (ACANTHATRIUM).

nycteridis plicati Bhalerao, G., 1926a, 182, 193, 194, pl. 2, fig. 5. 1926: ACANTHATRIUM. 1948: ACANTHATRIUM (ACANTHATRIUM). 1958: PROSTHODENDRIUM.

nycticebi Rohde, K., 1962, 466, 467, 468-469, 472-473, fig. 2. (Nycticebus coucang; intestine; Malaya). 1962: NOVETREMA. 1965: PSEUDOCRYPTOTROPA (Khotenovskii, I. A., 1965a, 201).

nycticoracis Izumi, M., 1935b, 2423-2430, pl. 1, figs. 1-7, pl. 2, fig. 8. 1935: STAMNOSOMA. 1942: CENTROCESTUS.

nycticoracis Olsen, O. W., 1940b, 323, 325-326, 328, pl. 1, fig. 1. 1940: CATHAEMASIA.

nycticoraxis Leonov, V. A., [1959a], 201, 202, pl., fig. 2. [1959]: METAMETORCHIS.

nylstrooma Porter, A., 1938a, 6, 9, 341-343, 344, pl. 55, fig. 2. 1938: CERCARIA.

nymphaea Porter, A., 1938a, 6, 9, 332-334, 337, 466, 470, pl. 52, fig. 1. 1938: CERCARIA.

nyrocae Ryzhikov, K. M.; & Timofeeva, T. N., 1962a, 109-111, fig. 1 (Nyroca marila; intestine; Kamchatka, region Ust-Kamchatsk). 1962: PLAGIORCHIS.

nyrocae Yamaguti, S., 1934b, 543, 552-554, fig. 4. 1934: PHILOPHTHALMUS.

nyxetica Seitner, P. G., 1945a, 273-275, 278, 279, 280, pl. 1, figs. 3-7. 1945: CERCARIA.

oatesi Leiper, R. T.; & Atkinson, E. L., 1914a, 224. 1914: HEMIURUS. 1954: PARAHEMIURUS.

oaxacensis Caballero y C.; E. C.; & Bravo Hollis, M., [1964a], 185-193, 201, figs. 16-20 (Palometa media; branquias; Salina Cruz, Oaxaca, Mexico). [1964]: PSEUDOMAZOCRAES.

obducta Nicoll, W., 1909b, 397, 450, 451, 455 [=Distomum sp. Linton, 1905d, 389, pl. 23, figs. 168-169]. 1909: LEBOURIA. 1934: PLAGIOPORUS. 1958: PLAGIOPORUS (PLAGIOPORUS).

obensis Shul'ts, R. E. S., 1932b, 56-57, fig. 3. 1932: PLAGIORCHIS (PLAGIORCHIS).

obesa van Beneden, P. J., 1871a, 33. 1871: DISTOMA.

obesa Manter, H. W., 1961a, 70, 72-73, 74, figs. 6-7 (houndfish or needlefish; intestine; Fiji Islands). 1961: PROLECITHA (tod).

obesa Travassos, L. P., 1944a, v, 18, 110-113, 292, pl. 122, fig. 4, pl. 123, figs. 1-3, pl. 124, figs. 1-2. 1944: CANAANIA (tod).

obesum Caballero y C., E.; Bravo Hollis, M.; & Grocott, R. G., 1955a, 121-127, figs. 4-7. 1955: TETRANCISTRUM.

obesum Diesing, K. M., 1850a, 361-362. 1850: DISTOMA. 1910: CALLODISTOMUM. 1922: PROSTHENHYSTERA (tod).

obesum Looss, A., 1902h, 135, 140-141, 142, figs. 9-11. 1902: SACCOCOELIUM.

obesum Nicoll, W., 1914f, 147-148, pl. 3, fig. 8. 1914: BRACHYCOELIUM.

obesus Creplin, F. C. H., 1851b, 292. 1851: TETRATHYRUS (type). 1866: PETRATHYRUS.

obesus Lutz, A., 1928a, 117, 119. 1928: CONCHOGASTER. [1938: NEODIPLOSTOMUM]. 1959: NEODIPLOSTOMUM.

obioni Goodman, J. D., 1951c, 57, 58, 59, 60, fig. 1. 1951: CERCARIA.

obliquum Harrah, E. C., 1921a, 162, 164, 165, fig. 2. 1921: CYCLOCOELUM. 1950: CYCLOCOELUM (CYCLOCOELUM).

obliquum Travassos, L. P., 1917h, 738, 740, fig. 2. 1917: LIPEROSOMUM [sic]. 1940: BRACHYLECITHUM. 1941: LUTZTREMA (tod).

obliquus Looss, A., 1901 l, 566-567. 1901: PRONOCEPHALUS.

oblonga Ching, H. L., 1965b, 145, 146, 147, figs. 7-8 (Pacific coast of North America). 1965: MICROPHALLUS.

oblonga Cobbold, T. S., 1858b, 168. 1858: CAMPULA (type). 1892: DISTOMA. 1898: OPISTHORCHIS. 1902: BRACHYCLADIUM.

oblonga Faust, E. C., 1921d, 12-13, pl. 3, fig. 3. 1921: CERCARIA.

oblonga Skrjabin, K. I.; & Shul'ts, R. E. S., 1935c, 20, 21, fig. 12b. 1935: FASCIOLA hepatica.

oblonga Skvortsov, A. A., 1924a, 204, 205-206, 209, 210, 211. 1924: CERCARIA.

oblongnum Monticelli, F. S., 1888a, 57, for oblongum. 1888: POLYSTOMA.

oblongum Dubois, G., 1937c, 396. 1937: POSTHODIPLOSTOMUM.

oblongum Wright, R. R., 1879a, 63-66, pl. 1, figs. 9-11. 1879: POLYSTOMA. 1935: POLYSTOMOIDES. 1939: POLYSTOMOIDELLA (tod).

oblongus Sinitsin, D., 1931e, 834, for ovatus. 1931: ECTOSIPHONUS.

obovale Neumann, L. G., 1909a, 188. 1909: TYPHLOCOELUM. 1923: TRACHEOPHILUS. 1948: TYPHLOCOELUM (TYPHLOCOELUM).

obovatum Molin, R., 1859e, 288. 1859: DISTOMA. [1899: CREADIUM]. 1900: ALLOCREADIUM.

obscura Gusev, A. V.; & Strelkov, I. A., [1961a], 223-224, fig. 17A. [1961]: ANCYLODISCOIDES curvilamellis.

obscura Müller, O. F., 1774a, 65. 1774: FASCIOLA. 1787: PLANARIA.

obscura Sonsino, P., 1892c, 138. 1892: CERCARIA.

obscura Wesenberg-Lund, C. J., 1934b, 26, 41-43, 176, 179, pl. 5, figs. 7-8, pl. 6, figs. 1-5. 1934: CERCARIA.

obscuradena Brackett, S., 1939b, 263, 265, 266-267, fig. 2. 1939: CERCARIA.

obscuri Ercolani, G. B., 1881e, 33-35, pl. 1, figs. 16-17, 46. 1881: CERCARIA lymnaei.

obscurior Fain, A., 1953e, 18, 40, 54, 60-62, 63, 242, 243, pl. II, fig. 1. 1953: CERCARIA.

obscurum Dubois, G., 1937c, 393. 1937: NEODIPLOSTOMUM.

obscurum Leidy, J., 1887b, 24. 1887: MONOSTOMA. 1922: CYCLOCOELUM. 1928: CYCLOCOELUM (POSTPHARYNGEUM). 1950: CYCLOCOELUM (CYCLOCOELUM).

obscurum Mehra, H. R., 1934b, 181-82, 188, 194, pl. 3, fig. 7. 1934: PLASMIORCHIS.

obscurum Stafford, J., 1904b, 484. 1904: LEPTOSOMA.

obscurus Ching, H. L., 1960b, 55, 60-61, figs. 6-8. 1960: GYMNOPHALLUS. 1964: PARVATREMA (Ching, J. B. L., 1964a, 34, 35).

obscurus Gusev, A. V., 1955b, 206-207, 208, 370, 393, 397, pl., figs. 10 (1-2). 1955: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 14).

obscurus Macy, R. W.; & Moore, D. J., 1954a, 328-335, pls. 1-2, figs. 1-12. 1954: CEPHALOPHALLUS.

obsequens Nicoll, W., 1914i, 106-108, pl. 6, fig. 1. 1914: OPISTHORCHIS.

obstipus Van Cleave, H. J.; & Mueller, J. F., 1932a, 35, 38, 39, pl. 6, fig. 1. 1932: MICROPHALLUS. 1934: MARITREMA. 1939: MARITREMINOIDES. 1953: PSEUDOSPELOTREMA.

obtortum Caballero y C., E., 1942b, 91-95, figs. 1-2. 1942: PARAMONOSTOMUM.

obtusa Linton, E., 1910b, 17, 21, 69, 94, pl. 20, figs. 160-161. 1910: DERADENA. 1937: HAPLOSPLANCHNUS. 1955: SCHIKHOBALOTREMA.

obtusatae Lebour, M. V., 1912a, 445, pl. 28, figs. 15-17. 1912: CERCARIA littorinae.

obtusicauda Pelseneer, P., 1906a, 182, for obtusicaudata. 1906: CERCARIA.

obtusicaudata Pelseneer, P., 1906a, 167-168, 179, pl. 9, figs. 16-19, pl. 12, fig. 44. 1906: CERCARIA.

obtusicaudum Mackin, J. G., 1930a, 25-29, pl. 2, figs. 1-7. 1930: MACRAVESTIBULUM (mt).

obtusum Looss, A., 1896b, 78-81, 83, 85, 87, 88, 89, pl. 6, figs. 53-56. 1896: DISTOMA. 1899: LECITHODENDRIUM. 1921: PARALECITHODENDRIUM. 1936: PROSTHODENDRIUM.

obtusus Shtrom, Z. K., 1940a, 194-195, 196, 216, 220-221, figs. 7-8. 1940: PLAGIORCHIS. 1959: PLAGIORCHIS (MULTIGLANDULARIS). 1960: OPISTHIOGLYPHE (LECITHOPYGE).

obtusus lutrae (Fahmy, M. A. M., 1954b, 189-191, 192, 193, 194, 202, fig. 1). 1959: PLAGIORCHIS (MULTIGLANDULARIS).

ocadiae Fukui T.; & Ogata, T., 1936b, 765, 768-770, figs. 4-5. 1936: POLYSTOMOIDES.

ocadiae Takeuti, E., 1939a, 643-646, figs. 1-4. 1939: DIASCHISTORCHIS.

ocadiae Takeuti, E., 1942a, 161-165, 166, fig. 1-3. 1942: COEURITREMA.

ocalana Smith, S. C., 1935b, 18-19, figs. 3-4. 6-9. 1935: CERCARIA stephanocauda.

OCBOTRYUM Moulinié, J. J., 1856a, 10, for Octobothrium.

occidentalis Mizelle, J. D.; & Price, C. E., 1964b, 579, 580-582, pl., figs. 16-25a (Hesperoleucus symmetricus; California). 1964: DACTYLOGYRUS.

occidentalis Montgomery, W. R., 1957a, 15, 17-18, 33, 34, pl., fig. 6. 1957: OPECHONA.

occidentalis Nickerson, W. S., 1900b, 250. 1900: COTYLOGASTER. 1963: COTYLOGASTEROIDES (Yamaguti, S., 1963a, 320).

occidentalis Szidat, L., 1944b, 202-203, 212, fig. 15. 1944: PLAGIOPORUS. 1959: PLAGIOPORUS (PLAGIOPORUS).

occidentalis Van Cleave, H. J.; & Mueller, J. F., 1932a, 28-29, 32-33, pl. 5, figs. 1-2. 1932: SANGUINICOLA.

occidualis Stafford, J., 1905a, 687-688. 1905: HALIPEGUS.

occularae Wu, L. Y., 1938a, 389, 390-391, 394, fig. 2. 1938: PHILOPHTHALMUS.

occultum Stafford, J., 1905a, 682-683. 1905: MANODISTOMUM.

oceanicum Caballero y C., E.; Bravo Hollis, M.; & Grocott, R. G., 1953b, 103-106, pls., figs. 6-9. 1953: MICROCOTYLE. 1962: AXINOIDES (Price, E. W., 1962a, 7).

ocellata von La Valette Saint George, A. J. H., [1855a], 22-23, pl. 2, fig. 5. 1855: CERCARIA. [1858: Histrionellina fissicauda]. 1931: TRICHOBILHARZIA.

ocellata brevifurcata Dönges, J., 1962b, 108 (provisional). 1962: CERCARIA.

ocellatum Rudolphi, C. A., 1819a, 125, 436-437. 1819: POLYSTOMA. 1828: HEXACOTYLA. 1828: HEXACOTYLE. 1935: POLYSTOMOIDES.

ocellatus Faust, E. C., 1918b, 123 [? for oculatus Levinsen]. 1918: ACANTHOPSOLUS.

ocellifera Lutz, A., 1919a, 154, pl. 41, figs. 64-66. 1919: DICRANOCERCARIA. 1923: CERCARIA.

OCHETOSOMA Braun, M. G. C. C., 1901g, 944 (mt: O. monstruosum).

ochotensis Gubanov, N. M., 1954b, 381 [nomen nudum]. 1954: NEOPHASIS.

ochoterenai Zerecero D., M. C., 1943a, 9, 11, 18-27, figs. 4-7. 1943: EUPARYPHIUM.

OCHOTERENATREMA Caballero y C., E., 1943d, 186, 191 (tod: O. labda)

ochotonae Gvozdev, E. V., 1962a, 64-65, 73, 74, 76, 77, fig. 1 (Ochotona rutila; small intestine; Zailiiskii Ala-Tau). 1962: HASSTILESIA.

ochreatum Nitzsch, C. L. in Giebel, C. G. A., 1857a, 265 [nomen nudum]. 1857: HOLOSTOMUM.

OCHRIDIA Nezlobinski, N., 1926a, 206-207, for Ohridia.

ochthodromi Tubangui, M. A., 1933c, 171-173, 191, 197, pl. 2, figs. 3-4. 1933: ACANTHOPARYPHIUM.

OCREATA Goeze, J. A. E., 1782a, 41, 182-183, a "Gattung" of Fasciola Goeze, from a Maulwurf).

ocreata Goeze, J. A. E., 1782a, 182, pl. 15, figs. 6-7. 1782: FASCIOLA. 1788: CUCULANUS. 1800: MONOSTOMA. 1809: MONOSTOMA (MONOSTOMA). 1899: DISTOMA. [1899: ITYOGONIMUS, type]. 1902: ITYOGONIMUS.

ocreata Rudolphi, C. A., 1802b, 79-81, halecis renamed. 1802: FASCIOLA. 1809: DISTOMA. 1845: DISTOMA (APOBLEMA). 1889: APOBLEMA. 1899: PRONOPYGE (type). 1911: HEMIURUS.

ocreatum Molin of Linton, E., 1898c, 514-515, pl. 42, fig. 13. 1898: DISTOMA.

ocreatum Molin of Olsson, P., 1867-68a, 48, pl. 5, figs. 96-98. 1867-68: DISTOMA. 1891: APOBLEMA. 1899: HEMIURUS. [1905: Brachyphallus crenatus (Rudolphi)].

ocreatum Rudolphi of Molin, R., 1859e, 289, 290. 1858: DISTOMA.

octadena Faust, E. C., 1921d, 11-12, 20, 21, pl. 3, fig. 1. 1921: CERCARIA.

OCTANGIOIDES Price, E. W., 1937e, 487, 488 (tod: O. skrjabini).

OCTANGIUM Looss, A., 1902m, 433, 633, 634, 637, 642, 645, 649, 650, 652, 653, 657, 660, 668, 670, 674, 675, 682, 684-685, 686, 687, 698, 699, 824 (tod: O. sagitta).

octava Chornogorenko-Bidulina, M. I., 1958a, 220. 1958: CERCARIA.

OCTOBOTHRIUM Leuckart, F. S., 1827a, 24 (mt: O. lanceolatum).

OCTOCOTYLE Diesing, K. M., 1850a, 289, 421-422 (includes lanceolata [type by inclusion] & truncata).

OCTOCOTYTE Parona, C., 1894a, 594, for Octocotyle.

OCTODACTYLUS Dalyell, J. G., 1853a, 262 (mt: O. inhaerens).

octodiscus Hargis, W. J., 1955e, 206, 207, 208, 224, pl. I, figs. 4-7. 1955: DENDROMONOCOTYLE (tod).

OCTOLABEA Euzet, L.; & Trilles, J. P., 1960a, 504, 505, 507 (mt: O. turchinii).

OCTOMACRUM Mueller, J. F., 1934c, 360 (tod: O. lanceatum).

OCTOPLECTANOCOTYLA Yamaguti, S., 1937f, 22, 23 (tod: O. trichiuri).

OCTOPLECTANUM Diesing, K. M., 1858e, 315, 382-383 (Octocotyle, 1850 renamed, hence lanceolata=alosae (Mazocraes) type by renaming & inclusion).

octopodis delle Chiaje, S., 1822a [Atlas], pl. 55, fig. 20 [Many plates in atlas are dated 1830]; 1829d [i. e. 1831?], pp. 54, 61, 152. 1822: DISTOMA.

octopodis delle Chiaje, teste Monticelli, F. S., 1892e, 717, 718. 1892: MONOSTOMA.

OCTOSTOMA Kuhn, J., 1829b, 358-363 (alosae=lanceolata=alosae (Mazocraes), type by inclusion also type by first species rule).

OCTOSTOMA Otto, A. W., 1823a, 302, as syn. of Cyclocotyla [not Octostoma syn. of Polystoma].

OCTOTESTIS Yamaguti, S., 1951b, 247, 275, 278 (tod: O. iseensis).

ocular de Bonis, T., 1882a, 180. 1882: DISTOMA.

oculare Moquin-Tandon, C. H. B. A., 1860a, 347, for D. oculi humani. 1860: DISTOMA. 1860: FASCIOLA. [Agamodistomum ophthalmobium].

oculata Cawston, F. G., 1917e, 132. 1917: CERCARIA.

oculata Manter, H. W.; & Pritchard, M. H., 1961b, 485, 489, 490, 491, figs. 1-2 (Aubula [for Albula] vulpes; intestine; Hawaii). 1961: GENOLOPA.

oculatum Levinsen, G. M. R., 1881a, 64, 67, pl. 2, figs. 7-8. 1881: DISTOMA. 1905: ACANTHOPSOLUS (mt). 1941: NEOPHASIS.

oculatus Mueller, J. F., 1934c, 366, 367, 368, pl. 47, figs. 5-6. 1934: CLEIDODISCUS. 1937: ACTINOCLEIDUS (tod).

oculeus Kossack, W. F. K., 1911b, 537. 1911: HYPTIASMUS. 1923: TRANSCOELUM (tod). 1959: CYCLOCOELUM (HYPTIASMUS).

oculi humani Gescheidt, L. A., 1833a, 434, 435. 1833: DISTOMA. 1858: DICROCOELIUM. [Agamodistomum ophthalmobium].

oculis Moquin-Tandon, C. H. B. A., 1861a, 375, for ocularis. 1861: FASCIOLA.

oculobium Cohn, L., 1902d, 712. 1902: MONOSTOMA. 1911: SPANIOMETRA (type). 1922: CYCLOCOELUM. 1934: OPHTHALMOPHAGUS.

ocultacetabulum Oshmarin, P. G., 1963b, 81-83, fig. 33 (Vanellus vanellus; intestine; Suifuno-Khankaiskii Okrug). 1963: SPELOTREMA.

odacis Sandars, D. F., [1945a], 123-124, 126, 131, pl. 5, fig. 16. [1945]: MICROCOTYLE.

odeningi Bozhkov, D. K., 1964a, 187-188, fig. 1 (Rana ridibunda; lung; Bulgaria). 1964: HAEMATOLOECHUS.

odeningi Dubois, G., 1965a, 414-416, figs. 1-3 (Nettapus coromandelianus; cavité du corps). 1964: CYCLOCOELUM (CYCLOCOELUM).

ODENINGOTREMA Rohde, K., 1962, 465-466 (mt: O. bivesicularis).

odhnerensis Mehra, H. R., 1933a, 208-211, 222, pl. 3, fig. 7. 1933: COEURITREMA. 1939: HAPALORHYNCHUS. 1958: TREMARHYNCHUS.

odhneri Bhalerao, G. D., 1936c, 200, 202, 204. 1936: ASTIOTREMA.

odhneri Dollfus, R. P. F., 1926a, 149, 159. 1926: DIDYMOZOON.

odhneri Faust, E. C., 1923e, 357. 1923: ORNITHOBILHARZIA. 1955: SINOBILHARZIA (tod).

odhneri Isaichikov, I. M., 1928d, 19, 20, 37, 39, 41, 42, 43, 44, 45, pl. 1, fig. 7. 1928: PODOCOTYLE.

odhneri Layman, E. M., 1930a, 78-79, 100-101, fig. 36. 1930: APOROCOTYLE. 1934: PARADEONTACYLIX.

odhneri Manter, H. W., 1931c, 405, figs. 15-16. 1931: RHAGORCHIS.

odhneri Mehra, H. R., 1947a, 28-32, 34, fig. 6. 1947: PROHEMISTOMUM.

odhneri Ruiz, J. M.; & Perez, M. D., 1959a, 87, 88-91, figs. 4-6, 7B. 1959: HAPLOMETROIDES.

odhneri Skrjabin, K. I.; & Zakharov, N. P., 1920a, 2-4, 6. 1920: DENDRITOBILHARZIA.

odhneri Srivastava, H. D., 1939aa, 233-234, pl. XX, fig. 1939: PROCTOTREMA. [1954]: LASIOTOCUS.

odhneri Travassos, L. P., 1921f, 64-65, pl. 10, fig. 3. 1921: ODHNERIA.

odhneri Travassos, L. P., 1924d, 835-838, 2 figs. 1924: PROHEMISTOMUM. 1929: DIPLOSTOMULUM. 1935: MESOSTEPHANUS.

odhneri Vrat, V., 1947a, 105-107, 113, 116, pl. 2, figs. 4-5. 1947: CHAUNOCEPHALUS.

odhneri Yamaguti, S., 1934a, 251, 432-434, fig. 91. 1934: HEMIURUS. 1954: HEMIURUS (METAHEMIURUS).

ODHNERIA Baer, J. G., 1924c, 24-25, 29, 30, 31 (tod: O. bolognensis).

ODHNERIA Travassos, L. P., 1921f, 60, 61, 64.

ODHNERIELLA Skrjabin, K. I., 1915g, 1058, 1062-1063, 1064 (tod: O. rossica).

ODHNERIOTREMA Travassos, L. P., 1928h, 644 (tod: Nephrocephalus microcephalus).

ODHNERIUM Yamaguti, S., 1934a, 252, 510-511 (tod: O. calyptrocotyle).

odontocotyla Diesing, K. M., 1858d, 264. 1858: CERCARIA.

oedematocauda Byrd, E. E.; & Rieber, R. J., 1940a, 134, 136, 138-139, 163, pl. 1, figs. 4-5. 1940: CERCARIA.

oedemia Belopol'skaia, M. M., 1952a, 656, 661, fig. 178. 1952: SPELOTREMA. 1958: MICROPHALLUS. 1965: GYMNOPHALLOIDES (Ching, H. L., 1965a).

oedemiae Jameson, H. L.; & Nicoll, W., 1913a, 55, 57, 58. 1913: GYMNOPHALLUS [n. n. for Lecithodendrium somateriae Jameson, 1902]. 1964: GYMNOPHALLOIDES (James, B. L., 1964a, 32). 1965: MEIOGYMNOPHALLUS (Ching, H. L., 1965a).

oedicnemum Singh, S., 1956d, 49-51, fig. 2. 1956: DIPLOSTOMUM.

oesophagei Shaldybin, L. S., [1954a], 751-752, fig. 3. [1954]: BRACHYLAEMUS. 1958: BRACHYLAEMA. 1960: BRACHYLAIME.

oesophagi ardeae nigrae Viborg, E. N., 1795a, 242. 1795: DISTOMA.

OESOPHAGICOLA Yamaguti, S., 1933b, 2, 82, 85-86 (tod: O. laticaudae).

oesophagolongus Katsurada, F., 1914b, 310, 314, figs. 10-11. 1914: METORCHIS.

offinis Morozov, F. N., 1955a, 327, for affinis. 1955: GYMNOPHALLUS.

offlexorius Mamaev, I. L., 1959b, 176, 179-180, fig. 2. 1959: PHILOPHTHALMUS (PHILOPHTHALMUS).

ogatai Ito, J., 1956c, 223, 224-231, 233, figs. 1-7. 1956: CERCARIA.

ogchnocephala Dubois, G.; & Rausch, R., 1950a, 19, 26-29, 30, 48, figs. 5-6. 1950: PARASTRIGEA.

OGMOCOTYLE Skrjabin, K. I.; & Shul'ts, R. E. S., 1933a, 267 (tod: O. pygargi).

OGMOGASTER Jaegerskiöld, L. A. K. E., 1891a, 131 (mt: O. plicatus).

ohdneri Fuhrmann, O., 1915a, 222, 223. 1915: APORCHIS.

ohirai Miyazaki, I., 1939a, 1247-1251, pl., figs. 1-10, German summary, 70-72. 1939: PARAGONIMUS.

OHRIDIA Nezlobinski, N., 1926a, 202, 207 (mt: O. panuri).

oidemiae nigrae Diesing, K. M., 1858e, 322, based on Bellingham, 1844a, 340. 1858: AMPHISTOMA. [1858: Holostomum anatis nigrae].

oimagnosum Joyeux, C. E.; Baer, J. F.; & Martin, R., 1937a, 417, for ovimagnosum. 1937: PROSTHODENDRIUM.

OISTOSOMUM Odhner, T., 1902e, 26-27 (mt: O. caduceus).

okabei Ito, J., 1949a, 176-178, figs. 1-5. 1949: CERCARIA.

okabei Koga, Y., 1954a, 19-25, figs. 1-2. 1954: LOXOGENES.

okapi Leiper, R. T., 1935b, 12. 1935: COTYLOPHORON.

okayamensis Faust, E. C., 1924e, 292. 1924: CERCARIA.

okeechobeensis Mizelle, J. D.; & Seamster, A., 1939a, 504, 506, 507, pl., figs. 21-34. 1939: ACTINOCLEIDUS.

okeni Ariola, V., 1906a, 185, for okenii. 1906: DISTOMA.

okenii von Koelliker, A., 1847f, 44. 1847: DISTOMA. [1860: KOELLIKERIA]. 1906: KÖLLIKERIA. 1926: TRICHARRHEN (tod).

oklahomensis Macy, R. W., 1931b, 29-30, 33, pl. 2, figs. 8-9. 1931: LIMATULUM.

oklamomensis Macy, R. W., 1931b, 29, for oklahomensis. 1931: LIMATULUM.

okobaensis Sudarikov, V. E., 1959b, 551, lapsus for okobojensis. 1959: CERCARIA.

okobojensus Brooks, F. G., 1943b, 343-344, 345, pl., fig. 6. 1943: CERCARIA.

okujimai Dollfus, R. P. F., 1935g, 240 (n. n. for Nematobothrium sp. of Okujima, 1921). 1935: NEMATOBOTHRIUM.

okuli humani Schneidemuehl, G., 1896a, 302, for oculi humani. 1896: DISTOMA.

okushimai Ishii, N., 1935e, 299, 305, 310-311, fig. 19. 1935: GONAPODASMIUS.

olentangiensis Sroufe, S. A., [1959a], 643-644, 645, 646, figs. 1-6. [1959]: MAZOCRAEOIDES.

oligacanthum Cheng, T. C., 1957a, 61, 62, 63, 64, pl., figs. 2 a-b. 1957: ACANTHATRIUM. 1960: PROSTHODENDRIUM.

oligacanthus Luehe in Dietz, E., 1910a, 408. 1910: ECHINOCHASMUS.

OLIGAPTA Unnithan, R. V., 1957a, 31, 32, 45-46, 117, 118 (tod: O. oligapta).

oligapta Unnithan, R. V., 1957a, 112-117, 118, fig. 12a-i. 1957: OLIGAPTA (tod).

oligolecithosus Mendheim, H., 1940a, 489, 504-506, figs. 14-15. 1940: VELAMENOPHORUS (mt). 1958: ECHINOCHASMUS (Yamaguti, S., 1958a, 645).

oligolecithum Manter, H. W.; & Debus, J. S., 1945a, 297, 298, 299, fig. 1. 1945: PROSTHODENDRIUM. 1948: TRAVASSODENDRIUM. 1955: PROSTHODENDRIUM (PROSTHODENDRIUM). 1960: ACANTHATRIUM (PROSTHODENDRIUM) (Etges, F. J., 1960c, 527).

OLIGOLECITHUS Vercammen-Grandjean, J. H., 1960d, 95, 107-108 (tod: O. elianae).

OLIGONCOBENEDENIA Yamaguti, S., 1965, 55, 58, 60 (Pacific Science, v. 19 (1), Jan.). (tod: O. nasonis).

oligoon Johnston, S. J., 1912a, 335-336, fig. 14. 1912: MESOCOELIUM.

oligoon von Linstow, O. F. B., 1887d, 103. 1887: DISTOMA. 1892: DISTOMA (BRACHYLAIMUS). 1913: PSILOTREMA. 1909: PSILOSTOMUM.

oligoplites Hargis, W. J., 1957b, 5, 6, 7, 8, 12, pls., figs. 7-12. 1957: VALLISIA.

oligoplitis Manter, H. W., 1940a, 327, 424-426, 449, 488, 489, 490, 491, pl. 46, fig. 108, pl. 47, figs. 109-110. 1940: MECODERUS.

oligoplitis Meserve, F. G., 1938a, 29, 58-59, 84, 85, pl. 8, figs. 44-47. 1938: AXINE. 1946: AXINOIDES. 1954: HETERAXINE. 1962: HETERAXINOIDES (Price, E. W., 1962c, 407).

oligorchis Alvey, C. H., 1933b, 140. 1933: SPHYRANURA.

oligorchis Johnston, S. J., 1913a, 362, 383-386, pl. 23, fig. 11, pl. 27, figs. 38-40. 1913: PLEORCHIS. 1942: SCHISTORCHIS.

oligoterus Monticelli, F. S., 1899a, 76, 77, 78, 80, 81, 84, 85, 87, 91, 100, 101, 105, 106, 107, 108, 111, 115-117, pl. 1, figs. 2, 9, pl. 2, figs. 12, 14, 20, 24, 25c, 27, ?9, pl. 3, fig. 48. 1899: ACANTHOCOTYLE.

oliphantensis Porter, A., 1938a, 5, 8, 281-284, pl. 38, figs. 1-7. 1938: CERCARIA.

oloris Diesing, K. M., 1855c, 64, based on Bellingham, 1844a, 427. 1855: DISTOMA.

olsoni Price, E. W., 1962c, 402, 415, 417, pl. V, figs. 4-6 (Leuresthes tenuis; gills; California, U. S.). 1962: LEURESTHICOLA (tod).

olsoni Short, R. B., 1954a, 78-82, pl., figs. 1-6. 1954: SELACHOHEMECUS.

olssoni Odhner, T., 1905a, 326, 327 (n. n. for Distoma simplex of Olsson). 1905: PODOCOTYLE.

olssoni Railliet, A., 1900i, 239. 1900: DICROCOELIUM. 1907: LYPEROSOMUM. 1922: DISTOMA. 1940: BRACHYLECITHUM. 1944: OLSSONIELLA. 1958: BRACHYDISTOMUM.

olssoni Sandner, H.[2], 1949a, 8, 15, 17, 18, 27. 1949: GORGODERINA vitelliloba.

olssoni Walton, A. C., 1953a, 649. 1953: GORGODERINA.

olssoni Yamaguti, S., 1934a, 250, 328-331, fig. 36. 1934: PHARYNGORA. 1938: OPECHONA.

OLSSONIELLA Travassos, L. P., 1944a, vi, 20, 204-205 (tod: O. olssoni).

OLVERIA Sinha, B. B., 1941a, 2-3 (no type designated).

OMATOBREPHUS Chatterji, R. C., 1940a, 391, for Ommatobrephus.

ominosus Kossack, W. F. K., 1911b, 539. 1911: HYPTIASMUS. 1914: ALLOPYGE. 1948: CYCLOCOELUM (PSEUDHYPTIASMUS). 1958: MORISHITIUM. 1959: CYCLOCOELUM (HYPTIASMUS).

OMMATOBREPHUS Nicoll, W., 1914f, 139, 141 (mt: O. singularis).

OMPHALOMETRA Looss, A., 1899b, 562 (mt: O. flexuosa).

onaga Yamaguti, S., 1965, 56, 91-94, fig. 18 (Pacific Science, v. 19 (1), Jan.) (Etelis carbunculus; gills; Hawaii). 1965: ALLOMICROCOTYLA (tod).

onchacanthus Massa, D., 1906a, 44, 46, 53, 65-66, pl. 2, figs. 12, 13-14, pl. 3, fig. 30. 1906: TROCHOPUS.

onchidiocotyle Setti, E., 1899i, 121-123, fig. 3. 1899: TRISTOMA. 1929: CAPSALA. 1938: TRISTOMELLA.

onchii Koga, I., [1922a], 38. [1922]: HETEROPHYES.

ONCHOCLEIDUS Mueller, J. F., 1936f, 56, 66 (tod: O. ferox).

ONCHOCOTYLE Diesing, K. M., 1850a, 289, 419 (mt: O. appendiculata).

ONCHOGASTER Claparède, J. L. R. A. E., 1863a, 13 (mt: O. natatori).

ONCOCLEIDUS Yamaguti, S., 1963a, 74, emend. for Onchocleidus Mueller.

oncorhynchi Eguchi, S., (1931a), 20. (1931): ALLOCREADIUM. [1954]: ALLOCREADIUM (ALLOCREADIUM). 1957: PLAGIOPORUS.

oncorhynchi Margolis, L.; & Adams, J. R., 1956a, 573-575, 576, 577, figs. 1-2. 1956: GENOLINEA.

ondatrae Price, E. W., 1931a, 1-3, 11, fig. 1. 1931: PSILOSTOMUM. 1942: RIBEIROIA. 1958: PSEUDOPSILOSTOMA.

ondatrae Varenov, I. V., 1963a, 142-144, figs. 1-2 (Ondatra zibethica; small intestine; Gor'kov Oblast, Zavolzh'e). 1963: MACROTESTOPHYES (tod).

ondatrae Wootton, D. M.; & Murrell, K. D., 1967, 739-742, fig. 1 (J. Parasitol., v. 53 (4), Aug.). (Ondatra zibethicus; oral & salivary glands; Douglas Lake, Cheboygan County, Michigan, metacercariae in Anodonta grandis, Alasmidonta calceolus, Ligumia nasuta, Lampsilis siliquoidea; Douglas & Carp Lakes & Carp River, Michigan). 1967: PTYALINCOLA (tod).

oneidensis Van Cleave, H. J.; & Mueller, J. F., 1932a, 54-55, 60, pl. 10, figs. 1-4. 1932: NEASCUS. 1937: POSTHODIPLOSTOMULUM.

onotragi Prudhoe, S., 1964a, 57-62, figs. 1-3 (Onotragus leche, Redunca arundinum, Kobus vardoni, domestic cattle (Rhodesian); Northern Rhodesia). 1964: CHOEROCOTYLOIDES (tod).

onusta Zdun, V. I., (1952). (1952): CERCARIA.

onycephalum Galli-Valerio, B., 1898m, 923, for oxycephalum. 1898: DISTOMA.

oocysta Lebour, M. V., 1907a, 439, 440, 445-446, pl. 10, figs. E, F. G. 1907: CERCARIA. 1942: MARITREMA.

opaca Bory de Saint Vincent, G. J. B. M., 1823a, 354. 1823: CERCARIA.

opaca Stafford, J., 1902f, 416-417. 1902: GORGODERA. 1905: GORGODERINA.

opaca Walker, C. R., 1926a, 1-12, pl., figs. 1-4. 1926: CERCARIA.

opacichroma Faust, E. C., 1924e, 293. 1924: CERCARIA.

opacocorpa Cable, R. M.; & Wheeler, N. C., 1939a, 35-36, 37, 40, 41, 42, pl., figs. 1, 5, 8-11. 1939: CERCARIA.

opacum Stunkard, H. W., 1916b, 22, 23. 1916: POLYSTOMA. 1935: POLYSTOMOIDES.

opacum Ward, H. B., 1894c, 173-182, pl. 1894: DISTOMA. 1899: LEVINSENIA. 1901: MICROPHALLUS (type). 1907: LEVINSENIELLA.

opacum Wiśniewski, L. W., 1934a, 269-286, fig., pl. 22, figs. 1-7. 1934: PROHEMISTOMULUM.

opacus ovatus (Osborn, H. L., 1919a, 123-127, pl. 10, figs. 1-5). 1943: MICROPHALLUS.

opakapaka Yamaguti, S., 1965, 55, 82-83, fig. 14 (Pacific Science, v. 19 (1), Jan.). (Pristipomoides microlepis; Aphareus rutilans; gill; Hawaii). 1965: PSEUDODISCOCOTYLA (tod).

opakapaka Yamaguti, S., 1966, 419, 420, 422-423, fig. 2 (Pacific Science, v. 20 (4), Oct.) (Pristipomoides microlepis; gills; Hawaii). 1966: PSEUDALLOBENEDENIA.

opakapaka Yamaguti, S., 1968, 16, 119-102, fig. 92 (Monogenetic trematodes of Hawaiian fishes) (Pristipomoides microlepis, Aphareus rutilans; gills; Hawaii). 1968: DIPLECTANUM.

OPECHONA Looss, A., 1907e, 616 (tod: Distoma vacillare Molin).

OPECHONOIDES Yamaguti, S., 1940b, 36, 80, 81 (tod: O. gure).

OPECOELINA Manter, H. W., 1934c, 258, 301, 302 (tod: O. scorpaenae).

OPECOELOIDES Odhner, T., 1928c, 6 (for Distoma furcatum Bremser).

OPECOELUS Ozaki, Y., 1925b, 52-53; 1928a, 6-7, 24 (type: O. sphaericus).

OPEGASTER Ozaki, Y., 1928a, 17, 24 (tod: O. ovatus).

opelu Yamaguti, S., 1965, 55, 71-74, fig. 9 (Pacific Science, v. 19 (1), Jan.) (Decapterus pinnulatus; gills; Hawaii). 1965: ALLOPSEUDODICLIDOPHORA (tod).

OPEPHEROTREMA Yamaguti, S., 1951f, 315, 327, 329 (tod: O. planum).

opercularis Yamaguti, S., 1938f, 15, 49-50, 72, 73, pl. 7, fig. 46, pl. 11, fig. 79. 1938: DIDYMOCYSTIS.

operosum Dietz, E., 1909b, 12. 1909: ECHINOSTOMA.

ophiboli MacCallum, G. A., 1921c, 175-176, fig. 87. 1921: RENIFER. 1957: NEORENIFER. 1957: OCHETOSOMA.

ophicephali Tubangui, M. A.; & Masiluñgan, V. A., 1944a, 61-62, pl. 2, fig. 2. 1944: CLINOSTOMUM. [1959]: CLINOSTOMOIDES.

ophicerca Palombi, A., 1934b, 51, 52, 53, 55, 75-80, figs. 19-25. 1934: CERCARIA.

OPHICOTYLE van Beneden, P. J.; & Hesse, C. E., 1863a, 96, 101 (mt: O. fintae).

ophidiarum Tubangui, M. A.; & Masiluñgan, V. A., 1935a, 435-437, 445, pl. 1, fig. 1. 1935: OPISTHORCHIS. [1944: EVRANORCHIS]. 1950: EVRANORCHIS.

ophidii Prost, M.; & Euzet, L., 1962a, 210-215, figs. 4-6, pl., figs. 1-3 (Ophidium barbatum; branchies; Sète, Hérault, France). 1962: FLEXOPHORA (tod).

ophidum Thatcher, V. E., 1963b, 378-380, fig. 3 (Drymarchon corais melanurus; upper intestinal tract; Tabasco, Mexico). 1963: PROTERODIPLOSTOMUM.

ophiocephali Gusev, A. V., 1955b, 178, 179, 329, 330, 333, fig. 62 (1). 1955: GYRODACTYLUS.

ophiocephali Shrivastava, P. S., 1960c, 108-113, fig. 1. 1960: ALLOCREADIUM.

ophiocephalus Agarwal, S. M., [1959c], 17, for ophicephalus. [1959]: CLINOSTOMOIDES.

OPHIOCORCHIS Srivastava, H. D., 1933a, 41, 49, 54, 55-56, 57 (tod: O. lobatum).

ophiocystis Lutz, A., 1928a, 118. 1928: STRIGEA. 1928: TETRACOTYLE.

OPHIODIPLOSTOMUM Dubois, G., 1936a, 512, 514 (tod: O. spectabile).

ophiodontis Kay, M. W., 1945a, 111-114, pl. 1, figs. 1-3. 1945: CALINELLA. [1959]: UDONELLA.

OPHIORCHIS Mehra, H. R., 1937a, 430, 455, 462 (tod: O. (Xenopharynx) amudariensis).

OPHIOSACCULUS Macy, R. W., 1935a, 415 (tod: O. méhelyi (Mödlinger, 1930)).

OPHIOSOMA Szidat, L., 1928d, 205, 206, 207, 208 (tod: O. wedlii).

OPHIOTREMINOIDES Coil, W. H.; & Kuntz, R. E., 1960b, 146, 149 (tod: O. orientalis).

OPHIOXENOS Sumwalt, M., 1926a, 91-99 (mt: O. dienteros).

OPHISOMA Verma, S. C., 1936c, 185, for Ophiosoma.

ophtalmobium Rathelot, G., 1892a, 14, for ophthalmobium. 1892: DISTOMA.

ophthalmicum Castellani, A.; & Chalmers, A. J., 1919a, 567, for ophthalmobium. 1919: DISTOMA.

ophthalmobium Diesing, K. M., 1850a, 334, oculi humani renamed. 1850: DISTOMA. 1892: AGAMODISTOMUM.

ophthalmoechinata Ito, J., 1957a, 444-447, figs. 11-14. 1957: CERCARIA.

OPHTHALMOGONIMUS Oshmarin, P. G. in Skrjabin, K. I., [1962a], 177 (tod: O. sudarikovi).

OPHTHALMOPHAGUS Stossich, M., 1902g, 8, 28-29 (mt: O. singularis).

ophthalmothium Luehe in Stiles, C. W., 1903u, 223, for ophthalmobium. 1903: AGAMODISTOMUM.

OPHTHALMOTREMA Sobolev, A. A., 1943c, 378, 379, 380 (tod: O. numenii).

OPHYCOTYLE Monticelli, F. S., 1888a, 8, 11, 86, 99, for Ophicotyle.

OPISCORCUS Woolley, P. G., 1906g, for Opisthorchis.

opishometra Leonov, V. A., 1958a, 281, lapsus for opisthometra. 1958: MARITREMA.

OPISTHADENA Linton, E., 1910b, 54-55 (tod: O. dimidia).

OPISTHIOGLYPHE Looss, A., 1899b, 588-589, 592 (tod: O. endoloba).

OPISTHODISCUS Cohn, L., 1904a, 240, 242, 243 (mt: O. diplodiscoides).

OPISTHOGENES Nicoll, W., 1914g, 142-143 (tod: O. interrogativus).

OPISTHOGONIMUS Luehe, M. F. L., 1900aa, 555-558, 562 (mt: O. lecithonotus= philodryadum).

OPISTHOGONOPORUS Yamaguti, S., 1937d, 6, 8-9 (tod: O. amadai).

OPISTHOGYNE Unnithan, R. V., 1962a, 315, 317-320, 340-341 (tod: O. keralae).

OPISTHOLEBES Nicoll, W., 1915d, 36-37 (tod: O. amplicoelus).

OPISTHOMETRA Poche, F., 1926b, 149 (mt: O. planicollis).

opisthometra Leonov, V. A., 1958a, 271, 281, 282, 293, fig. 5 (Larus melanocephalus; intestine; Chernomorskoe Game Reserve & Kherson Oblast). 1958: MARITREMA.

OPISTHOMONORCHEIDES Parukhin, A. M., 1966b, 1465, 1466 (tod: O. decapteri).

OPISTHOMONORCHIS Yamaguti, S., 1952a, 173 (tod: O. carangis).

opisthonema Hargis, W. J., 1955g, 114, 115, 117-119, figs. 8-12. 1955: MAZOCRAEOIDES.

opisthonemae Nahhas, F. M.; & Cable, R. M., 1964a, 177-178, 181, pl., fig. 9 (Opisthonema oglinum; ceca & intestine; Jamaica). 1964: BACCIGER.

opisthonemae Siddiqi, A. H.; & Cable, R. M., 1960a, 258, 267, 313, 363, fig. 123. 1960: NEOGENOLINEA (tod).

OPISTHOPHALLUS Baer, J. G., 1923c, 343-344 (tod: O. fuhrmanni).

OPISTHOPORUS Fukui, T., 1929b, 339-340 (tod: O. aspidonectes (MacCallum)).

OPISTHOPORUS Manter, H. W., 1947a, 274, 275, 385 (tod: O. epinepheli).

OPISTHORCHIS Blanchard, R. A. E., 1895f, 217 (tod: O. felineus).

opisthorchis MacFarlane, W. V., 1945a, 218-230, pl. 14, figs. 1-6, pl. 15, figs. 1-10, pl. 16, figs. 1-9. 1945: TELOGASTER (mt).

opisthorchis Polianskii, I. I., 1955a, 54, 55-59, figs. 19-20. 1955: ANISORCHIS (mt).

opisthorchis Yamaguti, S., 1934a, 250, 336-338, fig. 40. 1934: PEDUNCULACETABULUM (tod). 1966: PODOCOTYLOIDES (Pritchard, M. H., 1966a, 165).

opisthoseminis Bravo-Hollis, M.; & Arroyo Sancho, G., 1962a, 232-233, 234, 235, figs. 2-3 (Cichlasoma sp.; intestino; Guanacaste, Costa Rica). 1962: CRASSICUTIS.

OPISTHOTREMA Fischer, P. M., 1883a, 1-42 (mt: O. cochleare).

opisthotrias Lutz, A., 1895a, 181-188, pl. 2, figs. 1-4; 1895b, 189-193. 1895: DISTOMA. 1899: HARMOSTOMUM. 1899: HETEROLOPE. 1931: GLAPHYROSTOMUM. 1935: BRACHYLAEMUS. 1958: BRACHYLAEMA.

opisthotrias virginiana Dickerson, L. M., 1930a, 37-46, figs. 1-3. 1930: HARMOSTOMUM. 1934: BRACHYLAIMA (BRACHYLAIMA).

OPISTHOVARIUM Cable, R. M.; Connor, R. S.; & Balling, J. W., 1960a, 220 (tod: O. elongatum).

opisthovitellinus Sołtys, A., 1954, 354, 355, 356, 357, 367-368, figs. 4a. 1954: PLAGIORCHIS. 1958: NEOGLYPHE. 1959: OPISTHIOGLYPHE (RUBENSTREMA).

OPISTIOGLYPHE McMullen, D. B., 1935b, 378, for Opisthioglyphe.

CPISTORCHIS Railliet, A., 1896d, 160, for Opisthorchis.

opistotrias Witenberg, G. G., 1925c, 176, 190, 203-205, for opisthotrias. 1925: HARMOSTOMUM.

OPITHORCHIS Sprehn, C. E. W., 1930s, 258, for Opisthorchis.

OPOSTHOTREMA Crety, C., 1893a, 384, for Opisthotrema.

opsanusi Sogandres-Bernal, F.; & Hutton, R. F., 1960b, 277, 279-280, 283, fig. 4. 1960: LEPOCREADIUM.

opsopoeodi Rogers, W. A., 1967, 501, 514, figs. 139-145 (J. Parasitol., v. 53 (3)) (Opsopoeodus emiliae; Alabama). 1967: DACTYLOGYRUS.

oraminii Young, P. C., 1967, 1016, 1020, 1021, figs. 13-18 (J. Parasitol., v. 53 (5)) (Siganus oramin; gills; Heron Island, Queensland, Australia). 1967: TETRANCISTRUM.

orata MacCallum, G. A., 1926c, 162-166, fig. 1. 1926: PHILURA (mt).

orbicolare Sonsino, P., [1891h], 262, for orbiculare. [1891]: MONOSTOMA.

orbiculare Diesing, K. M., 1850a, 349. 1850: DISTOMA. 1901: PHANEROPSOLUS.

orbiculare Rudolphi, C. A., 1819a, 83, 342. 1819: MONOSTOMA (MONOSTOMA). 1901: MESOMETRA (tod).

orbiculare Stunkard, H. W., 1916b, 22, 23. 1916: POLYSTOMA. 1935: POLYSTOMOIDES. 1939: NEOPOLYSTOMA (tod).

orbiculare minutaculeata Dollfus, R. P. F., [1948 1], 326, 328, figs. 1-2. [1948]: MESOMETRA.

orbicularis Manter, H. W., 1933b, 236-237, 240, pl. 32, fig. 4. 1933: EURYPERA. 1947: MEGAPERA.

orbiculata Bhalerao, G., 1931f, 360. 1931: OPISTHORCHIS noverca.

orbis Mueller, O. F., 1776a, 280. 1776: CERCARIA. 1815: FURCOCERCA. 1827: LECANE.

orbitarium Dollfus, R. P. F., 1956g, 365-366, figs. 1-9. 1956: ATALOSTROPHION.

ORCHIDASMA Looss, A., 1900d, 602 (Anadasmus Looss nec Walsingham renamed, hence type amphiorchis).

orchilongum Noble, A. E., 1936a, 250-254, figs. 4-7. 1936: NEODIPLOSTOMUM. 1937: POSTHODIPLOSTOMUM.

ORCHIPEDIUM Braun, M. G. C. C., 1901g, 944 (mt: O. tracheicola).

orchis Mueller, J. F., 1938b, 226, 229, 233, pl. 3, figs. 13-17. 1938: DACTYLOGYRUS. 1938: NEODACTYLOGYRUS.

ordinata Nicoll, W., 1912d, 768-769, fig. 107A. 1912: CERCARIA. 1928: AGAMODISTOMUM.

oregonense Macy, R. W., 1939b, 640-641, figs. 1-2. 1939: ACANTHATRIUM. 1948: ACANTHATRIUM (ACANTHATRIUM). 1958: PROSTHODENDRIUM.

oregonensis La Rue, G. R.; & Barone, G. H., 1927b, 168. 1927: ALARIA. 1953: ALARIA (ALARIA).

oregonensis MacFarlane, D. G.; & Macy, R. W., 1946a, 281-285, figs. 1-2. 1946: CERCARIA. 1953: TRICHOBILHARZIA.

oregonensis Price, E. W., 1931c, 405-407, figs. 1-2. 1931: METAGONIMOIDES (tod).

oregonensis Ward, H. B.; & Mueller, J. F., 1926a, 602-609, figs. 1-4. 1926: DISTOMULUM.

orfeum Thapar, G. S.; & Dayal, J., 1934a, 128-131, figs. 1-4. 1934: COTYLOGONOPORUM.

orfi Kingston, N.; & Freeman, R. S., 1959a, 121-126, figs. 1-3. 1959: BRACHYLECITHUM. 1964: LYPEROSOMUM (BRACHYLECITHUM) (Jaiswal, G. P., 1964a).

oricola Leidy, J., 1884a, 47. 1884: DISTOMA. [1895: D. pseudostomum].

oricolace Stiles, C. W.; & Hassall, A., 1894e, 251. 1894: DISTOMA.

oricula Monticelli, F. S., 1892e, 715, for oricola. 1892: DISTOMA.

orientale Akhmerov, A. K., (1941) [Avtoreferat dissertatsii]; Akhmerov, A. K. in Pigulevskii, S. V., 1953a, 440, 464-465, fig. 119. (1941): PHYLLODISTOMUM. 1953: PHYLLODISTOMUM (VITELLARINUS).

orientale Faust, E. C., 1966, 335, 336, 337, fig. 1 (J. Parasitol., v. 52 (2)) (Numenius arquatus lineatus; bile ducts & small intestine; Peking, China). 1966: CONSPICUUM.

orientale Ozaki, Y., 1932c, 42-45, fig. 1932: LEUROSOMA.

orientale Skrjabin, K. I., 1913i, 380-382, pl. 14, fig. 16. 1913: CYCLOCOELUM. 1923: CYCLOCOELUM (MEDIOPHARYNGEUM). 1927: CYCLOCOELUM (POSTPHARYNGEUM). 1950: CYCLOCOELUM (CYCLOCOELUM).

orientale Yamaguti, S., 1934b, 583. 1934: DIPLOSTOMUM. 1938: NEODIPLOSTOMUM. 1938: DIPLOSTOMULUM.

orientale Yamaguti, S., 1937e, 1-3, 4, 1 pl., figs. 1-3. 1937: ASTIOTREMA.

orientale Yamaguti, S.; & Asada, Z., 1942a, 1, 5-7, fig. 5. 1942: PROSTHODENDRIUM pyramidum.

orientale eurhinus Tubangui, M. A., 1932f, 369-371, pl. 1, fig. 1. 1932: CYCLOCOELUM.

orientale parvitestium Witenberg, G. G., 1923b, 116, pl. 3, fig. 14. 1923: CYCLOCOELUM (MEDIOPHARYNGEUM).

orientalis Bykhovskii, B. E., (1948). (1948): GYRODACTYLUS gerdi.

orientalis Bykhovskii, B. E., 1959a, 198 [nomen nudum]. 1959: PSEUDORAJONCHOCOTYLE.

orientalis Chauhan, B. S., 1952a, 51-53, fig. 1. 1952: MAZOCRAES. 1961: KUHNIA (Price, E. W., 1961b, 129, 133).

orientalis Coil, W. H.; & Kuntz, R. E., 1960b, 146, 147, 149, fig. 6. 1960: OPHIOTREMINOIDES.

orientalis Faust, E. C., [1922e], 78-85, pls. 9-10, figs. 1-4. [1922]: CYATHOCOTYLE. [1934: LINSTOWIELLA]. 1936: PARACYATHOCOTYLE.

orientalis Faust, E. C., [1922e], 79-80, 81. [1922]: TETRACOTYLE.

orientalis Faust, E. C.; & Tang, C. C., 1936a, 490-492, 498, 500, figs. 2-5. 1936: LOPHOTASPIS.

orientalis Fischthal, J. H.; & Kuntz, R. E., 1964c, 248, 250, 251, fig. 1 (Lutjanus fulviflamma; small intestine; Palawan Island, Philippines). 1964: PARACRYPTOGONIMUS.

orientalis Harshey, K. R., 1932a, 33-37, 45, pl. 2, figs. 5-9. 1932: CATATROPIS.

orientalis Harshey, K. R., 1934a, 97, 101-102, 104, 106, fig. 3. 1934: COTYLOPHORON.

orientalis Jain, S. L., 1959c, 435-438, 440, figs. 5-9. 1959: DACTYLOGYRUS.

orientalis Jha, V. R., 1944a, 184-188, fig. 1. 1944: LEPODERMA [(PLAGIORCHIS)].

orientalis Joyeux, C. E.; & Baer, J. G., 1928c, 215, fig. 1. 1928: GORGODERA microovata.

orientalis Ku, C., 1937b, 113-122, fig. 1. 1937: NOTOCOTYLUS.

orientalis Kulakovska, O. P., 1962d, 386-388, figs. 1-2 (Hemibarbus maculatus, Chilogobio czerski; intestine; both from Amur Basin). 1962: BREVISCOLEX (tod).

orientalis Layman, E. M., 1930a, 65-66, 93-94, fig. 14. 1930: PHARYNGORA. 1934: OPECHONA.

orientalis Mamaev, I. L.; Parukhin, A. M.; & Baeva, O. M., 1963a, 90, 94-95, 112, fig. 1. 1963: MONORCHEIDES soldatovi.

orientalis Mehra, H. R., 1934b, 170-174, 183, 188, 192, 194, pl. 1, fig. 1, pl. 3, figs. 4, 8-9. 1934: PLASMIORCHIS (tod). 1939: SPIRORCHIS.

orientalis Mehra, H. R., 1937a, 429, 430, 446-449, 450, 466, fig. 9. 1937: GLOSSIMETRA (tod).

orientalis Mehra, H. R., 1939b, 156-163, figs. 1-3. 1939: LEAREDIUS.

orientalis Mehra, R. K., 1939a, 125-128, 129, fig. 11. 1939: RENIGONIUS (mt).

orientalis Mukherjee, R. P., 1967, Feb., 97-99, fig. 3 (Indian J. Helminthol., v. 18 (2)) (Capra hircus; rumen; Bareilly). 1967: CALICOPHORON.

orientalis Narain, D.; & Das, R. S., 1929a, 250-252, 258, 259, 260, figs. 1, 2-4. 1929: DICROCOELIUM. 1936: PARADISTOMUM. 1944: PARADISTOMOIDES.

orientalis Odening, K., 1963e, 37, 55-56, fig. 13. 1963: IGNAVIA renalis.

orientalis Oshmarin, P. G., 1963b, 103-104, fig. 45. 1963: LEUCOCHLORIDIUM certiae.

orientalis Park, J. T., 1939c, 56-58, 60, 62, pl. 6, figs. 5-7. 1939: LEPOCREADIOIDES.

orientalis Park, J. T., 1939b, 4-5, 6, pl. 1, figs. 4-5. 1939: PLAGIORCHIS.

orientalis Shtrom, Z. K., 1940a, 189-191, 216, 219-220, figs. 1-3. 1940: GORGODERINA. [1953]: GORGODERINA (GORGODERINA). 1958: GORGODERINA (METAGORGODERINA).

orientalis Srivastava, H. D., 1934b, 244-246, 251, 255, fig. 2. 1934: PLEUROGENES (TELOGONELLA).

orientalis Srivastava, H. D., 1936a, 179, 182-184, 185, fig. 2. 1936: HELICOMETRINA.

orientalis Srivastava, H. D., 1937f, 295 (nomen solum); 1941b, 42-44, fig. 1941: HAPLOCLADUS. 1958: MONASCUS.

orientalis Srivastava, H. D., 1939x, 215-216, pl. 18, fig. 4. 1939: ACANTHOCOLPUS.

orientalis Sudarikov, V. E.; & Ryzhikov, K. M., 1931a, 53-55, fig. 1. 1951: DICROCOELIUM.

orientalis Takeuti, E., 1942a, 166-170, figs. 4-6. 1942: HAPALOTREMA.

orientalis Tanabe, H., 1920a, 733-742, pl. 19, figs. 1-4. 1920: METORCHIS. 1923: METRICUS (lapsus). 1923: MESORCHIS (lapsus).

orientalis Tiwari, I. P., 1959b, 283, 284-285, 291, fig. 1. 1959: XENOPHARYNX.

orientalis Vidyarthi, R. D., 1937a, 321-323, fig. 4. 1937: COTYLURUS.

orientalis Vidyarthi, R. D., 1937c, 197-199, fig. 3. 1937: STRIGEA.

orientalis Vidyarthi, R. D., 1938a, 35-36, 37, figs. 3-4. 1938: BOLBOPHORUS. 1942: NEODIPLOSTOMUM.

orientalis Wesley, W. K., 1940a, 31-34, fig. 1. 1950: CATHAEMASIA.

orientalis Yamaguti, S., 1933b, 1, 52-54, fig. 22. 1933: PROSTHOGONIMUS.

orientalis Yamaguti, S., 1934a, 253, 534-536, fig. 145. 1934: APOROCOTYLE.

orientalis Yamaguti, S., 1934a, 249, 288-290, fig. 19. 1934: CAUDOTESTIS. [1954]: PLAGIOPORUS [(CAUDOTESTIS)]. 1958: PLAGIOPORUS (PLAGIOPORUS).

orientalis Yamaguti, S., 1934a, 251, 380-383, figs. 67-68. 1934: TORMOPSOLUS.

orientalis Yamaguti, S., 1934a, 252, 517-519, figs. 136-137. 1934: WEDLIA. 1955: KÖLLIKERIA (WEDLIA).

orientalis Yamaguti, S., 1937a, 505-506, fig. 1937: KAURMA.

ORIENTOBILHARZIA Dutt, S. C.; & Srivastava, H. D., 1955b, 283 (tod: O. dattai).

ORIENTOCHASMUS Verma, S. C., 1935b, 838, 842, 853 (mt: O. gangeticus).

ORIENTOCREADIUM Tubangui, M. A., 1931c, 417-418 (tod: O. batrachoides).

ORIENTOPHORUS Srivastava, H. D., 1935e, 374, 381 (tod: O. brevichrus).

ORINETOCREADIUM Pande, B. P., 1934a, 110, for Orientocreadium Tubangui.

oriolinum Oshmarin, P. G., 1963b, 112-114, fig. 48 (Oriolus chinensis; intestine; Amursko-Ussuriiskii Okrug). 1963: NEODIPLOSTOMUM.

oris Paul, A. A., 1938a, 493, 494, 495, 501-503, 505, 509, 510, pls. 2-3, figs. 3-8. 1938: POLYSTOMOIDES.

ornata La Valette Saint George, A. J. H., 1855, 18-19, pl. 1, figs. N-O. 1855: CERCARIA. 1858: CERCARIA (ACANTHOCEPHALA). [1858: Distoma clavigerum, type of Pleurogenes, 1899].

ornata Odhner, T., 1902e, 22-24, fig. 1. 1902: STEPHANOPRORA (type). 1910: ECHINOSTOMUM. 1947: MESORCHIS.

ornata Travassos, L. P., 1927j, 96-97, figs. 3-5. 1927: GLOSSIDIELLA (tod).

ornata von Willemoes-Suhm, R., 1870a, 9-11. 1870: POLYCOTYLE.

ornata Wiśniewski, W. L., 1958a, table XIIB, 1958: XIPHIDIOCERCARIA.

ornati Rentsch, S., 1860a, pl. 12, fig. 2. 1860: DISTOMA gammari.

ornatocauda Brooks, F. G., 1943c, 347-349, fig. 1. 1943: CERCARIA.

ornatostoma Cable, R. M., 1935b, 436. 1935: CERCARIA.

ornatum Cobbold, T. S., 1882a, 240, fig. 9. 1882: AMPHISTOMA. 1895: PSEUDODISCUS. 1914: WATSONIUS.

ornatum Leidy, J., 1856b, 43. 1856: MONOSTOMA.

ornatum Yamaguti, S., 1942a, 105, 117-119, figs. 9-11. 1942: HALIOTREMA.

ornatus Rogers, W. A., 1967, 501, 514, 516, figs. 146-152 (J. Parasitol., v. 53 (3)) (Notropis baileyi, N. hypsilepis, N. shumardi, N. texanus, N. uranoscopus, N. xaenocephalus; Alabama). 1967: DACTYLOGYRUS.

ornatus Yamaguti, S., 1968, 15, 61, fig. 32 (Monogenetic trematodes of Hawaiian fishes) (Arothron hispidus; gills; Hawaii). 1968: ANCYROCEPHALUS.

ORNITHOBILHARZIA Odhner, T., 1912a, 61-63, 65, 68, 69, fig. 6d (tod: O. intermedia).

ORNITHOBILHARZIELLA Morishita, K., 1929a, 145 (mt: O. yokogawai).

ornithocystis Lutz, A., 1928a. 116. 1928: TETRACOTYLE. 1929: STRIGEA.

ORNITHODENDRIUM Oshmarin, P. G., 1950a, 595 (mt: O. imanensis).

ORNITHODIPLOSTOMUM Dubois, G., 1936a, 511, 513 (tod: O. ptychocheilus).

ornithorhynchi Hickman, V. V., 1955b, 181-191, pls. 1-2, figs. 1-3. 1955: MARITREMA.

ornithorhynchi Johnston, S. J., 1901a, 334-338, pl. 22, figs. 1-4. 1901: DISTOMA. 1913: MEHLISIA.

ORNITHOTREMA Caballero y C.; E.; Brenes M., R. R.; & Arroyo, G., 1963a, 197-198, 200-201 (tod: O. momoti).

OROPHOCOTYLE Looss, A., 1902e, 637-644, figs. 1-4.(tod: O. planci).

orospinosa Bhalerao, G. D., 1926a, 186-188, 193, 194, pl. 2, fig. 4. 1926: LECITHODENDRIUM. 1928: PARALECITHODENDRIUM. 1936: PROSTHODENDRIUM. [1943: SKRJABINODENDRIUM]. 1948: SKRJABINODENDRIUM. 1954: LONGITREMA. 1955: PROSTHODENDRIUM (PROSTHODENDRIUM). 1960: ACANTHATRIUM (PROSTHODENDRIUM) (Etges, F. J., 1960c, 527).

orospinosa Ullman, H., 1954a, 1-15, figs. 1-17, 20. 1954: CERCARIA.

orospinosum luzonicum (Tubangui, M. A., 1928b, 366-367, pl. 5, figs. 2-3). 1955: PROSTHODENDRIUM (PROSTHODENDRIUM).

oroterminosum Bhalerao, G. D., 1929a, 416-417. 1929: PARADISTOMUM magnum. 1939: PARADISTOMUM gregarinum. 1944: PARADISTOMOIDES.

orphii van Beneden, P. J.; & Hesse, C. E., 1863a, 116. 1863: AXINE.

orthacis Rogers, W. A., 1967, 501, 520-521, figs. 201-205 (J. Parasitol., v. 53 (3)) (Moxostoma poecilurum; Alabama). 1967: PELLUCIDHAPTOR.

orthagorisci molae Diesing, K. M., 1855c, 64. 1855: DISTOMA.

orthocoelium Fischoeder, F., 1901a, 369. 1901: PARAMPHISTOMUM. [1937]: CEYLONOCOTYLE.

orthodon Price, C. E.; & Mizelle, J. D., 1964a, 572, 574, 575-576, figs. 1-13 (syn.: Dactylogyrus sp. 2 Mizelle & Price, 1963) (Orthodon microlepidotus; California). 1964: DACTYLOGYRUS.

orthopristis Hopkins, S. H., 1941b, 396, 397, 402, 403, 405, 406, 407, pl. 1, fig. 3b, pl. 2, figs. 7-9a. 1941: POSTMONORCHIS (tod). [1954]: PRISTISOMUM.

ORTHORCHIS Mödlinger, G., 1925b, 195 (tod: O. natricis).

ORTHORCHIS Travassos, L. P., 1944a, vi, 20, 196-197 (tod: O. lari).

orthorchis Ozaki, Y., 1926a, 128-130. 1926: COITOCAECUM. 1933: OZAKIA.

ORTHOSPLANCHNUS Odhner, T., 1905a, 330, 345, 346, 347, 348 (tod: O. arcticus).

orthus Mizelle, J. D.; & Price, C. E., 1965a, 30, 32, 35, figs. 33-41 (Serrasalmus nattereri; gills; Amazon River). 1965: UROCLEIDUS.

orula Talbot, S. B., 1934a, 44, 45, 46-47, 48, 54, pl. 4, fig. 3. 1934: RENIFER. 1938: NEORENIFER (tod). 1957: OCHETOSOMA.

orvax Khalil, M., 1934ee, 7, ? for vivax Sonsino, 1892. 1934: PROHEMISTOMUM.

osafunei Faust, E. C., 1924e, 289. 1924: CERCARIA.

oscari Travassos, L. P., 1922f, 188. 1922: EPISTHMIUM. 1932: ECHINOCHASMUS. 1947: ECHINOCHASMUS (EPISTHMIUM).

OSCHMARINELLA Skrjabin, K. I., 1947e, 857, 858 (mt: O. sobolevi).

oschmarini Belous, E. V., 1963a, 83-84, 87, 88, fig. 3 (Amyda sinensis; liver; Far East). 1963: COEURITREMA.

oschmarini Khuan, Shen-I., 1962a, 286 (nomen nudum); 1962b, 301-303, fig. 1 (Tetrastes bonasia; small intestine; lower Amur). 1962: ECHINOPARYPHIUM.

oschmarini Shaldybin, L. S., [1954a], 747-748, fig. 1. [1954]: OPISTHIOGLYPHE. 1958: NEOGLYPHE.

oschmarini Shigin, A. A., 1957a, 250-252, fig. (Colymbus cristatus; conjunctival sac; Rybinsk reservoir). 1957: PHILOPHTHALMUS.

oscillatoria Brown, F. J., 1931a, 89-91, pl. 2, figs. 1-4, pl. 3, fig. 15. 1931: CERCARIA.

oscineus Sudarikov, V. E., 1950b, 135-136, fig. 3. 1950: PLAGIORCHIS. 1959: PLAGIORCHIS (PLAGIORCHIS).

oscitans Linton, E., 1910b, 17, 21, 29, 37, 89, 90, pls. 7-8, figs. 61-63a. 1910: HAMACREADIUM. 1966: APOPODOCOTYLE (Pritchard, M. H., 1966a, 167).

osculatum Looss, A., 1901e, 654-656, fig. 11. 1901: DISTOMA. 1926: TORMOPSOLUS (mt).

osculus Wood, R. A.; & Mizelle, J. D., 1957a, 193, 194, 200, pl. II, figs. 16-25. 1957: DACTYLOGYRUS.

oserskoi Deliamure, S. L., 1956c, 43. 1956: ODHNERIELLA.

oshmarini Morozov, F. N., 1952a, 459, fig. 127a. 1952: SOBOLEPHYA.

osleri Wright, R. R., 1879a, 66-71, pl. 1, figs. 13-14. 1879: SPHYRANURA (mt).

osmaniae Simha, S. S., 1964d, 434-435 (Lymnaea (Pseudosuccinea) accuminata [sic]; Hyderabad, India). 1964: CERCARIA.

OSPHYOBOTHRUS Yamaguti, S., 1958b, 53, 75, 78 (tod: O. parapercis).

OSSONIELLA Travassos, L. P., [1946a], 631, for Olssoniella.

OSTIOLUM Pratt, H. S., 1902a, 888, 900; 1903a, 34-37 (mt: O. formosum).

ostracii Yamaguti, K., 1958a, 31 (emend. for ostracionis). 1958: DISCOGASTEROIDES (for DISCOGASTROIDES).

ostracionis Yamaguti, S., 1934a, 251, 418-420, figs. 83-84. 1934: DISCOGASTER (tod). 1957a: DISCOGASTEROIDES. [for Discogastroides].

ostreae Fujita, T., 1925a, 49-58, figs. 4-7. 1925: PROCTOECES.

oswaldoi Travassos, L. P., 1920d, 15, 16-17, fig. 6. 1920: OSWALDOIA (tod). 1944: LYPEROSUM.

oswaldoi Travassos, L. P., 1940a, 489-491, figs. 1-4. 1940: CLOACITREMA.

OSWALDOIA Travassos, L. P., 1920d, 11, 15 (tod: O. oswaldoi).

otagoensis Manter, H. W., 1954b, 476, 529, 533-534, 563, figs. 62-63. 1954: BIVESICULOIDES.

otagoensis Manter, H. W., 1954b, 475, 494, 496-498, 563, figs. 19-20. 1954: PANCREADIUM.

oti Rudolphi, C. A., 1819a, 354, otidis Froelich, 1802 renamed. 1819: FESTUCARIA.

otidis Froelich, J. A., 1802a, 53-54. 1802: FESTUCARIA.

OTIOTREMA Setti, E., 1897a, 4-8, figs. 1-5 (mt: O. torosum).

OTODISTOMUM Stafford, J., 1904b, 482-483 (mt: O. veliporum).

otolithis Yamaguti, S., 1953b, 203, 239-240, 256, pl. VII, figs. 29-30. 1953: KUHNIA. 1954: TAGIA.

otrynteri Pearse, A. S., 1949a, 29, 30, fig. 7 a-c. 1949: MICROCOTYLE.

ottawanensis Miller, M. J., 1940c, 423, 428-430, figs. 4-5. 1940: PARASTIOTREMA (mt).

ottoi Agrawal, V., 1966c, 62-64, fig. 1 (Uromastix hardwickii; intestine; Lucknow, India). 1966: ORIENTOCREADIUM.

ottoi Travassos, L. P.; Teixeira de Freitas, J. F.; & Bührnheim, P. F., 1965, 74-75, fig. 1 (Atas Soc. Biol. Rio de Janeiro, v. 9 (5), Sec. 6) (Selene vomer; intestino; Estado do Espirito Santo, Brasil). 1965: PSEUDOHURLEYTREMA.

OUDHIA Dayal, J.; & Gupta, S. P., 1954d, 191 (mt: O. horai).

oudtshoornia Porter, A., 1938a, 7, 9, 446-448, pl. 77, figs. 4-7. 1938: CERCARIA.

ovacutus Lebour, M. V., 1908b, 42-44, pl. 3, figs. 4-5. 1908: STERINGOPHORUS. 1911: RHODOTREMA (type). [1961]: STENAKRON (Strelkov, I. A., [1961], 160).

ovacutus Nicoll, W., 1913a, 243-246, pl. 11, fig. 6. 1913: DEROGENOIDES (tod).

ovale Byrd, E. E., 1937b, 189-190, 195, 197, pl. 9, fig. 1. 1937: BRACHYCOELIUM.

ovale Goto, S., 1894a, 241-244. 1894: TRISTOMA. 1938: CAPSALA. 1960: TRISTOMELLA.

ovale Macy, R. W., 1940b, 282. 1940: ACANTHATRIUM.

ovale Martin, W. E., 1950 , 552-559, pl. 1, figs. 1-4, pl. 2, figs. 5-8. 1950: PHOCITREMOIDES (tod).

ovale Tripathi, Y. R., 1956b, 231, 237-238, fig. 3g, h, j. 1956: THORACOCOTYLE. 1963: PSEUDOTHORACOCOTYLA (Yamaguti, S., 1963a, 283).

ovale Yamaguti, S., 1942c, 329, 354-355, fig. 12. 1942: PSEUDOCREADIUM.

ovalis Barker, F. D., 1911a, 518-520, 525, pl. 17, figs. 5-9. 1911: OPISTHORCHIS. 1911: AMPHIMERUS (type).

ovalis Byrd, E. E.; & Roudabush, R. L., 1939a, 471-473, fig. 1939: LEPTOPHYLLUM. 1958: TRAVTREMA.

ovalis Chandler, A. C.; & Rausch, R., 1946a, 328, 331-333, pl., fig. 1. 1946: PHARYNGOSTOMOIDES.

ovalis Cordero, E. H.; & Vogelsang, E. G., 1940a, 3, 6-9, 14, fig. 2. 1940: NEMATOPHILA.

ovalis Fantham, H. B.; & Porter, A., 1950a, 609, 610, 640. 1950: LEPTOPHALLUS.

ovalis Linton, E., 1910b, 16, 17, 20, 83, 98, pl. 27, figs. 231-235. 1910: DEONTACYLIX.

ovalis Linton, E., 1910b, 16, 17, 21, 67, 75, 94, pl. 20, figs. 162-169. 1910: DERADENA. 1947: HAPLADENA.

ovalis Linton, E., 1910b, 18, 21, 24, 87, pls. 1-2, figs. 7-14. 1910: PACHYPSOLUS.

ovalis Manter, H. W., 1931c, 401, fig. 8. 1931: LEPOCREADIUM.

ovalis Manter, H. W., 1933b, 235-236, 240, pl. 32, fig. 3. 1933: EURYPERA. 1947: MEGAPERA.

ovalis Schrank, F. v. P., 1803a, 86. 1803: CERCARIA.

ovalis Siddiqi, A. H.; & Cable, R. M., 1960a, 258, 267, 311-312, 360, fig. 118. 1960: BILECITHASTER (tod).

ovalis Yamaguti, S., 1968, 14, 26-27, fig. 7 (Monogenetic trematodes of Hawaiian fishes) (Etelis marshi, E. carbunculus, Priacanthus boops; body surface; Hawaii). 1968: PSEUDOBENEDENIA.

OVARIOPTERA Leonov, V. A.; Spasskii, A. A.; & Kulikov, V. V., 1963a, 283, 285, 286, 288, 289 (tod: O. sobolevi).

ovata Goto, S., 1894a, 234-237, pl. 26, figs. 4-8. 1894: EPIBDELLA. 1902: TRISTOMA. 1903: EPIBDELLA (BENEDENIA). 1927: BENEDENIA.

ovata Guberlet, J. E., 1937a, 465. 1937: RAJONCHOCOTYLE.

ovata Ishii, N., 1935e, 302, 306, 326-327, figs. 49-50. 1935: DIDYMOCYSTIS.

ovata von Linstow, O. F. B., 1877b, 192-193, pl. 14, fig. 24. 1877: TETRACOTYLE.

ovata Price, E. W., 1934f, 1-2, pl. 1, fig. 1. 1934: STERINGOTREMA.

ovata Rankin, J. S., 1939e, 438, 444-446, 448, 449, figs. 1-3. 1939: MARITREMA.

ovata Rudolphi, C. A., 1803a, 25-26. 1803: FASCIOLA. 1809: DISTOMA. 1892: CEPHALOGONIMUS. 1899: PROSTHOGONIMUS (type). 1899: PRYMNOPRION (type). 1901: FASCIOLA hepatica. 1925: PROSTHOGONIMUS (ULTRAGENOTREMA).

ovata Skvortsov, A. A., 1924a, 203, 207, 208, 210, 211. 1924: CERCARIA.

ovata Tandon, R. S., 1949a, 85-92, figs. 1-4. 1949: LISSEMYSIA.

ovata Tubangui, M. A.; & Francisco, S. A., 1930a, 31-33, ? for microvata. 1930: METADENA.

ovata Villot, F. C. A., 1878a, 29-30, pl. 9, fig. 6. 1878: CERCARIA.

ovata plana buchholzii Jördens, J. H., 1802a, 64-66, pl. 7, figs. 13-14. 1802: FASCIOLA. [See Dicrocoelium lanceatum]. 1802: FASCIOLA hepatica.

ovatula Faust, E. C., 1924e, 250, 290, pl. 1, fig. 9. 1924: CERCARIA.

ovatum Diesing, K. M., 1850a, 302, for Distoma luteum Baer. 1850: HETEROSTOMA. 1858: CERCARIAEUM. [1858: Distoma luteum Wagener].

ovatum Dubois, G., 1938b, 239, 240, 473, 474, figs. 152-153. 1938: NEODIPLOSTOMUM krausei.

ovatum Goto, S.; & Ozaki, Y., 1930a, 78-79, fig. 5. 1930: MESOCOELIUM.

ovatum Harshey, K. R., 1934a, 97, 99-101, 103, 104, 105, figs. 1-2. 1934: COTYLOPHORON.

ovatum Kobayashi, H., 1912a, 781-786, figs. 1-8. 1912: LOXOTREMA. (?1932): METAGONIMUS yokogawai.

ovatum Linton, E., 1900a, 269, 297. 1900: GASTEROSTOMUM. 1929: PROSORHYNCHOIDES (tod). 1937: BUCEPHALOPSIS. 1940: PROSORHYNCHUS.

ovatum Molin, R., 1859f, 822-824, pl. 2, figs. 2-4. 1859: MONOSTOMA.

ovatum Pigulevskii, S. V., 1931a, 15-16, fig. 6. 1931: COITOCOECUM. 1934: NICOLLA (tod).

ovatum Simha, S. S., 1958a, 161, 181-182, 213, fig. 11. 1958: PROSTHODENDRIUM. 1960: PROSTHODENDRIUM (PROSTHODENDRIUM).

ovatum Yamaguti, S., 1935c, 159, 161-163, figs. 2-3. 1935: CLOACITREMA (tod).

ovatum Yamaguti, S., 1939f, 131, 137-138, fig. 4. 1939: ACANTHATRIUM. 1941: LECITHODENDRIUM. 1948: ACANTHATRIUM (ACANTHATRIUM). 1958: PROSTHODENDRIUM.

ovatus Hsü, Y. C., 1935c, 142, 147-148, 150, pl., fig. 9. 1935: PARAMONOSTOMUM.

ovatus Katsurada, F., 1914b, 313, 314, figs. 12-13. 1914: PARACOENOGONIMUS (type). 1935: PROHEMISTOMUM.

ovatus Osborn, H. L., 1919a, 123-127, pl. 10, figs. 1-5. 1919: MICROPHALLUS. 1943: MICROPHALLUS opacus.

ovatus Ozaki, Y., 1928b, 56-58, fig. 27. 1928: BUCEPHALOPSIS.

ovatus Ozaki, Y., 1928a, 17-18, 24, fig. 9. 1928: OPEGASTER.

ovatus Sinitsin, D. F., 1931e, 801, 812, 813, 825-826, 832, pl. 1, fig. 6, pl. 5, fig. 34, pl. 6, fig. 37. 1931: ECTOSIPHONUS. 1931: ECTOSIPHON [lapsus].

ovatus Tubangui, M. A., 1928b, 359-360, pl. 2, fig. 4. 1928: POSTORCHIGENES.

ovatus Wang, K. N., 1963a, 55-57, 59-60, figs. 1-2 (Spheroides ocellatus; abdominal cavity; Kiangsu Province). 1963: PARADECEMTESTIS (tod).

ovatus Yamaguti, S., 1952a, 146, 173-175, 196, pl. I, fig. 4. 1952: PARACRYPTOGONIMUS.

ovatus Yokogawa, S., 1913b, 45-49, pl., figs. 1-3, German summary, 3-4. 1913: METAGONIMUS.

ovatus longus Oshmarin, P. G. in Skrjabin, K. I., [1962], 39, fig. 8 (Numenius madagascariensis; bursa Fabricii; Primorskaia Oblast). [1962]: PROSTHOGONIMUS.

oviaspera Teixeira de Freitas, J. F., 1951b, 93-96, pl. 35, figs. 91-92, pl. 36, figs. 93-95, pl. 37, figs. 96-98, pl. 38, figs. 99-100, pl. 39, fig. 101, pl. 40, fig. 102, pl. 41, figs. 103-104, pl. 42, figs. 105-106, pl. 43, figs. 107-108, pl. 44, figs. 109-110, pl. 45, figs. 111-112, pl. 46, figs. 113-114, pl. 67, figs. 179-182, pl. 72, figs. 210-215. 1951: TANAISIA. 1958: TANAISIA (TAMERLANIA).

ovicola Brandes, G. P. H., 1894a, 303-310, pl. 19, figs. 1-4. 1894: FRIDERICIANELLA.

oviforme Poirier, J., 1886a, 26-27, pl. 4, figs. 7-9. 1886: DISTOMA. 1892: DISTOMA (BRACHYCOELIUM). 1899: PHANEROPSOLUS. 1899: LECITHODENDRIUM. 1921: PARALECITHODENDRIUM. 1937: PROSTHODENDRIUM (PROSTHODENDRIUM).

oviformis Hasegawa, K., 1926a, 108-109. 1926: METAGONIMUS.

oviformis Kobayashi, H., 1915c, 55-56, 57, 258, 259, 263, 264, 268, 270, 366, 368, pl., figs. 6-10. 1915: EXORCHIS (tod).

oviformis Oshmarin, P. G., 1963b, 83-85, fig. 34 (Charadrius dominicus; large intestine; Primorskii & Suifuno-Khankaiskii Okrugs). 1963: SPELOTREMA.

oviformis Shtrom, Z. K., 1940c, 228-229, 231, fig. 4. 1940: PLAGIORCHIS. 1959: PLAGIORCHIS (PLAGIORCHIS). 1959: PLAGIORCHIS (MULTIGLANDULARIS).

oviformis Sinitsin, D. F., 1931e, 797, 801, 812, 829, 832, pl. 3, fig. 21. 1931: PANOPISTUS.

oviformis Szidat, L., 1936a, 304, 306, figs. 11-13. 1936: CYATHOCOTYLE. 1943: CYATHOCOTYLE (CYATHOCOTYLE).

oviformis Szidat, L., 1962b, 67, 68-72, fig. 1 (Haplochiton zebra; intestine). 1962: STEGANODERMA.

oviformis (? Zdun) Bidulina, M. I., 1956a, 25. 1956: CERCARIA.

ovilacus Woodhead, A. E.; & Malewitz, H., 1936a, 273-275, fig. 1. 1936: MEDIOGONIMUS (tod).

ovimagnosum Bhalerao, G. D., 1926a, 182, 183, 188-190, 193, 194, pl. 2, fig. 2. 1926: LECITHODENDRIUM. 1928: PARALECITHODENDRIUM. 1936: PROSTHODENDRIUM. 1937: PROSTHODENDRIUM (PARALECITHODENDRIUM). 1942: PROSTHOGONIMUS [? lapsus]. 1960: ACANTHATRIUM (PROSTHODENDRIUM) (Etges, F. J., 1960c, 527).

ovimagnosum compactum Chen, H. T., 1954a, 147, 148, 155-156, 168, 173, 179-180, pl. I, figs. 1-5. 1954: PROSTHODENDRIUM. [1961]: PARALECITHODENDRIUM (Caballero y C., E., [1961c], 233).

ovis Cobbold, T. S., 1885a, 499. 1885: BILHARZIA.

ovis Orlov, I. V.; Ershov, V. S.; & Badanin, N. V., 1934a, 321-326, figs. 1-3. 1934: SKRJABINOTREMA.

ovis Tubangui, M. A., 1925a, 13-15, pl. 1, fig. 1. 1925: EURYTREMA.

ovocaudata Nicoll, W., 1913a, 242-243, pl. 11, figs. 4-5. 1913: HEMIPERA (tod).

ovocaudata Sinitsin, D. F., 1911a, 113. 1911: ADOLESCARIA.

ovocaudatum Srivastava, H. D., 1933a, 51, 53-54, 55, 58, fig. 5. 1933: PROGONUS. 1938: GENARCHOPSIS. 1955: GENARCHES.

ovocaudatum Srivastava, H. D., 1937b, 401. 1937: MEHRACOLA (mt). 1939: MEHRAILLA (tod).

ovocaudatum Srivastava, H. D., 1939aa, 234-236, pl. XXI, figs. a-b. 1939: HURLEYTREMA (tod).

ovocaudatum Vulpian, A., 1859b, 150-152. 1859: DISTOMA. 1899: HALIPEGUS (type).

ovofarctum Odhner, T., 1902c, 153-154. 1902: DISTOMA. 1910: CHOLEPOTES (tod).

ovoidalis Mamaev, I. I. in Skrjabin, K. I.; & Antipin, D. N., [1959a], 324, fig. 92. [1959]: PLAGIORCHIS (MULTIGLANDULARIS).

ovoplenus Jameson, H. L.; & Nicoll, W., 1913a, 57, 62. 1913: GYMNOPHALLUS. 1958: PARVATREMA.

ovopunctatum Stossich, M., 1902g, 15-16, pl. II, figs. 5-6. 1902: CYCLOCOELUM. 1909: MONOSTOMA. 1923: CYCLOCOELUM (POSTPHARYNGEUM). 1959: CYCLOCOELUM (CYCLOCOELUM).

OVOTREMA Pigulevskii, S. V., 1938b, 389 (mt: O. pontica).

ovum Creplin, F. C. H., 1846a, 159. 1846: DISTOMA.

owreae Hutton, R. F., 1954a, 104-109, figs. 1-3. 1954: METACERCARIA. 1958: CERCARIA.

oxycephalikum Schneidemühl, G., 1896a, 303, for oxycephalum. 1896: DISTOMA.

oxycephalum Diesing, K. M., 1836d, 238, 240, 251, pl. 24, figs. 1-8. 1836: AMPHISTOMA. 1905: CHIORCHIS. 1922: DADAYIA (type). 1925: PSEUDOCLADORCHIS. 1932: DADAYATREMA (type).

oxycephalus Rudolphi, C. A., 1819a, 98, 375-376. 1819: DISTOMA. 1896: ECHINOSTOMA.

oxyorchis Ingles, L. G., 1932b, 193-195, figs. 2, 8-9. 1932: HAEMATOLOECHUS. 1933: OSTIOLUM. 1939: HAEMATOLOECHUS (OSTIOLUM).

oxysoma Guiart, J., 1938b, 33, 56-57, 63, 64, 81, pl. 1, fig. 32 (provisional name). 1938: HIRUDINELLA.

oxyurum Creplin, F. C. H., 1825a, 48-49. 1825: DISTOMA. 1902: PSILOSTOMUM. 1909: PSILOCHASMUS (type).

oxyurum Johnston, S. J., 1917a, 201-204, 206, 248, 252, 255, fig. 9, pl. 11, fig. 6. 1917: ECHINOPARYPHIUM. 1943: ECHINOSTOMA (provisional).

ozaki Layman, E. M., 1930a, 69-70, 96-97, fig. 21. 1930: OPEGASTER. [1954]: OPECOELUS.

OZAKIA Wisniewski, L. W., 1933e, 34; 1933g, 36 (tod: O. plagiorchis).

ozakii Asada, J., 1926d, 1633-1637, figs. 1-3. 1926: MESORCHIS. [1937]: STEPHANOPRORA.

ozakii Manter, H. W., 1934d, 258, 267, 339, pl. 1, fig. 1. 1934: PROSORHYNCHUS.

ozakii Nagaty, H. F., 1937a, 37, 39, 46, 47, pl., fig. 24. 1937: BUCEPHALOPSIS.

ozakii Oguro, Y., 1936a, 1, 10-14, figs. 11-13. 1936: PLEUROGONIUS.

ozakii Price, E. W., 1939d, 81, 82. 1939: POLYSTOMA.

ozakii Srivastava, H. D., 1937w, 299 [nomen solum]; 1938i, 399-401, pl. 37. 1938: GYLIAUCHEN.

ozellata Minning, W., 1951a, 43, 44, for ocellata. 1951: TRICHOBILHARZIA.

ozorioi Teixeira de Freitas, J. F.; & Lent, H., 1939a, 248, 251-252, pl. 3, figs. 1-2. 1939: HAEMATOLOECHUS. 1962: PNEUMONOECES (Skrjabin, K. I.; & Antipin, D. N., 1962a, 98).

pabdai Pande, B. P., 1937f, 111-113, fig. 1. 1937: PLEUROGENES. 1943: PLEUROGENOIDES.

pachisomum Parona, C., 1894, 155, for pachysomum. 1894: DISTOMA.

pachycerca Claparède, J. L. R. A. E., 1863a, 12-13, pl. 18, fig. 1. 1863: CERCARIA.

pachycerca Diesing, K. M., 1858d, 257-258, includes C. brachyura Lespés. 1858: CERCARIA (ACANTHOCEPHALA). 1926: CERCARIAEUM.

pachycerca Lutz, A., 1924a, 69, 89-90. 1924: ECHINOCERCARIA.

PACHYCREADIUM Manter, H. W., 1954b, 514 (tod: P. gastrocotylum (Manter, 1940)).

pachycystata Miller, E. L., 1936a, 14, 18, 20, 22, 24, 25, 72-74, 114, 115, 116, 117, pl. 5, figs. 74-76, pl. 6, fig. 77. 1936: CERCARIA.

pachycystis Schroeder, R. E.; & Leigh, W. H., 1965a, 594-599, figs. 1-9 (Procyon lotor; small intestine; South Florida), Littoradinops tenuipes (exper.), Cyprinodon variegatus; bulbus arteriosus). 1965: ASCOCOTYLE.

pachyderma Braun, M. G. C. C., 1899e, 629. 1899: DISTOMA.

pachyderma Simroth, H.; & Hoffmann, H., 1928a, 1338, ? for pachycerca. 1928: ECHINOCERCARIA.

PACHYPSOLUS Looss, A., 1901 l, 558-600 (mt: P. lunatus Looss, 1901).

pachysoma Eysenhardt, H. W., 1829a, 144, 147. 1829: DISTOMA. 1886: DISTOMA (PODOCOTYLE). 1893: DISTOMA (MONORCHIS). 1898: PODOCOTYLE. 1902: HAPLOSPLANCHNUS (type).

pachysomus Manter, H. W., 1954b, 476, 512, 513, 514, 563, fig. 38. 1954: PLAGIOPORUS (CAUDOTESTIS). 1958: PLAGIOPORUS (PLAGIOPORUS).

pachytheca Dollfus, R. P. F., 1937b, 168; [1937c], 430, 434, 440, 441-445, 450, figs. 31-39. 1937: OTODISTOMUM veliporum.

PACHYTREMA Looss, A., 1907d, 610-613 (tod: P. calculus).

pacifera Noble, A. E., 1933a, 353, 354, 355, 356, 360, pl. 50, figs. 4-6. 1933: CATATROPIS. 1936: KOSSACKIA. 1939: NOTOCOTYLUS.

pacifica van Beneden, P. J., 1858a, 86. 1858: CERCARIA.

pacifica Bravo Hollis, M.; & Manter, H. W., 1957a, 37, 39-40, pl., figs. 6-8. 1957: GUGGENHEIMIA (tod).

pacifica Guberlet, J. E., 1936c, 955-958, 961, 963-964, figs. 1-9. 1936: EPIBDELLA. 1939: BENEDENIA. 1963: PSEUDOENTOBDELLA (Yamaguti, S., 1963a, 130).

pacifica Guberlet, J. E., 1937a, 457-458. 1937: ACANTHOCOTYLE. 1963: PSEUDACANTHOCOTYLA (Yamaguti, S., 1963a, 113).

pacifica Manter, H. W., 1940a, 327, 437-439, 451, 494, 495, pl. 49, fig. 128. 1940: GONOCERCELLA (tod).

pacifica Manter, H. W., 1940a, 327, 435-437, 445, 446, 494, 495, pl. 49, figs. 126-127. 1940: LEURODERA.

pacifica Manter, H. W., 1940a, 326, 373-374, 450, 472, 473, pl. 38, figs. 46-47. 1940: OPECOELINA.

pacifica Meserve, F. G., 1938a, 29, 64-66, 86, 87, pl. 9, figs. 64-74. 1938: PROTOMICROCOTYLE. 1962: ABORTIPEDIA (Unnithan, R. V., 1962a, 341).

pacifica Park, J. T., 1937b, 415-416, 420, 421, pl. 2, figs. 14-15. 1937: PODOCOTYLE.

pacifica Steenstrup, J., 1842b, 74-75, 135, pl. 2, figs. 2-8. 1842: DISTOMA.

pacificum Bykhovskii, B. E.; & Gusev, A. V., 1950a, 279, 281, 282, 289, 290-293, figs. 2v, 3g, d, 4 (1-7), 8v, 9, 10. 1950: PARADICLYBOTHRIUM (tod).

pacificum Caballero y C., E., [1946c], 359-365, pl., figs. 1-2. [1946]: PETALODISTOMUM. [1953]: PETALODISTOMUM (PETALODISTOMUM). 1953: NAGMIA.

pacificum Dollfus, R. P. F., [1937c], 429, 430, 450. [1937]: OTODISTOMUM cestoides.

pacificum Manter, H. W., 1940a, 325, 330-332, 451, 460, 461, pl. 32, figs. 1-2. 1940: LOBATOSTOMA.

pacificum Yamaguti, S., 1942c, 329, 365-367, fig. 17. 1942: DERETREMA.

pacificum Yamaguti, S., 1951b, 247, 278-279, 281, pl. 5, fig. 16. 1951: PHYLLODISTOMUM.

pacificum Yamaguti, S., 1965, 55, 68-69, fig. 7 (Pacific Science, v. 19 (1), Jan,) (Naso hexacanthus, N. lituratus, N. brevirostris; gills; Hawaii). 1965: NASOBRANCHITREMA (tod).

pacificus Bykhovskii, B. E.; & Polianskii, I. I., [1954a], 105-106, 117, figs. 13-15. [1954]: GYRODACTYLUS groenlandicus.

pacificus Manter, H. W., 1940a, 325, 343-344, 448, 449, 462, 463, pl. 33, fig. 17. 1940: PROSORHYNCHUS.

pacificus Manter, H. W., 1963c, 224-225, 226, 227, 231, pl., figs. 1-4 (Scatophagus argus; intestine; Fiji). 1963: NEOHAPLOPORUS (tod).

pacificus Mizelle, J. D.; & Kritsky, D. C., 1967, 263, 268, figs. 23-28 (J. Parasitol., v. 53 (2)) (Microgadus proximus; external structure; Pacific coast near Bodega Bay & San Francisco). 1967: GYRODACTYLUS.

pacificus Senger, C. M.; & Macy, R. W., 1952a, 481-486, pl. 1, figs. 1-5. 1952: EURYHELMIS.

pacificus Yamaguti, S., 1938f, 16, 66-67, 73, pl. 73, figs. 64-65, pl. 10, figs. 66-68. 1938: GONAPODASMIUS.

pacificus Yamaguti, S., 1938c, 1, 21-23, fig. 10. 1938: MACULIFER.

pacificus Yamaguti, S., 1938c, 1, 14-15, fig. 6. 1938: PLAGIOPORUS. 1958: PLAGIOPORUS (PLAGIOPORUS).

pacificus Yamaguti, S., 1951b, 247, 266-268, 281, pl. 4, fig. 11. 1951: ECHINOSTEPHANUS. [1954]: STEPHANOSTOMUM.

pacificus Yamaguti, S., 1958a, 304-305 (n. n. for S. magnacetabulum Yamaguti, 1942 nec Guiart, 1938). 1958: STERRHURUS.

paduriformis Travassos, L. P., 1922f, 188. 1922: CHAUNOCEPHALUS.

paeminosum Caballero y C., E., 1943a, 423, 424, 425, 426, 430, figs. 1-2. 1943: PROSTHODENDRIUM.

pagargi Price, E. W., 1954a, 39, lapsus for pygargi. 1954: OGMOGASTER.

pagelli van Beneden, P. J., 1871a, 43, pl. 4, fig. 17. 1871: DISTOMA. 1911: STERINGOTREMA.

pagelli van Beneden, P. J.; & Hesse, C. E., 1863a, 80-81, pl. 7, figs. 1-11. 1863: ENCOTYLLABE. 1878: TRISTOMA.

pagelli Gallien, L., 1937a, 22-26, 28, 154, figs. 5-6, pl. 1, fig. 4. 1937: DICLIDOPHORA. 1941: CHORICOTYLE. 1943: CYCLOCOTYLA.

pagenstecheri Sinitsin, D. F., 1905a, 46-47, pl. 1, figs. 4, 7, 13, pl. 2, figs. 15, 19, 20. 1905: CERCARIA gorgoderae.

pagenstecheri Sinitsin, D. F., 1905a, 34-36, pl. 2, figs. 21-27. 1905: GORGODERA. [1953]: GORGODERA (MEDIODERA). [Distoma cygnoides of Pagenstecher, nec Zeder, renamed].

pagenstecheri Wesenberg-Lund, C. J., 1934b, 175, pls. 17-18. 1934: CERCARIA.

pagenstecheri pagenstecheri Odening, K., 1957b, 294, 295, 296, 301, fig. 4. 1957: GORGODERA (MEDIODERA).

pagollae Cable, R. M.; Connor, R. S.; & Balling, J. W., 1960a, 189, 193, 200-201, 240, figs. 8-9. 1960: ACANTHOPARYPHIUM.

pagrosomi Ishii, N.; & Sawada, T., 1938a, 231, 234-235, pl., figs. 1-3. 1938: EPIBDELLA. 1939: BENEDENIA.

pagrosomi MacCallum, G. A., 1917b, 50-52, fig. 21. 1917: ENCOTYLLABE.

pagrosomi Murray, F. V., 1931a, 496-498, fig. 1, pl. 22, fig. 15. 1931: LAMELLODISCUS.

pagrosomi Murray, F. V., 1931a, 502-503, pl. 21, fig. 7, pl. 22, fig. 19. 1931: MICROCOTYLE.

pagrosomi Yamaguti, S., 1934a, 252, 482-484, fig. 121. 1934: LECITHOCLADIUM.

pagrosomi Yamaguti, S., 1938c, 1, 32-33, fig. 18. 1938: DECEMTESTIS.

pagrosomi Yamaguti, S., 1938c, 2, 68-70, fig. 39. 1938: METADENA.

pagrosomi Yamaguti, S., 1938c, 1, 23-24, fig. 11. 1938: PYCNADENOIDES (tod).

pagrosomi Yamaguti, S., 1939e, 211, 221-222, 229, pl. 30, figs. 7-9. 1939: ECHINOSTEPHANUS. 1947: STEPHANOSTOMUM.

pagrosomi Yamaguti, S., 1939e, 211, 226-227, 229, pl. 29, fig. 4. 1939: STERRHURUS. 1955: SEPAROGERMIDUCTUS.

pagrosomi Yamaguti, S., 1939e, 211, 223-224, 229, pl. 29, fig. 2. 1939: ZOOGONUS.

pagrosomi Yamaguti, S., 1958c, 369, 374-375, 384, pl. XV, fig. 12. 1958: OPECOELUS.

pagumae Faust, E. C.; & Tang, C. C., 1938a, 161-163, 165, pl. 2, fig. 2. 1938: TRAVASSOSELLA (mt). [1945]: PROSOSTEPHANUS.

AGUMOGONIMUS Chen, H. T., 1964a, 392.

aguri von Nordmann, A., 1833b, 379. 1833: POLYSTOMA.

akistanensis Coil, W. H.; & Kuntz, R. E., 1960c, 282, 283, 284, figs. 2-4. 1960: ACANTHOSTOMUM.

alaearcticum Odening, K., 1963h, 227-228, fig. 7. 1963: ORNITHODIPLOSTOMUM ptychocheilus.

alaearcticus Odening, K., 1963e, 37, 47-48, fig. 6. 1963: ECHINOCHASMUS mergi.

alaemonis von Linstow, O. F. B., 1877b, 186. 1877: DISTOMA.

ALAEOCRYPTOGONIMUS Szidat, L., 1954a, 6, 30 (tod: P. claviformis).

ALAEORCHIS Szidat, L., 1943a, 25, 47-48, 52, 56, 57, 60.

alaeorticum Mehra, H. R., 1940a, 102-105, pl., fig. 1. 1940: ENTEROHAEMATOTREMA.

alancai Lopez-Neyra, C. R., 1952c, 289-295, pl., fig. 1. 1952: POLYSTOMA.

alaoensis Ogata, T., 1942a, 85-88, figs. 1-2. 1942: COITOCAECUM.

alawanensis Fischthal, J. H.; & Kuntz, R. E., 1964a, 40, 41, 42, 43, figs. 1-2 (Parupeneus indicus, P. barberinus; small intestine; Puerto Princesa, Palawan Island, Philippines). 1964: OPECOELUS. 1966: PAROPECOELUS (Pritchard, M. H., 1966b, 182).

alawanensis Fischthal, J. H.; & Kuntz, R. E., 1964d, 253, 254, 258, pl., figs. 5-6 (Gazza minuta; small intestine; Palawan Island, Philippines). 1964: PELOROHELMIS (mt).

alegae Goodman, J. D., 1951c, 57, 64, 65, 69-70, fig. 9. 1951: CERCARIA.

aliatum Braun, M. G. C. C., 1892a, 608, for palliatum. 1892: DISTOMA.

ALITREMA Gogate, B. S., 1939b, 57-60 (tod: P. macrorochis).

allascatus Manter, H. W.; & Pritchard, M. H., 1964a, 90-92, figs. 18-20 (Bufo regularis; intestine; Kasongo (Maniema), Congo, Léopoldville). 1964: DIPLODISCUS.

allasii Poirier, J., 1885a, 477-478, pl. 23, fig. 6. 1885: DISTOMA. 1938: HIRUDINELLA.

alleniscum Shipley, A. E.; & Hornell, J., 1905b, 53-54, 55, fig. 11. 1905: DISTOMA. [1954]: HAMACREADIUM.

allens Rudolphi, C. A., 1819a, 111, 408, 676. 1819: DISTOMA. 1909: ALLOCREADIUM.

alliatum Looss, A., 1885a, 390-427, pl. 23, figs. 1-5, 7-14, 30. 1885: DISTOMA. 1892: CLADOCOELIUM. 1899: BRACHYCLADIUM (type). 1901: CAMPULA. 1938: CAMPYLA. 1958: LECITHODESMUS.

alliatus Gusev, A. V., 1955b, 240, 241, 348, 394, 397, pl., fig. 24 (2). 1955: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 41).

allidum Stafford, J., 1904b, 487. 1904: HOMALOMETROM (tod).

allidus Looss, A., 1902n, 889, 891. 1902: HETEROPHYES.

allidus MacCallum, G. A., [1919b], 82, fig. 38. [1919]: TELORCHIS. 1928: CERCORCHIS.

palmatum Leuckart, F. S., 1830a, 612. 1830: OCTOBOTHRIUM. 1845: OCTOBOTHRIUM (CYCLOCOTYLE). 1850: DICLIDOPHORA. 1859: OCTOPLECTANUM. 1864: PTEROCOTYLE (type). 1890: OCTOBOTHRIUM (PTEROCOTYLE). 1895: DACTYLOCOTYLE. 1941: DACTYCOTYLE. 1943: OCTODACTYLUS. 1963: PSEUDODACTYLOCOTYLA (Yamaguti, S., 1963a, 174).

palmatum Rentsch, S., 1860a, 38. 1860: DISTOMA.

palmatum Yamaguti, S., 1968, 15, 83-84, fig. 58 (Monogenetic trematodes of Hawaiian fishes) (Acanthurus dussumieri, A. mata; gills; Hawaii). 1968: HALIOTREMA.

palmatum minor Olsson, P., 1867-68a, 18, pl. 4, figs. 70-71. 1867-68: OCTOBOTHRIUM. 1926: DACTYLOCOTYLE.

palmifera Vasquez-Colet, A., (1944), 75-76 (Abstracts of Scientific Papers Presented Before the Conference on Medical Sciences in Commemoration of the Establishment of the Republic of the Philippines, Manila, Dec. 20-22, 1943). (1944): STICTODORA.

palmipedis Lutz, A., 1928a, 108, pl. 25, fig. 1. 1928: HAPLOMETRA. [1930: GLYPTHELMINS]. 1941: GLYPTHELMIS. 1962: MARGEANA (Walton, A. C., 1962c, 25). 1963: REPANDUM (Byrd & Maples, 1963a, 531).

paloensis Tubangui, M. A., 1933c, 174-175, 192, 197, pl. 4, fig. 2. 1933: PARADISTOMUM. 1944: PARADISTOMOIDES.

palombi Euzet, L.; & Williams, H. H., 1960a, 21, 23, 25, 27, 28, 29, figs. 2, 5, 11. 1960: CALICOTYLE.

paloniae Poirier, J., 1883a, 74-76, pl. 2, figs. 1 a-b. 1883: HOMALOGASTER.

palpebrae Strelkov, I. A., 1950a, 159-162, figs. 1-2. 1950: NEOPOLYSTOMA.

palpebrarum Looss, A., 1899b, 587, 701-702, fig. 24. 1899: PHILOPHTHALMUS (tod).

paludestrinae Sordi, M., 1959a, 111-112, figs. 8-9, pl. 2, fig. 3. 1959: CERCARIA.

paludinae Pagenstecher, H. A., 1857a, 30-32, 52, pl. 2, figs. 5-6. 1857: DISTOMA echiniferum.

paludinae impurae von Baer, K. E., 1827b, 655. 1827: CERCARIA.

paludinae impurae de Filippi, F., 1854a, 24-25, pl. 2, figs. 28-31; 1854b, 279, pl. 2, figs. 28-31. 1854: DISTOMA. 1855: CERCARIAEUM. 1924: CERCARIA.

paludinae impurae armatum de Filippi, F., 1857c, 9-13. 1857: DISTOMA. 1858: CERCARIAEUM.

paludinae impurae inerme de Filippi, F., 1857c, 9-13. 1857: DISTOMA. 1858: CERCARIAEUM. [1858: Distoma perlatum].

paludinae impurae inermis Wesenberg-Lund, C. J., 1934b, 168. 1934: CERCARIA.

paludinae impurae (tentaculorum) Diesing, K. M., 1855a, 399, based on Baer, 1827b, 655 in Paludina impura; Regiomontii. 1855: CERCARIAEUM.

paludinae viviparae Diesing, K. M., 1855a, 399 = helicis viviparae renamed. 1855: CERCARIAEUM.

paludinarum Faust, E. C., 1924e, 296. 1924: CERCARIA.

palumbae Baird, W., 1853a, 37. 1853: AMPHISTOMA falconis.

palumbarii Dubois, G., 1937c, 395. 1937: NEODIPLOSTOMUM.

palumbarii Rudolphi, C. A., 1819a, 88, 793. 1819: AMPHISTOMA falconis.

palumbi Viborg, E. N., 1795a, 243. 1795: STRIGEA falconis. 1809: AMPHISTOMA falconis.

palustris Chatterji, R. C., 1933b, 193-201, figs. 1-4, pl., figs. 5-6. 1933:CERCARIA.

pamae Tripathi, Y. R., 1956b, 231, 232, 233, fig. 1 a-f. 1956: MICROCOTYLE.

PAMEILEENIA Wright, C. A.; & Smithers, S. R., 1956a, 113, 117 (tod: P. gambiensis).

panamensis Caballero y C., E.; Bravo Hollis, M.; & Grocott, R. G., 1953b, 121-123, pl., figs. 19-20. 1953: PSEUDOACANTHOSTOMUM.

panamensis Caballero y C., E.; Zerecero y C., M. C.; & Grocott, R. G., [1957a], 425-429, figs. 7-8. [1957]: TELORCHIS.

panamensis Price, E. W.; & McIntosh, A., 1953a, 229-230, 231, fig. 2. 1953: COTYLOPHORON.

PANAMPHISTOMUM Manter, H. W.; & Pritchard, M. H., 1964a, 93, 95 (tod: P. africanum [? lapsus for P. benoiti n. g., n. sp.).

pancerii Sonsino, P., [1891g], 303-304. [1891]: MICROCOTYLE.

PANCREADIUM Manter, H. W., 1954b, 475, 496-498, 562 (tod: P. otagoensis).

pancreaticum Janson, J. L., 1889a, 92 or Railliet, A., 1890w, 143. 1889: DISTOMA. 1897: DICROCOELIUM. 1907: EURYTREMA (type). [1953]: EURYTREMA (PANCREATICUM).

pancreaticum Katsurada, F.; & Saito, C., 1898a, 1-6, pl. 1898: DISTOMA.

pancreaticum McIntosh, A., 1934e, 2-3, fig. 2. 1934: SCAPHIOSTOMUM.

pancreaticum coelomaticum (Giard, A.; & Billet, A., 1892a, 613). 1925: EURYTREMA.

pancreaticus Baer, J. G., 1960a, 63-70, figs. 1-4, pl. 3, figs. 1-6. 1960: EUAMPHIMERUS.

pancreatinum Ward, H. B., 1895a, 335, probably error for D. lanceolatum. 1895: DISTOMA.

PANCREATREMA Oshmarin, P. G. in Skrjabin, K. I.; & Evranova, V. G., [1953a], 497 (tod: P. disacetabulum).

pancreatum Chen, H. T., 1935a, 102, for pancreaticum. 1935: EURYTREMA.

pandioni Sudarikov, V. E. in Skrjabin, K. I., 1947a, 266, 269. 1947: RENICOLA.

pandionis Chandler, A. C.; & Rausch, R., 1948a, 208, 209, pl., fig. 2. 1948: NEOGOGATEA.

PANDIONTREMA Oshmarin, P. G., 1963b, 68, for Acanthotrema Oshmarin et Paruchin, 1960 preoccupied.

pandora Faust, E. C., 1921c, 52, pl. 3, fig. 8. 1921: CERCARIA.

pandubi Gupta, R., 1963c, 77-79, 81, 84, 85, pl., figs. 3-4 (Phalacrocorax carbo; small intestine; India). 1963: NEOHARVARDIA (tod).

pandubi Pande, B. P., 1939b, 26-27, figs. 3-4. 1939: APATEMON. 1953: APATEMON (PSEUDOSTRIGEA). 1959: PSEUDOSTRIGEA. 1966: SCHWARTZITREMA (Dubois, G., 1966, 120, 121 (Ann. Parasitol., v. 41 (2)).

pandum Braun, M. G. C. C., 1901a, 48-50, fig. 17. 1901: MONOSTOMA. 1913: DIASCHISTORCHIS (type).

panduriforme Railliet, A., 1900i, 240-241. 1900: DICROCOELIUM. 1930: PLATYNOSOMUM. 1940: LYPEROSOMUM. 1953: ZONORCHIS. 1957: OSWALDOIA (DICROCOELIOIDES).

pangasi Tripathi, Y. R., [1959a], 23, 50-51, fig. 25. [1959]: HAPLOCLEIDUS.

pangasii MacCallum, W. G., 1905b, 668-673, fig. A. 1905: CLADORCHIS. 1925: PSEUDOCLADORCHIS. 1929: CHIORCHIS (CHIORCHIS). 1934: ? DADYTREMA. 1935: PROTOCLADORCHIS (tod). 1938: MACCALLUMIA.

paniceum Brinkmann, A., 1942a, 3-12, 13, 14, 15, 16, 17, 18, figs. 1-6. 1942: PACHYTREMA.

panikkari Unnithan, R.V., 1964a, 241, 242, 243, 244, 245, pl. I, figs. 4-9 (Tylosurus leiurus; gills; Mandapam, India). 1964: TYLOSURICOLA (tod).

panjabensis Gupta, N. K., 1954b, 125-129, fig. 1. 1954: GANEO.

panjabensis Gupta, N. K., 1964a, 175-178, fig. 1964: PARAMONOSTOMUM microstomum.

pannosus Gusev, A. V., 1955n, 274-275, 395, 398, fig. 36. 1955: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 41).

PANOPISTUS Sinitsin, D. F., 1931e, 789, 827-827, 832 (no type designated).

panuri Nezlobinski, N., 1926a, 206-207, 208, 217, fig. 1, pl. 1, fig. 1. 1926: OHRIDIA (mt). 1951: TANAISIA. 1958: TANAISIA (OHRIDIA).

papabejani Skrjabin, K. I., 1924a, 10 [nomen nudum]; Skrjabin, K. I.; & Udintsev, A. N., 1930a, 214-215, 217, pl. 14, fig. 2. 1930: LYPEROSOMUM. 1940: BRACHYLECITHUM. 1944: ORTHORCHIS. 1957: LYPEROSOMUM (BRACHYLECITHUM) (Jaiswal, G. P., 1957a, 18).

papiliogona Hall, J. E., 1960a, 231, 232, 233, 234, 244, figs. 13-15. 1960: CERCARIA.

papillata Doran, D. J., 1953c, 146-147, 148, pl. 2, figs. 9-13. 1953: HETEROCOTYLE.

PAPILLATREMA Oshmarin, P. G., 1964a, 658 (tod: P. echinata).

PAPILLATRIUM Richard, J., 1966, 413, 419-421, 423 (Ann. Parasitol., v. 41 (5)) (tod: P. inversum).

papillatum van Beneden, P. J., 1858a, 38. 1858: TRISTOMA.

papillatum Cobbold, T. S., 1882a, 240-242, fig. 10, pl. 24, fig. 11. 1882: AMPHISTOMA. 1910: PFENDERIUS.

papillatum Goto, S.; & Matsudaira, Y., 1918a, 1-19, figs. 1-2, pl. 1, figs. 1-5. 1918: DISSOTREMA (mt). 1919: GYLIAUCHEN.

papillatum Rudolphi, C. A., 1814a, 105, Fasciola appendiculata Froelich, 1802, pl. 56, pl. 2, figs. 8-9 renamed. 1814: DISTOMA.

papillatus Dadai, J., 1906b, 554-559, fig. 11. 1906: CHIORCHIS.

papillatus Grétillat, S., 1962c, 121-129, figs. 1-7 (Kobus defassa; panse; République du Congo, Brazzaville). 1962: CARMYERIUS.

papillifera Vergun, G. I., 1957a, 154-155, pl., figs. 1-2. 1957: CERCARIA.

papilliferum Braun, M. G. C. C., 1892a, 586 (for A. papillatum Cobbold). 1892: AMPHISTOMA.

papilliferum Molin, R., 1859e, 290. 1859: DISTOMA.

papilliferum Szidat, L., 1956d, 546, 553-557, 569, figs. 13-14. 1956: AUSTROCREADIUM (tod).

papilligerum Stiles, C. W.; & Goldberger, J., 1910a, 74, 75, 77, 78-85, figs. 53-56. 1910: PARAMPHISTOMUM (BOTHRIOPHORON).

papillorobusta Rankin, J. S., 1939f, 450 [nomen nudum]; 1940, 38, 42, 43, 44-46, pl., figs. 1-5. 1939: SPELOTREMA. 1944: MICROPHALLUS. [1959]: CARNEOPHALLUS.

papillorum Juel, H. O., 1889a, 14, ?misprint for papillosum. 1889: TRISTOMA.

papillosa Ercolani, G. B., 1882a, 51, 55-56, 108, pl. 1, figs. 55-57. 1882: CERCARIA.

papillosa Linton, E., 1898c, 508-509, pl. 40, figs. 1-6. 1898: NITZSCHIA. 1904: LINTONIA (tod).

papillostoma Coil, W. H., 1960a, 39-41, figs. 1-3, 5. 1960: CERCARIA.

papillostomum MacCallum, G. A., 1916c, 31-33, fig. 13. 1916: PARAMPHISTOMUM.

papillosum Diesing, K. M., 1836c, 313-316, pl. 17, figs. 13-16. 1836: TRISTOMA. 1840: CAPSALA.

papillosum Diesing, K. M., 1850a, 381, Distoma beroës Will, renamed. 1850: DISTOMA. 1860: CROSSODERA.

papillosum Linton, E., 1910b, 18, 21, 52, 92, pl. 13, figs. 107-111. 1910: XYSTRETRUM. 1910: ZYSTRETRUM.

papillosum Mödlinger, G., 1934b, 57-59, figs. 1-2. 1934: CERCARIAEUM.

papillosum Stiles, C. W.; & Goldberg, J., 1910a, 76, 112-121, 126, figs. 81-91. 1910: PARAMPHISTOMUM [(CAULIORCHIS)]. [1937]: CALICOPHORON.

papillosus Alho, C. J. R.; & Vicente, J. J., 1964a, 17, 18-20, figs. 1-5 (Podocnemis expansa; stomach; Estado do Amazonas, Brasil). 1964: PODOCNEMITREMA (tod).

papillosus Woodhead, A. E., 1929b, 259-271, 272, pl. 31, figs. 1-15. 1929: BUCEPHALUS. 1932: RHIPIDOCOTYLE.

PARABARIS Travassos, L. P., 1922f, 190 (tod: P. parabaris).

parabaris Travassos, L. P., 1922f, 190. 1922: PARABARIS (tod). 1949: DENTICAUDA. 1958: PSEUDOPARABARIS.

PARABASCOIDES Stunkard, H. W., 1938d, 34-37 (mt: P. yucatanensis).

PARABASCUS Looss, A., 1907b, 481-483 (tod: P. lepidotus).

parabramis Akhmerov, A. K., 1952a, 185, 186, 210, fig. 3a. 1952: DACTYLOGYRUS.

parabramis Akhmerov, A. K., 1952a, 189, 193, 210, fig. 41. 1952: FALCIUNGUIS (mt).

PARACALCEOSTOMA Caballero y C., E.; & Bravo Hollis, M., [1960a], 173, 177-179 (tod: P. calceostomoides).

para-californiensis Faust, E. C., 1924e, 294. 1924: CERCARIA.

PARACANTHOSTOMUM Fischthal, J. H.; & Kuntz, R. E., 1965b, 128-129 (tod: P. cerberi).

PARACARDICOLA Martin, W. C., 1960c, 648 (tod: P. hawaiensis).

paracauda Iles, C., 1959a, 482, 483, 484, 485, 486, 487, fig. 2 (a-c). 1959: CERCARIA.

paracephaladena Faust, E. C., 1926b, 118-119, pl. 7, fig. 12. 1926: CERCARIA.

PARACEPHALOGONIMUS Skrjabin, K. I., 1950a, 6, 34-37 (mt: P. minutum).

PARACERCORCHIS Mehra, H. R.;& Bokhari, M. A., 1932a, 47, 48, 49, 52-53, 54, 55, 56 (mt: P. pellucidus).

paracharadrii Velasquez, C. C., 1964b, 261-265, pl., figs. 1-9 (Cerithium (Potamides) ornata; muscles & operculum; Philippines, guinea pig, duckling (exper.)). 1964: ACANTHOPARYPHIUM.

PARACHIORCHIS Caballero y C., E., 1943c, 167, 170 (tod: P. parviacetabulatus).

paracinctum Bykhovskaia, I. E., [1954b], 55-56, 101, 102, 105, fig. 43. [1954]: ECHINOPARYPHIUM.

paracirrhiti Pritchard, M. H., 1966b, 194-195, 196-197, 200, figs. 24-25 (Paracirrhites forsteri; intestine; Hawaii). 1966: HELICOMETRA.

PARACOENOGONIMUS Katsurada, F., 1914b, 313, 314 (tod: P. ovatus).

PARACOTYLE Johnstone, J., 1911a, 16-35 (tod: P. caniculae).

paracrucibulus Velasquez, C. C., 1959a, 139, 146, 147, fig. 14. 1959: PROSORHYNCHUS.

PARACRYPTOGONIMOIDES Nagaty, H. F.; & Abdel Aal, T. M., 1961, 235, 236 (mt: P. nocti).

PARACRYPTOGONIMUS Yamaguti, S., 1934a, 250, 363-367 (tod: P. acanthostomus).

PARACYATHOCOTYLE Szidat, L., 1936a, 307-308 (no type designated).

PARADACTYLOGYRUS Thapar, G. S., 1948a, 1 (tod: P. catlaius).

PARADECEMTESTIS Wang, K. N., 1963a, 55-56, 59 (tod: P. ovatus).

PARADEONTACYLIX McIntosh, A., 1934c, 463-467 (tod: P. sanguinicoloides).

PARADICLYBOTHRIUM Bykhovskii, B. E.; & Gusev, A. V., 1950a, 290 (tod: P. pacificum).

PARADINURUS Pérez Vigueras, I., 1958a, 36-37 (tod: P. manteri).

PARADIPLOSTOMUM La Rue, G. R., 1926d, 12, 15 (tod: D. abbreviatum).

PARADISCOGASTER Yamaguti, S., 1934a, 251, 420-422 (tod: P. pyriformis).

PARADISTOMOIDES Travassos, L. P., 1944a, vi, 21, 263-264 (tod: P. gregarium).

PARADISTOMUM Kossack, W. F. K., 1910a, 114-116 (tod: P. rabusculum).

paradoxa Dogiel, V. A., 1931a, 319-322, fig. 1. 1931: REDIA.

paradoxa Odhner, T., 1928b, 167-171, figs. 1-2. 1928: RHYNCHOPHARYNX.

paradoxa Travassos, L. P., 1942b, 350-351, fig. 1. 1942: PSEUDATHESMIA.

paradoxa (? Zdun) Bidulina, M. I., 1956a, 25. 1956: CERCARIA.

paradoxica Meserve, F. G., 1938a, 29, 57-58, 82, 83, pl. 7, figs. 41-43. 1938: THORACOCOTYLE.

paradoxum Carus, C. G., 1833a, 36; 1835a, 85-100, 100b-100c, pl. 7, figs. I-XVI. 1833: LEUCOCHLORIDUM.

paradoxum von Nordmann, A., 1832a, 56, pl. 5, figs. 1-5, pl. 6, figs. 1-2. 1832: DIPLOZOON.

paradoxum bliccae Reichenbach-Klinke, H. H., 1961c, 541, 543, 548, 549, 552, 553, 555, fig. 5k (Blicca björkna; gill; Donau in Bayern). 1961: DIPLOZOON.

paradoxum sapae Reichenbach-Klinke, H. H., 1961c, 541, 542, 543, 548, 549, 552, 555, fig. 5i (Abramis sapa; gill; Bayerische Donau). 1961: DIPLOZOON.

paradoxuri Baugh, S. C., 1962b, 508-511, figs. 4-8 (Paradoxurus hermaphroditus; intestine; Banaras, U. P., India). 1962: ARTYFECHINOSTOMUM.

paradoxuri Baugh, S. C., 1962b, 504-506, fig. 2 (Paradoxurus hermaphroditus; intestine; Banaras, U. P., India). 1962: BRACHYLAEMUS.

paradoxus Bykhovskii, B. E., 1951a, 29-32, figs. 1-2. 1951: TETRAONCHOIDES (tod).

paradoxus Creplin, F. C. H., 1839a, 292. 1839: ANCYROCEPHALUS (type). 1878: DACTYLOGYRUS. 1928: TETRAONCHUS.

paradoxus Marcó del Pont, A., 1926a, 17-19, figs. 1-6. 1926: CYCLOCOELUM. 1950: CYCLOCOELUM (CYCLOCOELUM).

paradoxus Näsmark, K. E., [1937a], 424, 521, 522, 530-532, 535, 564, pl. 5, figs. 10-11. [1937]: NILOCOTYLE. 1958: GLYPTAMPHISTOMA.

paradoxus Rudolphi, C. A., 1810a, 257-258, pl. 12, fig. 4. 1810: SCHISTURUS.

paraense Jansen, G., 1941a, 125-127, fig. 1. 1941: EVANDROCOTYLE (tod). 1944: EUPARADISTOMUM. [1957]: PLATYNOTREMA.

paraensei Lie, K. J.; & Basch, P. F., 1967, 1192-1198, figs. 1-19 (J. Parasitol., v. 53 (6), Dec.) (Biomphalaria glabrata; Belo Horizonte, Caratinga, Bambuí, State of Minas Gerais, Brazil, white rats, hamsters, white mice, Physa rivalis (exper.)). 1967: ECHINOSTOMA.

PARAFASCIOLOPSIS Ejsmont, L., 1932b, 1087-1091 (tod: P. fasciolaemorpha).

PARAGEMMAECAPUTIA Ramalingam, K., 1960d, 152, 155 (mt: P. crassicauda).

PARAGONIMUS Braun, M. G. C. C., 1889g, 492 (tod: P. westermanii).

PARAGONISMUS Freund, L., 1933b, 264, 265, for Paragonimus.

PARAGONIUM Berner, O., 1928a, 493, for Paragonimus.

PARAGONO Pearse, A. S., 1930b, 11 (tod: P. kelloggii).

paragonymi westermani Sewell, R. B. S., 1922a, 159. 1922: CERCARIA.

PARAGYLIAUCHEN Yamaguti, S., 1934a, 252, 532 (tod: P. chaetodonis).

PARAGYRODACTYLUS Gvozdev, E. V.; & Martekhov, P. F., 1953a, 164, 165 (tod: P. iliensis).

PARAHALIOTREMA Mizelle, J. D.; & Price, C. E., 1964a, 81, 82, 83, 88 (tod: P. dempsteri).

parahaliotrema Mizelle, J. D.; & Price, C. E., 1964a, 81, 84-85, pl., figs. 43-51 (Zanclus canescens; gills; Southwest Pacific Ocean). 1964: PARAHALIOTREMA.

PARAHALIPEGUS Wootton, D. M.; & Powell, E. C., 1964a, 662, 663 (tod: P. aspina (Ingles, 1936)).

PARAHAPLOMETROIDES Thatcher, V. E., [1964a], 211, 213 (mt: P. basiliscae).

PARAHEMIURUS Vaz, Z.; & Pereira, C., 1930a, 1315-1317 (tod: P. parahemiurus).

parahemiurus Vaz, A.; & Pereira, C., 1930a, 1315-1317. 1930: PARAHEMIURUS (tod).

PARAHETEROPHYES Afanas'ev, V. P., 1941a, 97, 114 (mt: P. pirum).

paraheterotentaculatus Velasquez, C. C., 1959a, 137-138, 145, 146, 147, figs. 8-10. 1959: BUCEPHALUS.

PARAHURLEYTREMA Nahhas, F. M.; & Powell, E. C., 1965a, 16, 18, 19, fig. 5 (tod: P. trachinoti (Thomas, 1959)).

PARAISOCOELIUM Ozaki, Y., 1932d, 450-453 (tod: P. exorchis).

PARALARIA Krause, R. K. L., 1914a, 233 (type: Hemistomum clathratum (Diesing)).

paralatus Gusev, A. V., 1955b, 323-324, 396, 398, figs. 58 (5-6). 1955: GYRODACTYLUS.

PARALECHRIORCHIS Byrd, E. E.; & Denton, J. F., 1938a, 381, 383, 394-395, 397, 398 (tod: P. syntomentera).

PARALECITHOBOTHRYS Skrjabin, K. I., 1956d, 33, for Paralecithobotrys.

PARALECITHOBOTRYS Teixeira de Freitas, J. F., 1948a, 587-589 (tod: P. brasiliensis).

PARALECITHODENDRIUM (Odhner, 1910) Travassos, L. P., 1921h, 74.

PARALEPIDAUCHEN Brinkmann, A., 1956a, 25 (mt: P. avium).

PARALEPIDOPHYLLUM Yamaguti, S., 1934a, 251, 395-397 (tod: P. pyriforme).

PARALEPODERMA Dollfus, R. P. F., 1950e, 148 (tod: P. cloacicola).

paralichthydis Corkum, K. C., 1961a, 231-232, fig. 1 (Paralichthys lethostigma; intestine; Barataria Bay, Louisiana). 1961: BUCEPHALOIDES. 1962: BUCEPHALOPSIS (Kohn, A., 1962b).

paralichthydis Yamaguti, S., 1934a, 252, 465-466, fig. 112. 1934: ECTENURUS. 1947: ERILEPTURUS. 1954: UTEROVESICULURUS.

paralichthydis Yamaguti, S., 1938c, 1, 43-44, fig. 25. 1938: PSEUDOLEPIDAPEDON (tod).

paralichthydis Yamaguti, S., 1958b, 53, 71-72, fig. 6. 1958: PSEUDAMPHIBDELLA (tod).

PARALICHTHYTREMA Szidat, L., 1960a, 591 (mt: P. patagonica).

paralinearis Goodman, J. D., 1951c, 57, 58, 59, 61-62, fig. 4. 1951: CERCARIA.

PARALLELORCHIS Harkema, R.; & Miller, G. C., 1961f, 611-613, pl., figs. 1-5 (tod: P. diglossus).

PARALLELOTESTIS Belopol'skaia, M. M., 1954a, 7, 25-26 (mt: P. horridus).

parallelum Looss, A., 1901 l, 622. 1901: MICROSCAPHIDIUM. 1902: ANGIODICTYUM (type).

PARALLOPHARYNX Caballero y C., E., 1946a, 146, 147, 148 (tod: P. arctus).

PARAMACRODEROIDES Venard, C. E., 1941c, 379 (tod: P. echinus).

PARAMAZOCRAES Tripathi, Y. R., [1959a], 76, 89, 93 (tod: P. thrissocles).

PARAMETADELPHIS Travassos, L. P., 1955b, 564 (tod: P. compactus).

PARAMETORCHIS Skrjabin, K. I., 1913i, 376-377 (type: P. complexus).

PARAMONOCOTYLE Johnston, T. H., 1934b, 65 (tod: P. selachii (MacCallum, 1916)).

PARAMONODHELMIS Oshmarin, P. G.; & Mamaev, I. L., 1963b, 357, 359, 364, 365 (tod: P. postacetabulorchis).

PARAMONORCHEIDES Yamaguti, S., 1938c, 2, 83-84 (tod: P. awatati).

PARAMONOSTOMUM Luehe, M. F. L., 1909b, 32, 33 (mt: P. alveatum).

paramphistoma Lutta, A. S., 1934a, 267, 277, 307, pl. 2, figs. 8-8a. 1934: CERCARIA.

PARAMPHISTOMUM Fischoeder, F., 1900a, 367, 370, 372, 373, 374; 1902a, 7, 10-11, 24, 25, 26, 38, 43, 54 (tod: P. cervi).

PARAMPHOSTOMUM Bangham, R. V., 1933a, 224, for Paramphistomum.

paramulticellulata Goodman, J. D., 1951c, 57, 58, 59, 63-64, fig. 6. 1951: CERCARIA.

paramurinum Velasquez, C. C., 1964a, 106-111, figs. 1-5 (Vivipara angularis, Lymnaea peregra, L. philippinensis; all from Philippines). 1964: EUPARYPHIUM.

PARANCYLODISCOIDES Akhmerov, A. K., 1964a, 70, 72, 74, 76, 78, fig. 1 (8) (tod: P. asoti (Yamaguti, 1937) n. comb.).

PARANCYLODISCOIDES Caballero y C., E.; & Bravo-Hollis, M., [1961], 202-203 (tod: P. chaetodipteri).

PARANCYROCEPHALOIDES Yamaguti, S., 1938f, 15, 19, 20-21 (tod: P. daicoci).

PARANTORCHIS Yamaguti, S., 1934a, 251, 412-415 (tod: P. chaetodonis).

paraoriolinum Oshmarin, P. G., 1963b, 114-116, fig. 49 (Oriolus chinensis; intestine; Amursko-Ussuriiskii Okrug). 1963: NEODIPLOSTOMUM.

parapandubi Odening, K., 1962a, 381, 383-386, 420, 421, 423, 424, fig. 1 (Pelecanus philippensis, ? Bubulcus ibis coromandus; Dünndarm; Berliner Tierparks). 1962: APATEMON (PSEUDOSTRIGEA?).

parapaucadena Porter, A., 1938a, 6, 9, 316, 318-319, 467, pl. 48, figs. 1-5. 1938: CERCARIA.

parapercis Yamaguti, S., 1958b, 53, 75-78, figs. 8-9. 1958: OSPHYOBOTHRUS (tod).

parapercis Yamaguti, S., 1959b, 241, 245, 262, pl. 20, fig. 6. 1959: DECEMTESTIS.

parapercis Yamaguti, S., 1959b, 241, 248-249, 262, pl. 20, fig. 5. 1959: PLAGIOPORUS (CAUDOTESTIS).

PARAPLAGIORCHIS Dollfus, R. P. F., in Guyénot, E.; & Naville, A., 1924a, May, 82.

PARAPLERURUS Fischthal, J. H.; & Kuntz, R. E., 1963f, 81, 86 (tod: P. sauridae).

parapleurolophocerca Ankel, F., 1962, 26, 41, fig. 37 (Hydrobia ventrosa) 1962: CERCARIA.

parapleurolophocercoides Etges, F. J., 1956b, 88, 89, 91, 92, 93, pl. I, figs. 4-7. 1956: CERCARIA.

PARAPOLYSTOMA Ozaki, Y., 1935b, 210, 220-221 (tod: P. bulliense (Johnston, 1912)).

parappendiculatus Baer, J. G., 1959b, 6, 11-12, 159, fig. 2 (Pelecanus rufescens; muqueuse intestinale; Parcs Nationaux du Congo Belge). 1959: MESOSTEPHANUS.

parapriacanthi Yamaguti, S., 1959b. 241, 252-253, 262, pl. 21, fig. 9. 1959: DERETREMA.

parapristipomatis Yamaguti, S., 1934a, 250, 353-355, fig. 52. 1934: OPEGASTER.

PARAPROCTOTREMA Yamaguti, S., 1934a, 251, 387-390 (tod: P. fusiforme).

PARAPRONOCEPHALUM Belopol'skaia, M. M., 1952c, 141-142 (mt: P. symmetricum).

parapterocleidus Long, S., 1964a, 22, 23, 27, 28, 29, 31, fig. 2 (Culter erythropterus; gill slits; Taihu). 1964: DACTYLOGYRUS.

paraquinta Raevskii, V. N., 1937a, 565-568, fig. 1937: RENICOLA.

PARASCHISTOSOMATIUM Price, E. W., 1929k, 3, 15 (tod: P. anhingae).

PARASCOCOTYLE (Stunkard & Haviland, 1924) Travassos, L. P., 1929e, Apr. 8, 940.

parasillaginae Sandars, D. F., [1945a], 107, 112-114, 115, figs. 5-7. [1945]: MICROCOTYLE.

parasiluri Long, S.; & Lee, W. C., 1958a, 369-371, 375-376, fig. 1. 1958: OPISTHORCHIS.

parasiluri Yamaguti, S., 1934a, 251, 423-425, fig. 86. 1934: PHYLLODISTOMUM. 1953: PHYLLODISTOMUM (CATOPTROIDES).

parasiluri Yamaguti, S., 1937b, 4-7, 26, pl. 1, figs. 5-7. 1937: ANCYLODISCOIDES (tod).

parasinensis Belous, E. V., 1963a, 80-81, 87, 88, fig. 1 (Amyda sinensis; intestine; Far East). 1963: COTYLASPIS.

parasitica Jaegerskiöld, L. A. K. E., 1897a, 707-714, figs. 1-3. 1897: MICROPHARYNX.

PARASITICTODORA Morozov, F. N., 1952b, 453, for Parastictodora.

parasiticum Stunkard, H. W., 1962d, 886, ? lapsus for biparasiticum Goto, 1894. 1962: TRISTOMELLA.

paraspathaceum Shigin, A. A., 1965c, 264 (karpovykh ryb [Cyprinidae], okunevykh ryb [Percidae], bychkovykh ryb [Gobiidae], sel'devykh ryb [Clupeidae], osetrovykh ryb [Acipenseridae], shchuki [Esox lucius]; eye; Rybinsk Reservoir & Volga Delta). 1965: DIPLOSTOMUM.

paraspathula Noble, A. E., 1936a, 247-249, 250, 251, figs. 1-3. 1936: NEODIPLOSTOMUM.

PARASPINA Sogandares-Bernal, F., 1959b, 101, for Parspina.

PARASTERRHURUS Manter, H. W., 1934c, 258, 315, 316 (tod: P. anurus).

PARASTICTODORA Martin, W. E., 1950b, 360-361 (tod: P. hancocki).

PARASTIOTREMA Miller, M. J., 1940c, 423, 428, 429-430 (mt: P. ottawanensis).

PARASTRIGEA Szidat, L., 1928d, 205, 206, 207, 208 (tod: P. cincta Brandes).

parastrigiformes Bykhovskaia, I. E. (Pavlovskaia); & Zhukov, E. V., [1954a], 167-168, 169, fig. 4. [1954]: APHARYNGOSTRIGEA. 1955: PARASTRIGEA.

PARASYMPHYLODORA Szidat, L., 1943a, 25, 36, 44, 59, 60.

parataichui Pearson, J. C., 1964a, 602, 612, 641-644, figs. 22-24 (cat, domestic (exper.); small intestine, Pseudomugil signifer; Brisbane, Queensland, Australia). 1964: HAPLORCHIS.

PARATELORCHIS Mehra, H. R.; & Bokhari, M. A., 1932a, 48 (corrected to Paracerchorchis).

PARATETRAONCHOIDES Bykhovskii, V. E.; Gusev, A. V.; & Nagibina, L. F., 1965a, 143, 160, 161, fig. 10E (tod: P. inermis).

PARATETROCHETUS Hanson, M. L., 1955a, 84, 85, 86 (tod: P. aluterae).

PARATORMOPSOLUS Dubinina, M. N.; & Bykhovskii, B. E. in Skrjabin, K. I., 1954a, 79 (mt: P. siluri).

paraulum Dietz, E., 1909b, 9. 1909: ECHINOSTOMA. 1930: ECHINOPARYPHIUM.

PARAUROTOCUS Travassos, L. P.; & Kohn, A., 1966, 16 (Mem. Inst. Oswaldo Cruz, v. 64) (tod: P. fusiformis).

paravirguloides Vercammen-Grandjean, P. H., 1960d, 49, 89, 100-101, pl. 23, figs. 156-161. 1960: CERCARIA.

parawa Unnithan, R. V., 1957a, 88-92, 118, fig. 8 a-e. 1957: AXINE. 1962: UNNITHANAXINE (tod). (Price, E. W., 1962, 8).

parcespinosi Simroth, H.; & Hoffman, H., 1928a, 1337. 1928: CERCARIA echinostomi.

parcespinosum Lutz, A., 1924a, 59-60, 64, 79-81, 85, pl. 5, fig. 1, pl. 6, fig. 6, pl. 8, fig. 16, pl. 10, fig. 23. 1924: ECHINOSTOMA.

parcivitellarius Caballero y C., E., 1942h, 74, 75-77, 78, fig. 2. 1942: HAEMATOLOECHUS. 1962: OSTIOLUM (Skrjabin, K. I.; & Antipin, D. N., 1962a, 148).

parcum Travassos, L. P., 1922f, 189. 1922: LEUCOCHLORIDIUM. 1952: UROGONIMUS.

PARECHINOSTOMUM Dietz, E., 1909a, 188 (tod: Echinostomum cinctum).

PARECTENURUS Manter, H. W., 1947a, 350, 385 (tod: P. americanus).

parepinepheli Sogandares-Bernal, F., 1959b, 77, 78, 79, 115, fig. 11. 1959: LEPIDAPEDON.

parexocoeti Manter, H. W., 1947a, 317, 374, 385, fig. 75. 1947: BRACHYENTERON.

parexocoeti Manter, H. W., 1947a, 309-310, 312, 374, 386, fig. 62. 1947: STEGANODERMA. 1957: MANTERODERMA (tod).

parini Chatterji, P. N., [1957c], 348, 349, 350, pl., fig. [1947]: HAPLORCHIS.

parinum Oshmarin, P. G. in Skrjabin, K. I.; & Evranova, V. G., [1953a], 140, fig. 40. [1953]: BRACHYLECITHUM attenuatum.

parisi Crusz, H., 1957b, 193-195, pl. 38, fig. 1. 1957: STAPHYLORCHIS.

parisidorae Porter, A., 1938a, 5, 8, 279-281, pl. 37, figs. 1-4. 1938: CERCARIA.

parkeri Pérez Vigueras, I., [1942c], 98-100. [1942]: ATHESMIA.

parocellata Johnston, T. H.; & Simpson, E. R., 1939b, 63-65, figs. 1-7. 1939: CERCARIA.

parocellata Szidat, L., 1942a, 489, 490, 493, 513, 519-522, 523, figs. 3, 5, 8, 18d. 1942: CERCARIA.

paronaperugiae Llewellyn, K., 1960a, 563, 564, 565, 566, 569, 570, 571, 572, 574, 577, 579, 581, figs. 5, 13 A-B, 21, 28. 1960: AMPHIBDELLA.

paronae Monticelli, F. S., 1893i, 43, 191, pl. 1, fig. 1893: DISTOMA.

paronae Monticelli, F. S., 1907a, 3, 4, 6, 7, 9-10, pl. 10, figs. 13-15. 1907: ENCOTYLLABE.

PARONATREMA Dollfus, R. P. F., 1937b, 264-268 (mt: P. vaginicola).

PAROPECOELUS Pritchard, M. H., 1966b, 180, 182, 187, 200 (tod: P. sogandaresi).

PAROPISTHORCHIS Stephens, J. W. W., 1912a, 117-128.

PARORCHIS Nicoll, W., 1907b, 128 (Zeugorchis Nicoll, 1906 not Stafford, 1905 renamed hence type acanthus).

parorchis Macy, R. W., 1956a, 28. 1956: PLAGIORCHIS.

parorchis Macy, R. W., 1960a, 337, 338-342, 343, 344, 345, pl. I, figs. 1-6, pl. II, figs. 7-15. 1950: PLAGIORCHIS vespertilionis.

parorchium Jaiswal, G. P., 1957a, 58-60, fig. 3. 1957: PHYLLODISTOMUM (CATOPTROIDES).

PARORIENTODISCUS Rohde, K., 1952, 463, 464 (mt: P. magnus).

PARPHOSTOMUM Ortlepp, R. J., 1938e, 63, for Paryphostomum.

PARSPINA Pearse, A. S., 1920a, 28-29 (tod: P. bagre).

partapus Kaw, B. L., 1950a, 70, 82, 84, 85, fig. 11 A-B. 1950: PROSOTOCUS.

parthenicola Faust, E. C., 1924e, 296. 1924: CERCARIA.

PARTHENITA Sinitsin, D. F., 1911a, 42, 52, 78, 85, 90, 93, 107, 109 (group name).

parupenei Manter, H. W., 1963a, 99, 110, 111-112, pl. IV, figs. 27-29 (Parupeneus indicus; intestine; Fiji). 1963: PODOCOTYLE. 1966: PODOCOTYLOIDES (Pritchard, M. H., 1966a, 165).

parupenei Yamaguti, S., 1942c, 330, 371-373, figs. 21-22. 1942: PSEUDOPROCTOTREMA.

parupenei Yamaguti, S., 1968, 15, 62, fig. 33 (Monogenetic trematodes of Hawaiian fishes) (Parupeneus chryserydros, P. multifasciatus, P. pleurostigma; gills; Hawaii). 1968: ANCYROCEPHALUS.

parva Ciurea, I., 1915c, 453-454, pl. 1, fig. 4. 1915: LOOSSIA. 1924: METAGONIMUS.

parva Ercolani, G. B., 1882c, 51, 52, 108, pl. 1, figs. 31-33. 1882: CERCARIA.

parva Laird, M., 1958c, 441, 442, 443-444, 445, pl., figs. 1-2. 1958: DAITREOSOMA.

parva Manter, H. W., 1933a, 168, 178-179, 180, pl. 1, fig. 4. 1933: HELICOMETRINA.

parva Olsen, O. W., 1937e, 502, for parvicava Travassos. 1937: GORGODERINA.

parva Stossich, M., 1904e, 10-12, fig. 1. 1904: BRACHYMETRA (type). 1926: RATZIA (tod, mt).

parva Stunkard, H. W., 1933c, 117, 134. 1933: PLAGITURA. 1958: MANODISTOMUM (Yamaguti, S., 1958a, 405).

parva Teixeira de Freitas, J. F., 1951b, 87-88, pl. 33, fig. 83, pl. 67, fig. 176, pl. 72, fig. 209. 1951: TANAISIA. 1958: TANAISIA (TAMERLANIA).

parva Travassos, L. P., 1924b, 620, fig. 3. 1924: GLYPTELMIS. 1959: MARGEANA.

parva Travassos, L. P.; Artigas, P.; & Pereira, C., 1928a, 40, pl. 13, figs. 137-138. 1928: GENARCHELLA. 1958: HALIPEGUS.

parvaccessorius Rogers, W. A., 1967, 501, 516, figs. 153-159 (J. Parasitol., v. 53 (3)) (Hybopsis harperi; Alabama, Georgia). 1967: DACTYLOGYRUS.

PARVACREADIUM Manter, H. W., 1940a, 326, 374, 376 (tod: P. bifidum).

parvasoma Ching, H. L., 1960a, 243, 247, 248, 249, 250, pl. I, fig. 3. 1960: OPECHONA.

PARVATREMA Cable, R. M., 1953a, 410, 417, 418 (tod: P. borinqueñae).

parviacetabulatus Caballero y C., E., 1943a, 161, 167-170, 171, figs. 5-6. 1943: PARACHIORCHIS (tod).

parvicara Baer, J. G., 1930a, 45, 46, for parvicava Travassos. 1930: GORGODERINA.

parvicara Pande, B. P., 1937, 255, for parvicava. 1937: PHYLLODISTOMUM.

parvicaudata Stunkard, H. W.; & Shaw, C., 1931a, 254-258, 264-265, pl. 1, fig. 5. 1931: CERCARIA.

parvicava Travassos, L. P., 1922b, 18. 1922: GORGODERINA. 1926: GORGODERA. 1937: PHYLLODISTOMUM. 1942: GORGODERINA (NEOGORGODERINA). 1953: GORGODERINA (GORGORIMMA) (type).

parvicirrus Mizelle, J. D.; & Jaskoski, B. J., 1942a, 150-151, 152, 153, pl., figs. 62-73. 1942: UROCLEIDUS. 1952: HAPLOCLEIDUS.

parvicirrus Seamster, A., 1948b, 111-112, figs. 1-5. 1948: DACTYLOGYRUS.

parvicollis Belopol'skaia, M. M., 1963b, 176, 180, 182-183, 191, 194, fig. 13 (Squatarola squatarola, Numenius phaeopus; small intestine, body cavity; Nizhnii Amur). 1963: PARORCHIS.

parvicolon Belopol'skaia, M. M., 1963b, 180, for parvicollis. 1963: PARORCHIS.

parvicopula Bykhovskii, B. E., 1933c, 19-20, 21, 22, 24, fig. 2. 1933: GYRODACTYLUS.

parviovatus Yamaguti, S., 1934b, 543, 557, 558-559, fig. 6. 1934: NOTOCOTYLUS.

parviovum Yamaguti, S., 1953c, 257, 279-280, 295, pl. II, fig. 7. 1953: LECITHOCLADIUM.

parvipapillatum Stiles, C. W.; & Goldberger, J., 1910a, 74, 131, 143-150, 160, figs. 114-122. 1910: PARAMPHISTOMUM.

parvipapillatus Grétillat, S., 1962c, 130-139, figs. 8-15 (Kobus defassa; réservoirs gastriques; République du Congo, Brazzaville). 1962: CARMYERIUS.

parviplexus Irwin, M. S., 1929a, 74-79, pl. 13. 1929: PNEUMONOECES. 1931: PNEUMOBITES. 1932: HAEMATOLOECHUS. 1939: HAEMATOLOECHUS (HAEMATOLOECHUS).

PARVIPYRUM Pritchard, M. H., 1963a, 578, 582, 583 (tod: P. acanthuri).

parvirenalis Pelseneer, P., 1906a, 165-166, 179, pl. 8, figs. 7-8. 1906: CERCARIA.

parvispinosus Yamaguti, S., 1933b, 1, 31-33, fig. 12. 1933: PATAGIFER. [1959]: PETASIGER [? lapsus].

parvissimum Travassos, L. P., 1918c, 12 (E. parvum Travassos renamed). 1918: EURYTREMA. 1920: PARADISTOMUM.

parvitestis Ishii, N., 1935c, 275, 276, 278-279, 283, 284, pl. 15, fig. 3. 1935: APATEMON. 1953: APATEMON (APATEMON).

parvitestium Witenberg, G. G., 1923b, 116, pl. 3, fig. 14. 1923: CYCLOCOELUM (MEDIOPHARYNGEUM) orientale.

parviventosum Dubois, G., 1932c, 375, 377, 380-384, 395, 404, 408, 411, 412, pls. 3-4, figs. 10-12. 1943: DIPLOSTOMUM.

parvoculata Cawston, F. G., 1919d, 401-402. 1919: CERCARIA.

parvomelaniae Tubangui, M. A., 1928a, 37-39, pl. 1, figs. 1-2. 1928: CERCARIA.

parvouterus Bhalerao, G. D., 1926a, 182, 183, 193, 194. 1926: LECITHODENDRIUM cordiforme. 1948: PROSTHODENDRIUM cordiforme. 1955: PROSTHODENDRIUM (PROSTHODENDRIUM). 1960: ACANTHATRIUM (PROSTHODENDRIUM) (Etges, F. J., 1960c, 527).

parvoviparus Faust, E. C.; & Tang, C. C., 1938a, 163-164, 165, pl. 2, fig. 3. 1938: PROSOSTEPHANUS. 1953: DUBOISIA. [1962]: TANGIELLA (Sudarikov, V. E., [1962b], 400).

parvula Lutz, A., 1928a, 108. 1928: XIPHIDIOCERCARIA.

parvula Nicoll, W., 1914h, 342-343, pl. 24, fig. 6. 1914: DOLICHOPERA (tod). 1928: DOLICHOSACCUS.

parvulum Miller, G. C., 1958a, 702. 1958: PHYLLODISTOMUM [nomen nudum].

parvulum Skrjabin, K. I., 1915k, 397, for paraulum. 1915: ECHINOSTOMA.

parvulum Stafford, J., 1904b, 494. 1905: DIPLOSTOMUM. 1909: TETRACOTYLE. 1918: DIPLOSTOMULUM.

parvulus Marshall, W. S.; & Gilbert, N. C., 1905a, 478-481, pl. 5, figs. 1-4. 1905: CAECINCOLA (mt).

parvum Crowcroft, P. W., 1945a, 61, 63-65, 66, pl. VIII, fig. 1, pl. IX, figs. 3-4. 1945: COITOCOECUM. 1947: OZAKIA.

parvum Hunter, G. W., 1932b, 16-21, pl. 3, figs. 1-5. 1932: PLESIOCREADIUM. 1934: MACRODEROIDES.

parvum Johnston, S. J., 1917a, 223-225, 226, 227, 249, 253, 256, pl. 15, fig. 14. 1917: LYPEROSOMUM. 1944: OLSSONIELLA. [1953]: BRACHYLECITHUM. 1957: LYPEROSOMUM (BRACHYLECITHUM) (Jaiswal, G. P., 1957a, 17).

parvum Lutz, A., 1928a, 104. 1928: ECHINOSTOMA.

parvum Manter, H. W., 1942a, 352-354, pl. 1, figs. 9-10. 1942: PROCTOTREMA. [1954]: LASIOTOCUS.

parvum Manter, H. W., 1947a, 340-341, 371, 373, 375, 385, figs. 105-107. 1947: LECITHOCHIRIUM. 1955: BRACHYPHALLUS.

parvum Prudhoe, S., 1944b, 484-486, fig. 2. 1944: PYELOSOMUM.

parvum Seno, H., 1907a, pl., figs. 14-15; 1908a, 13-14. 1907: EURYTREMA. [1953]: EURYTREMA (PANCREATICUM).

parvum Simer, P. H., 1929a, 566-567, pl. 2, fig. 9. 1929: MICROCREADIUM (tod).

parvum Stunkard, H. W., 1916a, 24, 25. 1916: ALASSOSTOMA. 1924: ALLASSOSTOMA [corrected spelling]. 1934: ALLASSOSTOMOIDES.

parvum Stunkard, H. W., 1922b, 23-24. 1922: HAEMATOTREMA (mt). 1934: SPIRORCHIS. 1940: CERCARIA.

parvum Stunkard, H. W.; & Dunihue, F. W., 1931a, 184-185, fig. 4. 1931: PARAMONOSTOMUM. 1936: NEOPARAMONOSTOMUM.

parvum Travassos, L. P., 1916c, 257. 1916: EURYTREMA. [1953]: EURYTREMA (CONCINNUM).

parvum Travassos, L. P.; Pinto, C. F.; & Muniz, J., 1927a, 267, for parcum. 1927: LEUCOCHLORIDIUM.

parvum Van Cleave, H. J.; & Mueller, J. F., 1932a, 13-17, pl. 1, figs. 1-6. 1932: VIETOSOMA.

parvus Bauer, O. N., [1949a], 109, 154 (ozernyĭ gol'ian [Phoxinus percnurus]; gills; Yenisei River). [1949]: ANCYROCEPHALUS.

parvus Braun, M. G. C. C., 1901b, 19-20, figs. 3. 1901: TELORCHIS. 1905: TELORCHIS (CERCORCHIS). 1909: CERCORCHIS. [1932: PARATELORCHIS]. [1937: PARACERCHORCHIS].

parvus Bykhovskii, B. E., 1936b, 250, 253-254, 273, fig. 2. 1936: GYRODACTYLUS.

parvus Khan, D., 1961c, 71-74, fig. 1 (Bithynia tentaculata; digestive gland; London). 1961: CERCARIA.

parvus Linton, E., 1940a, 3, pl. 14, figs. 159-160. 1940: ANCYROCEPHALUS.

parvus Looss, A., 1902i, 118, fig. 2. 1902: MONORCHIS.

parvus Manter, H. W., 1947a, 315-316, 372, 385, figs. 72-73. 1947: DIPLANGUS.

parvus Manter, H. W., 1963a, 99, 106, 108, pl. III, fig. 20 (Lethrinus variegatus; intestine; Fiji). 1963: PLAGIOPORUS.

parvus Nakagawa, K., (1917c); 1919a, 39, 42. (1917): STEPHANOLECITHUS. 1923: STEPHANOCEPHALUS [lapsus].

parvus Oguro, Y., 1941a, 27-30, figs. 1-4. 1941: CEPHALOGONIMUS.

parvus Szidat, L., 1950a, 236, 237, 246-248, 263, 266, figs. 6-7. 1950: DEROGENES.

parvus Wegener, G., 1910a, 32, 33-34, 57. 1910: DACTYLOGYRUS. 1938: NEODACTYLOGYRUS.

paryphium Wetzel, R., 1933e, 774 (? for paraulum). 1933: ECHINOPARYPHIUM.

PARYPHOSTOMUM Dietz, E., 1909a, 186, 187 (tod: P. radiatum (Dujardin)).

passerculum Schell, S. C., 1957a, 185, 187-188, figs. 4-5. 1957: PARADISTOMUM. 1964: PLATYNOSOMUM (Odening, K., 1964i, 164).

passeri Wu, L. Y., 1938a, 389, 392-393, 394, fig. 4. 1938: LEUCOCHLORIDIUM.

passeri Yamashita, J.; & Tsumura, I., 1962, 97-99, 102, pl., figs. 1-5 (Passer montanus saturatus; gall bladder; Tottori, Japan). 1962: PLATYNOSOMUM.

pastinacae Scott, T., 1904b, 279, pl. 17, fig. 14. 1904: HETEROCOTYLE (tod). 1940: MONOCOTYLE.

patagiatum Creplin, F. C. H., 1846a, 135. 1846: HOLOSTOMUM. 1937: OPHIOSOMA.

PATAGIFER Dietz, E., 1909a, 184, 185; 1909b, 23 (tod: P. bilobus (Rudolphi)).

patagiferis bilobi Ališauskaitė, V., [1959a], 32, 33, 37-38, 39. [1959]: CERCARIA.

PATAGIUM Heymann, G., 1905a, 82, 90 (mt: P. brachydelphium).

patagonica Szidat, L., 1960a, 591, pl. 5 (d). 1960: PARALICHTHYTREMA.

patagonicus Szidat, L., 1956d, 561-563, 570, figs. 17-18. 1956: GENARCHES.

patellae Lebour, M. V., 1912a, 447, pl. 29, figs. 4-5. 1912: CERCARIA.

patellare Sturges, M. M., 1897a, 57-69, figs. 1-5. 1897: DISTOMA. [1899: PHYLLODISTOMUM]. 1899: SPATHIDIUM. 1901: PHYLLODISTOMUM. 1953: PHYLLODISTOMUM (CATAPTROIDES).

patellare Yamaguti, S., 1938c, 1, 34-36, fig. 19. 1938: HYPOCREADIUM. 1940: PSEUDOCREADIUM.

patentissima Porter, A., 1938a, 6, 9, 357-360, pl. 60, figs. 1-3. 1938: CERCARIA.

pathlocopticum Tanabe in Strong, R. P., 1923a, 516. 1923: SCHISTOSOMA. 1923: SCHISTOSOMATIUM. 1928: CERCARIA schistosomatii.

patialense Crusz, H.; & Sathanantnan, A. H., 1960a, 613. 1960: TRANSVERSOTREMA.

patialensis Soparkar, M. B., 1924a, 933-942, pl. 62, figs. 1-12. 1924: CERCARIA.

patonianus Caballero y C., E., 1935d, 185-188, figs. 1-2. 1935: CERCORCHIS. 1940: TELORCHIS.

patulus Coil, W. H., 1955d, 534, 535, 536, fig. 1. 1955: MARITREMA. [1957: MARITREMINOIDES]. 1960: MARITREMINOIDES.

patzcuarensis Caballero y C., E.; Flores-Barroeta, L.; & Hidalgo, E., E., 1961a, 17-21, fig. 1 (Physa mexicana tolucensis; Lago de Pátzcuaro, Michoacán, Pueblo). 1961: CERCARIA.

pauca Teixeira de Freitas, J. F.; & Kohn, A., 1966, 291-294, figs. 1-2 (Mem. Inst. Oswaldo Cruz, v. 63) (Scomb[e]roides sp.; intestino delgado; Baia de Guanabara, Rio de Janeiro, Brasil). 1966: TERGESTIA.

paucadina Faust, E. C., 1926b, 121, pl. 7, fig. 16. 1926: CERCARIA.

paucispina Faust, E. C.; & Hoffman, W. A., 1934b, 1, 40-41, 44, 48, 92, 96, pl. 5, figs. 26-28. 1934: CERCARIA.

PAUCIVITELLOSUS Coil, W. H.; Reid, W. A.; & Kuntz, R. E., 1965a, 365-368 (mt. P. fragilis).

pauldebrauwerei Vercammen-Grandjean, P. H., 1960d, 48, 77-78, pl. 16, figs. 102-106. 1960: CERCARIA.

paulgiroudi Vercammen-Grandjean, P. H., 1960d, 48, 67-68, pl. 10, figs. 69-74. 1960: CERCARIA.

pauli Vlasenko, P. V., 1931a, 91, 93, 108-110, 130-131, figs. 14-15. 1931: ACHOERUS. 1958: METADENA.

pauloi Travassos, L. P.; Teixeira de Freitas, J. F.; & Bührnheim, P. F., 1965, 57-60, fig. 1 (Atas Soc. Biol., Rio de Janeiro, v. 9 (4), Sept. 30) (Scomber colias; diverticulos puloricos e intestino; Estado de Espirito Santo, Brasil). 1965: ACANTHOCOLPOIDES (tod).

PAUROPHYLLUM Byrd, E. E.; Parker, M. V.; & Reiber, R. J., 1940a, 111, 114-115, 117, 118, 119, 120 (tod: P. simplexus).

PAURORHYNCHUS Dickerman, E. E., 1954a, 311, 312 (tod: P. hiodontis).

pauu Yamaguti, S., 1968, 15, 62-63, 64, fig. 34 (Monogenetic trematodes of Hawaiian fishes) (Myripristis chryseres, Ostichthys japonicus; gills; Hawaii). 1968: ANCYROCEPHALUS.

pavlovskii Bykhovskaia, I. E. (Pavlovskaia); & Kulakova, A. P., 1965a, 187-190, 191, figs. 1-3 (Lymnocryptes minimus; small intestine; Kurishsk Lagoon, Bybachii, Kaliningrad Oblast). 1965: ECHINOPARYPHIUM.

pavlovskii Bykhovskii, B. E.; & Gusev, Z. V., 1955a, 110-112, figs. 1, 2 (1). 1955: PSEUDACOLPENTERON.

pavlovskii Bykhovskii, B. E.; & Nagibina, L. F., 1959b, 368-369, 370, 374, 377, figs. 3, 6B, 7B, 8B, 9B. 1959: DIPLOZOON.

PAVLOVSKIOIDES Bykhovskii, B. E.; Gusev, V. A.; & Nagibina, L. F., 1965a, 146, 158, 160 (tod: P. litoralis).

pavlovskyi Bykhovskii, B. E., 1949a, 870-873, 878, figs. 1-3. 1949: DACTYLOGYRUS.

pavlovskyi Bykhovskii, B. E.; & Nagibina, L. F., 1954a, 30-36, figs. 1-5. 1954: PSEUDOANTHOCOTYLE (tod).

pavlovskyi Gusev, A. V., 1955b, 296-298, 395, 398, fig. 47. 1955: ANCYROCEPHALUS (s.l.).

pawlovskii Zmeev, G. I., 1936d, 412, 423-425, fig. 1936: VITELLARINUS. 1953: PHYLLODISTOMUM (CATOPTROIDES).

pawlowskii Shtrom, Z. K., 1928b, 184-189, fig. 1. 1928: OSWALDOIA. 1944: LYPEROSOMUM.

pawlowskyi Pigulevskii, S. V., [1953b], 671, 690, 695, fig. 243. [1953]: GORGODERA (MEDIODERA).

paxillus Linton, E., 1910b, 17, 21, 48, 91, pls. 11-12, figs. 94-101. 1910: DIPLANGUS. 1958: ANTORCHIS (Yamaguti, 1958a, 33).

pearsei Goto, S.; & Ozaki, Y., 1930a, 76-77, fig. 3. 1930: MESOCOELIUM.

pearsei Holl, F. J., 1929b, 49, 50, pl. 9, fig. 1. 1929: PHYLLODISTOMUM. 1953: PHYLLODISTOMUM (PHYLLODISTOMUM).

pearsei Hunter, G. W.; & Bangham, R. V., 1932a, 137-138, figs. 3-6, 15-19. 1932: ANALLOCREADIUM. 1947: HOMALOMETRON.

pearsei Manter, H. W., 1934c, 258, 289-290, 341, 342, pl. 9, fig. 61. 1934: PODOCOTYLE.

pearsoni Bykhovskii, B. E.; Gusev, A. V.; & Nagibina, L. F., 1965a, 155, 157, 158, 160, figs. 9A, B, V (Anguilla reinhardti; gill filaments; Logan River, Southeast Queensland, Australia). 1965: PAVLOVSKIOIDES.

pearsoni Dubois, G., 1962b, 122, 134-135, 140, fig. 12 (Accipiter striatus velox; intestin grêle; Stony Creek, Ontario). 1962: NEODIPLOSTOMUM (NEODIPLOSTOMUM).

pearsoni Fernando, W., 1933b, 9, 14-18, fig. 3. 1933: HAPLORCHIS.

pectinata Chilton, C., 1905a, 322-325, pl. 19B, figs. 1-3. 1905: CERCARIA.

pectinata Huet, L., 1891a, 12, 162-165, figs. 1-4. 1891: CERCARIA.

pectinatum Linton, E., 1905d, 327, 334, 366, 389, figs. 200-203. 1905: DISTOMA. 1910: THELEDERA (type). 1940: TERGESTIA.

peculiaris Gusev, A. V., 1955b, 261, 262-623, 394, 397, 398, pl., figs. 32(4). 1955: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 41).

pedata Schrank, F. v. P., (1796a), 335-340. (1796): FESTUCARIA.

pedatum Diesing, K. M., 1850a, 309. 1850: HEMISTOMUM. 1932: PODOSPATHALIUM (tod).

pedatum Looss, A., 1899b, 592, 705-706, fig. 27. 1899: GLOSSIDIUM.

pedatus Diesing, K. M., 1836c, 310-313, pl. 17, figs. 1-2, bellones 1794 renamed. 1836: HETERACANTHUS.

pedatus Wagener, G. R., 1857, 99, pl. 15, fig. 12, pl. 36A, fig. 3. 1857: DACTYLOGYRUS. 1858: DIPLECTANUM. 1922: ANCYROCEPHALUS.

pedicathedrae Travassos, L. P.; Teixeira de Freitas, J. F.; & Bührnheim, P. F., 1966, 1-3, fig. 1 (Atas Soc. Biol. Rio de Janeiro, v. 10 (1), May 18) (Umbrina coroides; Estômago; Estado do Espirito Santo, Brasil). 1966: OPECOELOIDES.

pedicellata Porter, A., 1938a, 5, 9, 302-303, pl. 43, figs. 4-5. 1938: CERCARIA.

pedicellata Srivastava, H. D., 1937e, 298 [nomen solum]; 1938b, 403-405, fig. 1938: PEDUNCULACETABULUM. 1966: PODOCOTYLOIDES (Pritchard, M. H., 1966a, 165).

pedicellata Verma, S. C., 1927a, 139-156, figs. 1-2, pls. 11-12, figs. 1-8. 1927: OPISTHORCHIS.

pedicellata minuta Mehra, R. K., 1941b, 18-20, 25, fig. 3. 1941: OPISTHORCHIS.

pedicellatum Stossich, M., 1887d, 184-185, pl. 12, fig. 52. 1887: DISTOMA. 1898: PODOCOTYLE. [1899: CREADIINAE]. 1966: ALLOPODOCOTYLE (Pritchard, M. H., 1966a, 163).

pedicillatum Luehe, M. F. L., 1900u, 487, for pedicellatum. 1900: DISTOMA.

PEDOCOTYLE MacCallum, G. A., 1913d, 256 (corrected from Podocotyle of MacCallum, 1913).

pedocotyle Leidy, J., 1890c, 292. 1890: DISTOMA.

PEDUNCULACETABULUM Yamaguti, S., 1934a, 250, 336-338 (tod: P. opisthorchis).

pedunculata Park, J. T., 1937b, 414-415, 416, 420, 422, pl. 3, fig. 24. 1937: PODOCOTYLE. 1966: NEOPODOCOTYLOIDES (Pritchard, M. H., 1966a, 166).

PEDUNCULOSPINA Hargis, W. J., 1954b, 1115.

pegorchis Stossich, M., 1901b, 94-95, pl. 6, fig. 4. 1900: CREADIUM. 1900: ALLOCREADIUM. 1904: LEPOCREADIUM.

PEGOSOMUM Ratz, I., 1903b, 417-432, pl. (type of present designation saginatum).

pekinensis Faust, E. C., 1921a, 205-212, figs. 1-6. 1921: CERCARIA.

pekinensis Gusev, A. V., (1962), Opredelitele parazitov presnovodnyi ryb SSSR). (1962): DACTYLOGYRUS.

pekinensis Ku, C. T., 1937a, 39-41, fig. 1937: ECHINOSTOMA.

pela Porter, A., 1938a, 6, 9, 365-367, 467, 470, pl. 62, figs. 1-3. 1938: CERCARIA.

pelagiae Koelliker, A., 1849c, 53-55, pl. 2, figs. 5-6. 1849: DISTOMA. [1900: ACCACOELIUM]. 1912: AGAMODISTOMUM.

pelagicum Stafford, J., 1900a, 399-401, fig. 1. 1900: DISTOMA. [1902: HEMIURUS (APOBLEMA) comb. not made].

pelamidis Tilesius, W. G. in Rudolphi, C. A., 1809a, 391. 1809: FASCIOLA.

pelamydis Taschenberg, O., 1878a, 176. 1878: TRISTOMA. 1929: CAPSALA. 1938: TRICOTYLA. 1960: CABALLEROCOTYLA.

pelamydis Taschenberg, O., 1879a, 612, 614, 615, 616, pl. 6, figs. ii, v. 1879: DIDYMOZOON, 1916: KOELLIKERIA (DIDYMOZOON). [1934: NEMATOBOTHRIUM]. 1935: NEMATOBOTHRIUM (BENEDENOZOUM). 1935: DIDYMOZOUM. 1955: NEMATOBOTHRIUM (NEMATOBOTHRIUM).

pelamydis Yamaguti, S., 1938f, 16, 60-62, 73, 74, pl. 8, fig. 55, pl. 11, figs. 84-88 (Euthynnus pelamys; fifth gill; Pacific, Japan). 1938: DIPLOTREMA. [1954]: NEODIPLOTREMA.

pelecani Dollfus, R. P. F., 1950a, 7, 21-23, figs. 10-11. 1950: BRIENTREMA (tod).

pelecani Johnston, T. H.;& Simpson, E. R., 1944b, 113-119, pl., figs. 1-14. 1944: ECHINOCHASMUS.

pelecani Mehra, R. K., 1941a, 12-14, fig. 4. 1941: OPISTHORCHIS.

pelecani Wright, C. A., 1954a, 51, 53-55, figs. 1-8. 1954: RENICOLA.

pelidnae Cheatum, E. L., 1938a, 135, 136-138, 140, 141, pl., fig. 4. 1938: TANAISIA. 1958: TANAISIA (TANAISIA). 1964: TANAISIA (TANAISIA) fedtschenkoi (Odening, K., 1964e, 239, 240).

PELLAMYZON Montgomery, W. R., 1937a, 20-22 (tod: P. sebastodis).

pellona Ramalingam, K., 1955a, 212-216, 218, figs. 1-4, pl. 23, figs. A-C. 1955: TELEGAMATRIX (mt).

pellucida Bradley, B., 1926b, 574, 575, 577, figs. i, ii. 1926: CERCARIA.

pellucida Coil, W. H.; & Kuntz, R. E., 1958a, 64-65, fig. 3. 1958: AURIDISTOMUM.

pellucida Faust, E. C., 1917a, 106-108, fig. 1. 1917: CERCARIA.

pellucida Jägerskiöld, L. A. K. E., 1907a, 134, 136, 141-144, 147-148, 150, 151, figs. 6-7. 1907: LEVINSENIELLA.

PELLUCIDHAPTOR Price, C. E.; & Mizelle, J. D., 1964a, 572, 577 (tod: P. pellucidhaptor).

pellucidhaptor Price, C. E.; & Mizelle, J. D., 1964a, 572, 574, 577-578, figs. 1-13A (Richardsonius egregius; California). 1964: PELLUCIDHAPTOR (tod).

pellucidum von Linstow, O. F. B., 1873, 95-103, pl. 5, figs. 5-6. 1873: DISTOMA. 1890: CEPHALOGONIMUS. 1892: MESOGONIMUS. 1899: PRYMNOPRION. 1899: PROSTHOGONIMUS.

pellucidum Pojmańska, T., 1956a, 302, 303, 304 [nomen nudum]; 1957a, 120, 147-149, 153, 160-161, fig. 13. 1957: DICROCOELIUM.

pellucidum Schlotthauber, 1860a, 129 [nomen nudum]. 1860: HOLOSTOMUM.

pellucidum Werby, H. J., 1928b, 68, 70, 72-75, 76, 77, pl. 11, figs. 1-7. 1928: HARMOSTOMUM. 1934: BRACHYLAEMUS.

pellucidus Gusev, A. V., 1955b, 244, 245, 246, 355, 394, 397, pl., figs. 25 (4). 1955: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS. (Yamaguti, S., 1963a, 41).

pellucidus Mehra, H. R., 1934b, 174-176, 182, 183, 188, 192, 194, pl. 1, fig. 2, pl. 3, fig. 5, pl. 4, fig. 10. 1934: PLASMIORCHIS. 1939: SPIRORCHIS.

pellucidus Mehra, H. R.; & Bokhari, M. A., 1932a, 49-52, 62, pl. 1, figs. 1-2, pl. 3, figs. 5-6. 1932: PARACERCORCHIS (mt). 1940: TELORCHIS.

pellucidus Yamaguti, S., 1933b, 1, 12-16, fig. 5-7. 1933: APATEMON. 1953: APATEMON gracilis. 1959: TETRACOTYLE. 1964: APATEMON cobitidis (Vojtek, J., 1964a).

pelmatoides Dubois, G., 1932c, 375, 377, 384-388, 395, 404, 408, 410, figs. A-C, pl. 2, fig. 8-9. 1932: DIPLOSTOMUM.

PELMATOSTOMUM Dietz, E., 1909a, 185 (tod: P. episemum).

pelobatis Euzet, L.; & Combes, C., 1966, 109-118, figs. 1-5. 1966: POLYSTOMA integerrimum.

pelophylacis Walton, A. C., 1947f, 685. 1947: DISTOMA.

pelophylacis esculenti Wedl, C., 1849, 197. 1849: DISTOMA.

PELOROHELMINS Fischthal, J. H.; & Kuntz, R. E., 1964d, 253, 257 (mt: P. palawanensis).

pelseneri Monticelli, F. S., 1914b, 35, 37. 1914: CERCARIA.

peltatus Gusev, A. V., 1955b, 259-260, 261, 360, 394, 397, pl., fig. 32 (1). 1955: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 41).

pelusios Dollfus, R. P. F., 1950a, 8, 37-39, fig. 21. 1950: OPISTHIOGLYPHE.

penalveri Nasir, P., 1964c, 34-36, pl., fig. 1 (Lymnaea (Pseudosuccinea) columella; Rio Manzanares). 1964: CERCARIA.

pendulata Baugh, S. C., [1955a], 123-127, 128, fig. 1. [1955]: CERCARIA.

pendulum Looss, A., 1899b, 580, 688-692, 693, 697, figs. 13, 15 b-c. 1899: ECHINOSTOMUM. 1909: MESORCHIS. 1910: STEPHANOPRORA.

pennanti Verma, S. C., 1936c, 162-163. 1936: MESORCHIS. 1937: STEPHANOPRORA.

pennata Sinitsin, D. F., 1911a, 35-36, 37, 65, 89, pl. 5, figs. 76-77. 1911: CERCARIA.

pennelli Leiper, R. T.; & Atkinson, E. L., 1914a, 224. 1914: PODOCOTYLE. 1963: PLAGIOPORUS (Byrd, M. A., 1963a, 133).

penneri Short, R. B.; & Holliman, R. B., 1961a, 447-450, 451-452, figs. 1-13 (Cerithidea scalariformis; Florida, Gallus gallus, Melopsittacus undulatus, Columba livia (all exper.)). 1961: AUSTROBILHARZIA.

penni Ku, C. T., 1940b, 120, 124-125, 127, 128, fig. 2. 1940: PROSTHOGONIMUS.

pennsylvaniensis Cheng, T. C., 1961b, 469-477, pls. I-II (Hyla crucifer; Pennsylvania). 1961: GLYPTHELMINS. 1963: CHOLEDOCYSTUS (Byrd, E. E.; &Maples, W. P., 1963a, 524).

pentadactylus Cable, R. M.; Connor, R. S.; & Balling, J. W., 1960a, 189, 194, 229-230, 254, fig. 45. 1960: MEGALOPHALLUS (tod).

pentadelphi Bhalerao, G. D., 1926d, 154-159, fig. 1-1A. 1926: CENTROVITUS.

pentagonum Ozaki, Y., 1924b, 173, 187, 188, 190, fig. 1 (5). 1924: NANNOENTERUM (tod). 1932: RHIPIDOCOTYLE.

PENTAGRAMMA Chulkova, V. N., 1939a, 25 (tod: P. symmetricum).

pentalobum Verma, S. C., 1936b, 159-160. 1936: PARYPHOSTOMUM.

pentapodi Sandars, D. F., 1944a, 67, 69, 70, 71, figs. 4-7. 1944: MICROCOTYLE.

PENTATRES Euzet, L.; & Razarihelisoa, M., 1959a, 82-85 (tod: P. sphyraenae).

pentadactyla Manter, H. W., 1940a, 326, 369-370, 446, 470, 471, pl. 37, fig. 42. 1940: OPEGASTER. 1954: OPECOELUS

penthesilia Faust, E. C., 1921d, 53, pl. 3, fig. 9. 1921: CERCARIA.

peprili Pearse, A. S., 1949a, 29, 30, fig. 7 d-f. 1949: MICROCOTYLE.

PERACREADIUM Nicoll, W., 1909b, 397, 454, 455 (tod: Distomum genu Rudolphi).

peraltum Noble, A. E., 1936a, 250, for perlatum. 1936: NEODIPLOSTOMUM.

percae Gmelin, J. F., [1790a], 3057, percae cernuae 1776 renamed. 1790: FASCIOLA. [1809; Distoma nodulosa].

percae Ergens, R., 1966a, 28, 29, 30, 31, 32, 33, 34, 35, figs. 1A, 2B, 3B, 4B, 5B, 6B, 7C, 8B (Perca fluviatilis; gills; Teplá River, Czechoslovakia). 1966: ANCYROCEPHALUS.

percae Monticelli, F. S., 1888a, 7, 30. 1888: TETRACOTYLE.

percae cernuae Müller, O. F., 1776a, 224. 1776: FASCIOLA.

percae fluviatilis Moulinié, J. J., 1856a, 230-234, pl. 7, figs. 11-14. 1856: TETRACOTYLE.

percina Schrank, F. von P., 1790a, 123. 1790: FASCIOLA. [1809: Distoma nodulosum].

percinae Rogers, W. A.; & Wellborn, T. L., 1965a, 977, 978, 980, figs. 21-25 (Percina nigrofasciata; fins & body; Lee County, Alabama). 1965: GYRODACTYLUS.

percobromus Monaco, L. H.; & Mizelle, J. D., 1955a, 461-462, 463, 469, 475, figs. 67-82. 1955: DACTYLOGYRUS.

perdix Mueller, J. F., 1937b, 208-209, 216, 217, 218, 219, figs. 9, 39-41. 1937: ONCHOCLEIDUS. 1938: UROCLEIDUS.

pereger Ginetsinskaia, T. A., 1959a, 66 [nomen nudum]. 1959: CERCARICUM.

peregeri Khan, D., 1961c, 77-79, fig. 3 (Lymnaea pereger; digestive gland; London). 1961: CERCARIA.

peregrini Rudolphi, C. A., 1819a, 362, 793. 1819: AMPHISTOMA falconis.

peregrinum Braun, M. G. C. C., 1900f, 389. 1900: DISTOMUM. 1900: MESOTRETES (type).

peregrinus minor André, E., 1917a, 173. 1917: MESOTRETES.

pereirai Ruiz, J. M.; & Leao, A. T., [1943a], 171, 174-176, 185, pl. 5. [1943]: OPISTHOGONIMUS.

perezi Gupta, R., [1962c], 112 (Anastomus oscitans; India). [1962]: SCHWARTZITREMA.

perezi Mathias, P., 1926b, 353-356, fig. 1926: PERACREADIUM. 1958: CAINOCREADIUM.

PEREZITREMA Baruš, V.; & Moravec, F., 1967, 5 (Věstník Českoslov. Společ, Zool., v. 31 (1)) (tod: P. viguerasi).

perfecta Linton, E., 1910b, 18, 22, 53, 92, pl. 14, figs. 118-119. 1910: MACRADENA.

perfoliatum von Ratz, I., 1908b, 16-18, fig. 1. 1908: ECHINOSTOMUM. 1911: ECHINOCHASMUS. 1947: ECHINOCHASMUS (ECHINOCHASMUS).

perfoliatus japonicus Tanabe, H., 1919b, 159. 1919: ECHINOCHASMUS. 1921: ECHINOSTOMA.

perfoliatus shieldsi Tubangui, M. A., 1922a, 1-4, pl. 1. 1922: ECHINOCHASMUS.

pericardium Creplin, F. C. H., 1849a, 78, D. helicis Leidy renamed. 1849: DISTOMA. [1858: Cercariaeum vagans].

perisorisae Neiland, K. A., 1953a, 553-557, pl., fig. 1. 1953: LEUCOCHLORIDIUM.

peristedioni Manter, H. W., 1934c, 258, 284-285, 340, pl. 5, figs. 30-32. 1934: BRACHYENTERON.

perla Sinitsin, D. F., 1911a, 38-39, 90, pl. 5, figs. 80-81. 1911: ADOLESCARIA.

perlati Looss, A., 1894a, 32. 1894: CERCARIA distomi.

perlatum Ciurea, I., 1911c, 119-121, pls., figs. 1-3. 1911: HOLOSTOMUM. 1929: NEASCUS. 1929: NEODIPLOSTOMUM. 1938: NEODIPLOSTOMULUM. 1938: NEODIPLOSTOMUM (CONODIPLOSTOMUM).

perlatum von Nordmann, A., 1832, 88-89, 101, pl. 9, figs. 1-9. 1832: DISTOMA. 1845: DISTOMA (PODOCOTYLE). 1886: DISTOMA (ECHINOSTOMA). 1899: ASYMPHYLODORA (type) 1903: ECHINOSTOMA.

perlatum exspinosum Hausmann, L., 1896a, 390-391. 1896: DISTOMA.

perligena Palombi, A., 1940a, 7-8, 25-29, figs. 12-13. 1940: METACERCARIA (GYMNOPHALLUS).

perlucidus Bykhovskii, B. E.; & Polianskii, I. I., [1954a], 98-110, 117, figs. 6-7. [1954]: GYRODACTYLUS.

perlus Mueller, J. F., 1938b, 227, 230, 233, pl. 3, figs. 18-22. 1938: DACTYLOGYRUS. 1938: NEODACTYLOGYRUS.

permagna Lutz, A., 1926a, 1503, 1504. 1926: GORGODERA. 1926: GORGODERINA. 1953: GORGODERINA (GORGORIMMA).

permixtus Braun, M. G. C. C., 1901g, 943. 1901: PLAGIORCHIS. 1904: DISTOMA. 1928: LEPODERMA. 1931: PLAGIORCHIS (PLAGIORCHIS).

PERNAGMIA Nagaty, H. F.; & Abdel Aal, T. M., 1961b, 767 (tod: P. nebrii).

erniciosum Taylor, W., 1884a, 53, see endemicum. 1884: DISTOMA. [1907: Clonorchis endemicum].

erodiosus Travassos, L. P., 1922f, 189. 1922: EUMEGACETES.

eromysci Reynolds, B. D., 1937a, 54 [nomen nudum]; 1938a, 245-248, fig. 1. 1938: BRACHYLAEMUS. 1958: BRACHYLAEMA.

erpastum Braun, M. G. C. C., 1902b, 86, 88 (syn.: Stomylus singularis of Looss, not Distoma singulare Molin). 1902: STOMYLOTREMA.

erpendiculum Onji, Y.; & Nishio, T., 1916d, 589-593, figs. 1-2. 1916: CORNATRIUM. 1958: STICTODORA.

erplexus Gusev, A. V., 1955b, 303, 304-305, 395, 397, fig. 50, (2). 1955: ANCYROCEPHALUS.

erplexus Simer, P. H., 1929a, 576-577, pl. 2, figs. 10-14. 1929: HALIPEGUS.

erpusilla Burns, W. C.[3], 1961a, 922, 924, 925, fig. 11 (Oxytrema silicula; Shot Pouch Creek, Lincoln County, Oregon). 1961: CERCARIA.

erpusillum Tengström in Wikgren, B. -J., 1956a, 87, 91. 1956: MONOSTOMA.

erpusillus Looss, A., 1902h, 134, 135-136, figs. 1-2. 1902: DICROGASTER.

erryii Fujita, T., 1918a, 269-274, figs. 1-6. 1918: AZYGIA.

ersicus Braun, M. G. C. C., 1901e, 334-338, pl. 20, fig. 13. 1901: COTYLOGONIMUS. 1902: HETEROPHYES. 1929: COENOGONIMUS.

ersimilis Nicoll, W., 1914f, 144-146, pl. 2, fig. 5. 1914: STYPHLODORA.

ersis Bykhovskii, B. E., 1949a, 873-874, figs. 4-5. 1949: DACTYLOGYRUS.

ersonatum Poirier, J., 1885a, 475-476, pl. XXIII, fig. 5, pl. XXVI, fig. 4. 1885: DISTOMA.

erugiai Setti, E., 1898b, 308-313, 1 fig. 1898: TRISTOMA. 1929: CAPSALA. 1938: CAPSALOIDES.

ervagoris Yamaguti, S., 1968, 15, 84-85, fig. 59 (Monogenetic trematodes of Hawaiian fishes) (Pervagor spilosoma; gills; Hawaii). 1968: HALIOTREMA.

esteri Saoud, M. F. A., 1964d, 291, 292-297, 301, fig. 1 (hornless chameleon; small intestine; Cameroons, West Africa). 1964: MESOCOELIUM.

PETALOCOTYLE Ozaki, Y., 1934c, 111-114 (mt: P. nipponica).

PETALODIPLOSTOMUM Dubois, G., 1936a, 512, 514 (tod: P. ancyloides).

PETALODISTOMUM Johnston, S. J., 1913a, 389-390 (tod: P. polycladum).

petalophallus Yamaguti, S., 1934a, 250, 295-298, fig. 23. 1934: PODOCOTYLOIDES (tod). 1937: PODOCOTYLE. 1958: PODOCOTYLE (PODOCOTYLOIDES).

petalosum Lander in Looss, 1902m, 454. 1902: DISTOMA. 1904: ACRODACTYLA (type). 1917: ACROLICHANUS (mt). 1958: CREPIDOSTOMUM.

petasatum Deslongchamps, E. E., 1824ee, 551. 1824: MONOSTOMA. 1966: NOTOCOTYLOIDES (tod) (Dollfus, R. P. F., 1966c, 290-295, 297, 298, figs. 1-16 (Littorina obtusata; glande génitale; Saint-Vaastla-Hougue (Manche), Strepsilas interpres; Roscoff (Finistère)).

PETASIGER Dietz, E., 1909a, 190 (tod: P. exaeretus).

petasiporum Odhner, 1928b, 175. 1928: ACCACLADOCOELIUM.

petényi Kašták, V., 1956d, 627. 1956: DACTYLOGYRUS.

petiolata Dollfus, R. P. F., 1957h, 378, figs. 11-13. 1957: OSWALDOIA.

petiolatum Railliet, A., 1900i, 241. 1900: DICROCOELIUM. 1916: PLATYNOSOMUM. 1940: LYPEROSOMUM. 1951: ZONORCHIS. 1954: DICROCOELIOIDES. 1957: OSWALDOIA (DICROCOELIOIDES).

PETRATHYRUS Cobbold, T. S., 1860a, 42, for Tetrathyrus (mt: P. obesus).

petromyzi (Mueller, J., 1840) Maraé, F., 1909a, 11, 44. 1909: TETRACOTYLE.

petromyzi fluviatilis Diesing, K. M., 1850a, 307. 1850: DIPLOSTOMUM. 1858: TYLODELPHYS (spelled petromyzonis fluviatilis). 1929: DIPLOSTOMULUM.

petromyzonis fluviatilis Diesing, K. M., 1858e, 316, for petromyzi fluviatilis. 1858: TYLODELPHYS.

petromyzontis Brown, A. W., 1899a, 489-498, pl. 39, figs. 1-11. 1899: TETRACOTYLE. 1924: TYLODELPHYS.

petrovi Kasimov, G. B. in Skrjabin, K. I.; & Evranova, V. G., [1953a], 84, 87, fig. 21a. [1953]: DICROCOELIUM.

petrovi Kasimov in Skrjabin, K. I.; & Evranova, V. G., [1953a], 409-410, fig. 151a. [1953]: LYPEROSOMUM. 1958: BRACHYLECITHUM.

petrovi Savinov, V. A., 1951a, 150-151. 1951: SKRJABINOMERUS.

petrovi Shakhtakhtinskaia, Z. M.; & Sailov, D. I., (1961a), 45-49 ([Ciconia ciconia]; intestine; Azerbaidzhan). (1961): CHAUNOCEPHALUS.

petrowi Davydova, I. V., 1961a, 67-72, figs. 1-3 (Cervus hippon [sic]; rumen; Far East, USSR). 1961: CEYLONOCOTYLE.

petrowi Fediushin, A. V., 1949c, 94-95, fig. 1. 1949: PLAGIORCHIS. 1954: PLAGIORCHIS (PLAGIORCHIS).

petrowi Kurashvili, B. E., (1949), 435-441, 38, fig. 1 (Soobshch. Akad. Nauk Gruzinsk. SSR, v. 10 (7) [Dept. Zool. Univ. Maryland]. (1949): PEGOSOMUM.

petrowi Kurashvili, B. E., 1953a, 357-360, fig. 1. 1953: SKRJABINOCOELUM (tod).

petrowi Layman, E. M., 1930a, 77, 99-100, fig. 35. 1930: MONORCHEIDES. 1959: BACCIGER. 1959: ORIENTOPHORUS (Mamaev et al., 1959). 1965: PENTAGRAMMA (Margolis, L.; & Ching, H. L., 1965a).

petrowi Nevostrueva, L. S., [1954a], 436-439, fig. 1. [1954]: ECHINOPARYPHIUM. 1958: NEOACANTHOPARYPHIUM.

petrowi Oganesov, A. K., 1959a, 135-136, fig. 1959: CYCLOCOELUM (PSEUDHYPTIASMUS).

petrowi Oshmarin, P. G., 1963b, 70-72, fig. 28 (Larus sp.; intestine; Man'chzhursko-Iuzhno-Primorskii Okrug). 1963: STICTODORA.

petrowi Sultanov, M. A., 1961a, 70-71, pl., fig. 2 (Alectoris graeca falki; pancreas; Uzbekistan). 1961: CORRIGIA.

petruschewskii Bykhovskii, B., 1947a, 2139-2141, fig. 1. 1947: GYRODACTYLOIDES (tod). 1959: GYRODACTYLUS (Zhukov, E. V., 1959b, 172).

petruschewskii Pigulevskii, S. V., 1953a, 344, 399-400, fig. 100. 1953: PHYLLODISTOMUM (CATOPTROIDES).

petruschewskii Zhukov, E. V., 1959b, 172. 1959: GRYODACTYLUS.

petruschewskyi Gusev, A. V., 1955b, 241, 242-243, 394, 397, pl., fig. 24 (4). 1955: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (spelled petruschewski) (Yamaguti, S., 1963a, 41).

petruschewskyi Strelkov, I. A., 1962a, 1253-1255, figs. 1-2 (Acanthorhodeus asmussi, Rhodeus s. sericeus; ureters; Zei river). 1962: ACOLPENTERON.

PEUDOCOTYLE Taschenberg, G., 1879c, 65, apparently for Pseudocotyle.

PFENDERIUS Stiles, C. W.; & Goldberger, J., 1910a, 62, 232 (tod: P. papillatus (Cobbold, 1882)).

PHACELOTREMA Yamaguti, S., 1951f, 315, 324, 327 (tod: P. claviforme).

PHACUS Nitzsch, C. L., 1827a, 69.

PHAGICOLA Faust, E. C., 1920b, 631 (tod: P. pithecophagicola).

phalacrocoracis Dubois, G., 1931b, 73-85, figs. 1-14. 1931: CLINOSTOMUM.

phalacrocoracis Goss, O. M., 1941a, 1, 2-6, fig. 1, pl. 1, figs. 2-5. 1941: PARYPHOSTOMUM.

phalacrocoracis Yamaguti, S., 1939d, 129, 142-143, 208, pl. 14, fig. 8. 1939: ECHINOPARYPHIUM. 1956: PETASIGER (PETASIGER).

phalacrocoracis Yamaguti, S., 1939d, 130, 165-166, 209, pl. 23, fig. 41. 1939: GALACTOSOMUM.

phalacrocoracis Yamaguti, S., 1939d, 130, 160-161, 209, pl. 19, fig. 26. 1939: PYGIDIOPSIS.

phalacrocoraxi Baugh, S. C., 1958a, 213-215, pl., fig. 4 (Phalacrocorax niger; intestine; Hardoi, U. P.). 1959: CYATHOCOTYLE.

phalacrocoraxus Vidyarthi, R. D., 1948a, 34-36, fig. 6. 1948: HOLOSTEPHANUS.

phalloidea Guiart, J., 1938b, 28-30, 60-61, 63, 64, 81, pl. 2, fig. 28. 1938: HIRUDINELLA.

phanerochorde Lutz, A., 1933b, 369, 397-398. 1933: DICRANOCERCARIA.

PHANEROPSOLUS Looss, A., 1899b, 608-609, 611, 612, 633 (tod: P. sigmoideus).

phaneropsolus Stossich, M., 1902g, 25-26, pl. VI, figs. 23-24. 1902: HAEMATOTREPHUS. 1959: CYCLOCOELUM (HAEMATOTREPHUS).

pharyngeata Belopol'skaia, M. M., 1963b, 179-180, 189, 190, 193, fig. 12 (Tringa glareola, Limosa lapponica?; body cavity; both from Nizhnii Amur). 1963: CLOACITREMA.

pharyngeatum Grabda, J., 1954a, 22-24, figs. 1-2. 1954: PSILOTREMA.

pharyngicus Malmberg, G., 1964a, 220, 221, fig. 13h (Gadus callarias, G. aeglefinus; Tromsö, Norway). 1964: GYRODACTYLUS.

pharyngodactyla Manter, H. W., 1940a, 325, 350-352, 451, 464, 465, pl. 34, figs. 22-23. 1940: OPECHONA.

pharyngomagna Yamaguti, S., [1954a], 144, for pharynmagna. [1954]: OPECOELINA.

PHARYNGORA Lebour, M. V., 1908a, 42 (tod: P. retractilis).

pharyngorae bacillaris Dollfus, R. P. F., 1925c, 48-49, figs. 1D. 1925: CERCARIA.

PHARYNGOSTOMOIDES Harkema, R., 1942a, 117, 119 (tod: P. procyonis).

PHARYNGOSTOMUM Ciurea, I., 1922a, 269 (tod: P. cordatum (Diesing)).

pharynmagna Annereaux, R. F., 1943a, 155-156, fig. 1. 1943: OPECOELINA.

phasae Tripathi, Y. R., [1959a], 76, 91-93, 137, fig. 43. [1959]: PARAMAZOCRAES.

PHASCIOLA Wilder, H. H., 1894a, 24, for Fasciola.

phasiani galli Diesing, K. M., 1955c, 64. 1855: DISTOMA.

phasianina Gagarin, V. G., 1954a, 101, 109-110, figs. 24, 24a. 1954: ECHINOPARYPHIUM.

phasianina Gagarin, V. G., 1954a, 101, 108, 109, figs. 23-23a. 1954: ECHINOPARYPHIUM cinctum.

phasianina Gagarin, V. G., 1954a, 101, 106, 107, figs. 21-21a. 1954: ECHINOSTOMA.

phasidi Stunkard, H.W., 1929d, 235, 269-271, figs. 36-37. 1929: CYCLOCOELUM. 1950: CYCLOCOELUM (CYCLOCOELUM).

phelpsi Heyneman, D.; Brenes Madrigal, R. R.; & Diaz-Ungria, C., 1960a, 140, 142-143, fig. 2. 1960: LUBENS.

phenacobius Kimpel, H. G., 1939a, 3 [nomen nudum]. 1939: NEODACTYLOGYRUS. 1955: DACTYLOGYRUS.

philanderi Caballero y C., E.; & Grocott, R. G., 1952a, 388-390, figs. 1-2. 1952: PHANEROPSOLUS.

philanderi Wolfgang, R. W., 1951a, 352, 354-355, figs. 4-5. 1951: ZONORCHIS.

philipinoromum Pande, B. P., 1935a, 378, for philippinorum. 1935: PLATYNOSOMUM.

philippi Woolcock, V., 1935a, 309, 310, 323-325, 326, 327, 329, 331, fig. 3, pl. 9, figs. 9-10. 1935: PROBOLITREMA. [1953]: PROBOLITREMA (REDUXOTREMA).

philippindica Tubangui, M. A., 1928a, 41-43, pl. 2, figs. 1-5. 1928: CERCARIA.

philippinensis Fischthal, J. H.; & Kuntz, R. E., 1964c, 248, 250, 251, 252, figs. 2-3 (Gymnocranius griseus; small intestine; Palawan Island, Philippines). 1964: PROPYCNADENOIDES (tod).

philippinensis Fischthal, J. H.; & Kuntz, R. E., 1964e, 233, 235-236, figs. 3-4 (Cyclemys dentata; stomach; Palawan, Island, Philippines). 1964: TELORCHIS.

philippinensis Sandground, J. H., 1940c, 209, for Plagiorchis n. sp. Africa & Garcia 1937). 1940: PLAGIORCHIS. 1959: PLAGIORCHIS (PLAGIORCHIS).

philippinensis Stiles, C. W.; & Goldberg, J., 1908a, 25-30, figs. 29-44. 1908: HOMALOGASTER.

philippinensis Stunkard, H. W.; Nigrelli, R. F.; & Gandal, C. P., 1958a, 105-112, figs. 1-3, pl. 1, figs. 2-5. 1958: RENICOLA.

philippinensis Tubangui, M. A., 1932f, 386-387, fig. 1, pl. 6, fig. 1. 1932: ECHINOSTOMA chloropodis.

philippinensis Velasquez, C. C., 1960a, 264, 265, 268-272, 274, 277, 278, pl. 1, figs. 2-4, pl. 2, fig. 1, pl. 3, figs. 1-4, pl. 4, figs. 1-5. 1960: CLINOSTOMUM.

philippinensis Velasquez, C. C., 1961c, 523-524, 525, 526, fig. 2 (Arius thalassinus; intestine; Philippines). 1961: MONODHELMIS.

philippinorum Tubangui, M. A., 1928b, 367-368, pl. 5, fig. 4. 1928: PLATYNOSOMUM. [1935: ANCHITREMA]. 1948: ANCHITREMA.

philippinorum Velasquez, C. C., 1959a, 142-143, 146, 147, figs. 21-22. 1959: BUCEPHALOIDES. 1962: BUCEPHALOPSIS (Kohn, A., 1962b).

philippinorum congolensis Sandground, J. H., 1937c, 581-582, 585, fig. 1. 1937: PLATYNOSOMUM. 1948: ANCHITREMA.

phillerouxi Dinnik, J. A. (1961). (1961): PARAMPHISTOMUM.

phillerouxi Slater, W. K., 1959b, 42 (nomen nudum). 1959: PARAMPHISTOMUM.

phillipai Gupta, S. P., 1951e, 36-39, 40, figs. 5-6. 1951: GANADOTREMA. 1958: ORIENTOCREADIUM.

philocholum Creplin, F. C. H., 1945a, 330. 1845: DISTOMA.

philodryadum West, G. S., 1896a, 322-324, pl. 11. 1896: DISTOMA. 1900: OPISTHOGONIMUS (type). [1943]: OPISTHOGONIMUS (WESTELLA).

philodryochus Nicoll, W., 1914f, 143, for philodryadum. 1914: OPISTHOGONIMUS.

philomelae Rudolphi, C. A., 1819a, 120. 1819: DISTOMA. [1850: D. macrostomum].

PHILOPHTHALMUS Looss, A., 1899b, 587 (tod: P. palpebrarum).

PHILOPINNA Yamaguti, S., 1936f, 1-6, figs. 1-8 (tod: P. higai).

PHILOSTOMUM Law, R. G.; & Kennedy, A. H., 1932b, 30, for Psilostomum.

PHILURA MacCallum, G. S., 1926c, 162-171 (mt: P. orata).

phisela Hirzel Pastrana, L. F., 1941a, 153. 1941: CERCARIA.

PHOCITREMA Goto, S.; & Ozaki, Y., 1930a, 74 (mt: P. fusiforme).

PHOCITREMOIDES Martin, W. E., 1950a, 552, 557 (tod: P. ovale).

phoenicopteri Luehe, M. F. L., 1898g, 625. 1898: ECHINOSTOMUM. 1909: ACANTHOPARYPHIUM (type).

phokeewi Panin, V. I., 1956a, 86-87, 94, 96, fig. 1. 1956: PLAGIORCHIS.

phokini Skvortsov, A. A., 1924a, 205, 209, 210. 1924: CERCARIA.

PHOLETER Odhner, T.. 1914e, 232-233, 242, 243, 244 (mt: O. gastrophilus (Kossack)).

photifera Faust, E. C., 1922c, 262, 267, pl. 22, fig. 17. 1922: CERCARIA.

photogenis Mueller, J. F., 1938b, 224, 230, 234, pl. 4, figs. 29-33. 1938: DACTYLOGYRUS. 1938: NEODACTYLOGYRUS.

phoxini Faust, E. C., [1919a], 77. [1919]: TETRACOTYLE. 1929: DIPLOSTOMULUM. 1954: DIPLOSTOMUM. 1957: CERCARIA diplostomi.

phoxini von Linstow, O. F. B., 1896i, 378-379, fig. 9. 1896: DISTOMA.

phoxini Malevitskaia, M. A., (1949a), 27-41. (1949): DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 41).

phoxini Malmberg, G., 1957a, 29, 34, 58, 59, fig. 3C. 1957: GYRODACTYLUS.

phoxinusi Park, J. T., 1939c, 58, 59-60, 62, fig. 3. 1939: MACROLECITHUS.

phragmitophila Bykhovskaia, I. E.; & Dubinina, M. N., 1951a, 161-162, fig. 1. 1951: LEUCOCHLORIDIUM.

phrissovum Aldrich, L. E., 1961a, 77-78, 79, fig. 1 (Parophrys vetulus; intestine; Puget Sound, Washington). 1961: FELLODISTOMUM.

phryganeae von Linstow, O. F. B., 1877b, 185. 1877: DISTOMA.

phycidis Manter, H. W., 1925a, 15-16, pl. 2, figs. 6-7. 1925: GONOCERCA (mt).

phycidis Parona, C.; & Perugia, A., 1889a, 743-744, fig. 5. 1889: DACTYLOCOTYLE. 1890: OCTOBOTHRIUM. 1890: DACTYCOTYLE. 1890: OCTOBOTHRIUM (DACTYLOCOTYLE). 1946: DICLIDOPHORA. 1963: PSEUDODACTYLOCOTYLA (Yamaguti, S., 1963a, 174).

PHYLLINE Abildgaard, P. C., 1790a, 131.

PHYLLOCHORUS Dayal, J., 1938a, 138-141 (tod: P. macronius).

PHYLLOCOTYLE van Beneden, P. J.; & Hesse, C. E., 1863a, 96, 103 (mt: P. gurnardi).

PHYLLODISTOMUM Braun, M. G. C. C., 1899g, 492 (tod: P. folium).

PHYLLONELLA vanBeneden, P. J.; & Hesse, C. E., 1863a, 65, 66, 70-71 (mt: P. soleae).

PHYLLOTREMA Yamaguti, S., 1934a, 250, 340 (tod: P. bicaudatum).

PHYLONELLA Lorenz, L., 1878a, 434, for Phyllonella.

physae Cort, W. W.; & Brooks, S. T., 1928a, 203, 207-208. 1928: CERCARIA.

physae fontinalis Diesing, K. M., 1855a, 400. 1855: DISTOMA. 1855: CERCARIAEUM.

physalis Lutz, A., 1927a, 475-476. 1927: STRIGEA. 1937: CARDIOCEPHALUS.

physcon Luehe, M. F. L., 1901n, 478. 1901: LECITHOCHIRIUM.

physellae Talbot, S. B., 1936a, 372, 375-377, 378, 379, 380, 381, 382, 383, 384, pl. 1, fig. 3. 1936: CERCARIA. 1945: TRICHOBILHARZIA.

PHYSOCHOERUS Poche, F., 1926b, 143 (tod: P. tubulatus).

physophorae Koelliker, 1849c, 53. 1849: DISTOMUM. [1850: Distoma geniculatum]. 1912: AGAMODISTOMUM.

physopsa Fain, A., 1953e, 21, 42, 121, 137-138, 270, 271, 282, 283, pl. XVI, fig. 2, pl. XXII, fig. 4. 1953: CERCARIA.

pianae Galli-Valerio, B., 1898c, 7-8, 1 fig. 1898: OPISTHORCHIS.

pianai Galli Valerio, B., 1930d, 7, for pianae. 1930: OPISTHORCHIS.

pici Oshmarin, P. G. in Skrjabin, K. I.; & Evranova, V. G., [1953a], 186, 193, fig. 68. [1953]: BRACHYLECITHUM. 1957: LYPEROSOMUM (BRACHYLECITHUM) (Jaiswal, G. P., 1957a, 18).

piclaumoreli Dollfus, R. P. F.; & Capron, A., 1958c, 306-310, figs. 1-4. 1958: PYGIDIOPSIS.

picoides Oshmarin, P. G., 1963b, 99-100, fig. 43. 1963: BRACHYLAENUS eophonae.

picta Faust, E. C., 1924a, 292. 1924: CERCARIA.

picta Rudolphi, C. A., 1802, 64, F. vespertilionis renamed. 1802: FASCIOLA. [1809: Distoma lima].

picta Stunkard, H. W., 1923f, 179, 185, 186, 188, 193-194, pl. 3, fig. 6. 1923: SPIRORCHIS.

pictae MacCallum, G. A., 1922a, 114. 1922: S[PIRORCHIS].

pictum Creplin, F. C. H., 1837a, 313, 316. 1837: DISTOMA. 1901: STOMYLOTREMA.

pigmentata Singh, R. N., 1956a, 256-259, 261-263, pls. 1956: DIPLOSTOMULUM.

igmentata Sonsino, P., 1892c, 142-144. 1892: CERCARIA [AMPHISTOMA]. [1902: A. conicum].

igmentosa Cawston, F. G., 1919k, 211. 1919: CERCARIA.

igulevskyi Fernandes, J. C., 1958a, 6, 7, 8-9, 18, 19, pl. 2, fig. 5. 1958: GORGODERINA (METAGORGODERINA).

ilchardei Monticelli, G. S., 1888a, 66, misprint for pilchardi. 1888: OCTOCOTYLE.

ilchardi van Beneden, P. J.; & Hesse, C. E., 1863a, 99, pl. 9, figs. 29-35. 1863: OCTOCOTYLE. 1879: OCTOBOTHRIUM. 1889: OCTOPLECTANUM. 1946: MAZOCRAES.

ileata Rudolphi, C. A., 1802a, 65-66. 1802: FESTUCARIA. 1803: MONOSTOMA. 1819: AMPHISTOMA. 1828: HOLOSTOMUM. 1937: COTYLURUS.

ileatum Brandes, G. P. H., 1888a, 59, 62, 64. 1888: HEMISTOMUM. 1934: DIPLOSTOMUM.

ileatum Rudolphi of Bremser, J. G., 1824a, pl. 8, figs. 28-29. 1824: AMPHISTOMA. [1850: Hemistomum commutatum].

ili Brooks, F. G., 1943a, 332, 334, pl., figs. 8-9. 1943: CERCARIA.

ilosa Zdun, V. I., 1951a, 171, 175-176, fig. 2. 1951: CERCARIA.

imelopteri Nagaty, H. F., 1942a, 16-18, 27, pl., fig. 7, pl., fig. 8, pl., fig. 9. 1942: ENENTERUM.

indoramensis Travassos, L. P., 1929a, 14-15, pl., fig. 1. 1929: PYGIDIOPSIS.

ingue Mehlis in Creplin, F. C. H., 1846a, 138. 1846: MONOSTOMA. 1904: RENICOLA (type).

inguicola Treutler, F. A., 1793a, iv, 19-22, pl. 3, figs. 7-11. 1793: HEXATHYRIDIUM (type). 1800: POLYSTOMA. 1809: POLYSTOMA (HEXASTOMA). 1833: HEXACOTYLE. 1840: LINGUATULA.

inguiculum Joy, W. B., 1835a, 505, for pinguicola. 1835: POLYSTOMA.

inguinicola Skrjabin, K. I., 1913d, 527-531, fig. 1913: METORCHIS.

inguis Linton, E., 1940a, 13-14, pl. 15, figs. 197-199. 1940: DICLIDOPHORA. 1943: CYCLOCOTYLOIDES (tod). 1946: CHORICOTYLE.

inguis Linton, E., 1940a, 137-141, 145, pl. 9, figs. 83-96, pl. 10, figs. 97-100. 1940: DINURUS. 1947: TUBULOVESICULA.

inguisoma Hall, J. E., 1960a, 234, 236, 244, figs. 16-19. 1960: CERCARIA.

PINGUITREMA Siddiqi, A. H., 1959a, 428-429 (mt: P. lobata).

ini van Beneden, P. J.; & Hesse, C. E., 1863a, 72, 73, pl. 5, figs. 9-18. 1863: PLACUNELLA (type). 1878: TRISTOMA. 1903: TROCHOPUS.

ini Diesing, K. M., 1855c, 64. 1855: DISTOMA triglae.

innarum Wagener, G. R., 1857a, 26. 1857: DISTOMA.

innatum von Willemoes-Suhm, R., 1873a, 341. 1873: DISTOMA.

innicaudatum Nasir, P., 1961a, 208-212, figs. 1-6 (laboratory-bred pigeon; large intestine & rectum (exper.), Lymnaea stagnalis). 1961: ECHINOSTOMA.

PINTNARIA Cheng, T. C., 1959d, 1134, for Pintneria.

PINTNERIA Poche, F., 1907a (n. n. for Hoploderma Cohn not Michaelis).

pipientis Faust, E. C., 1918c, 19, 31, 45, 57, 64-66, 90, pl. 4, figs. 47-48. 1918: TETRACOTYLE. 1940: APHARYNGOSTRIGEA.

pipistrelli Macy, R. W., 1940b, 279-280, 282, 283, 284, 285, pl. I, fig. 1, text fig. 1. 1940: ACANTHATRIUM. 1948: ACANTHATRIUM (ACANTHATRIUM). 1958: PROSTHODENDRIUM.

pipistrelli Sandground, J. H., 1937c, 582, 584-585, fig. 3. 1937: DICTYONOGRAPTUS. 1944: EUPARADISTOMUM. [1957]: PLATYNOTREMA.

PIPLORCHIS Ozaki, Y., 1935b, 213, for Diplorchis.

pirajai Travassos, L. P., 1932b, 110, pl., fig. 4. 1932: SCHISTOSOMA (s. l.).

piramidum Travassos, L. P., 1921h, 76, for pyramidum Looss, 1921: PARALECITHODENDRIUM.

piranhus Mizelle, J. D.; & Price, C. E., 1965a, 30, 32, 33-34, figs. 42-49 (Serrasalmus nattereri; gills; Amazon River (Steinhart Aquarium, San Francisco, California). 1965: CLEIDODISCUS.

PIRIFORMA Yamaguti, S., 1938c, 3, 105 (tod: P. macrorhamphosi).

piriforme Blanc, G. R.; & Hedin, H., 1913a, 884-885. 1913: ECHINOSTOMA. 1924: ASCOCOTYLE. 1932: PHAGICOLA.

piriforme Creplin, F. C. H., 1846a, 142. 1846: DISTOMA.

piriforme Price, E. W., 1934f, 2-3, pl. 1, fig. 2. 1934: PYCNADENA.

piriforme Sonsino, P., 1895n, 184, for pyriforme. 1895: AMPHISTOMA.

piriforme Yamaguti, S., 1939f, 131, 137, 138-140, fig. 5. 1939: PROSTHODENDRIUM. 1948: TRAVASSODENDRIUM. 1954: LONGITREMA.

piriformis Yamaguti, S., 1952a, 146, 164-165, 197, pl. II, fig. 9. 1952: OPECOELUS.

pirum Afanas'ev, V. P., 1941a, 97, 114-115, 116, fig. 1. 1941: PARAHETEROPHYES. 1952: SPELOTREMA. 1953: MICROPHALLUS.

pirum Lebour, M. V., 1907a, 439, 440, 446-447, pl. 9, figs. F-G. 1907: CERCARIA.

pisacanthi Pande, B. P., 1938e, 54, ? for priacanthi. 1938: ALLOCREADIUM.

pisancanthi Pande, B. P., 1938e, 55, ? for priacanthi. 1938: ALLOCREADIUM.

pisaniae Palombi, A., 1938b, 189, 191-193, 199, 201, 204, 205, figs. 2-3e. 1938: CERCARIA.

piscator Bhalerao, G. D., 1926e, 6-10, fig. 1. 1926: XENOPHARYNX. [1959]: BHALEROPHARYNX (tod).

pisceus Caballero y C., E.; Bravo Hollis, M.; & Grocott, R. G., 1955a, 138-142, 143, figs. 16-17. 1955: BOTULISACCUS (tod).

pisci Mola, P., 1912b, 496. 1912: TROCHOPUS.

PISCIAMPHISTOMA Yamaguti, S., [1954a], 249 (tod: P. stunkardi (Holl, 1929)).

piscicola Odhner, T., 1902c, 152-153. 1902: OPISTHORCHIS.

iscicola Rawat, P., 1948a, 64-67, figs. 1-2. 1948: ASPIDOGASTER.

iscicola Srivastava, H. D., 1933a, 51-52, 53, 54, 55, 58, figs. 4, 9. 1933: PROGONUS. 1938: GENARCHOPSIS. 1957: GENARCHES.

iscicola Srivastava, H. D., 1935d, 135-138, fig. 1. 1935: CLUPENURUS (tod). [1954]: LECITHOCLADIUM.

iscicola Srivastava, H. D., 1935g, 78-80, fig. 2. 1935: HAPLORCHIS. 1949: HAPLORCHOIDES.

iscicola Srivastava, H. D., 1937c, 399-400, 1937: WARETREMA (mt).

iscicola Srivastava, H. D., 1937x, 400-401. 1937: POLYORCHITREMA (mt).

iscicola Srivastava, H. D., 1948d, 174-175. 1948: BHALERAOIA (tod).

iscicola Stunkard, H. W., 1960a, 536, 546-547, 548, fig. 15. 1960: HIMASTHLA.

iscicola Thapar, G. S., 1930d, 249-253, figs. 1-4. 1930: GOMTIA (mt) [renamed Opisthorchis gomtii].

iscidium Southwell, T.; & Prashad, B., 1918c, 348-349, pl. 12, fig. 1. 1918: CLINOSTOMUM.

iscipeta Lutz, A., 1933b, 364-365, 376, 392-393, 402, pl. 80, fig. 13. 1933: DICRANOCERCARIA. 1939: CERCARIA.

isidii Steen, E. B., 1947a, 130. 1947: CERCARIA.

isodontophidis Yamaguti, S., 1938c, 2, 84-85, 86, fig. 46. 1938: PROCTOTREMATOIDES (tod). 1942: GENOLOPA.

isum Leiper, R. T., 1910c, 248-249, fig. 34. 1910: PARAMPHISTOMUM. [1937]: UGANDOCOTYLE (mt).

itangi Lutz, A., 1924a, 68-69, 89, 90, pl. 8, fig. 15. 1924: MONILIFER. 1931: ECHINOCHASMUS.

ithecophagicola Faust, E. C., 1920b, 630-631, pl. 1, figs. 4-6. 1920: PHAGICOLA (tod). 1926: ASCOCOTYLE. 1929: PARASCOCOTYLE. 1930: ASCOCOTYLE (PHAGICOLA).

PITTACIUM Szidat, L., 1939a, 378 (mt: P. pittacium (Braun, 1901)).

ittacium Braun, M. G. C. C., 1901g, 947-948. 1901: DISTOMUM. 1924: PROCTOBIUM. 1927: PARORCHIS. 1939: PITTACIUM.

lacophora Manter, H. W.; & Pritchard, M. H., 1960c, 654-655, 658, figs. 9-16. 1960: ACAENODERA (tod).

PLACOPLECTANUM Diesing, K. M., 1858e, 315, 384 (Discocotyle, 1850, renamed, hence type sagittatum; also type by first species rule & because it is the only positive species).

PLACOTREMA Looss, A., 1907e, 615 (tod: P. inversum).

PLACUNELLA van Beneden, P. J.; & Hesse, C. E., 1863a, 65, 66, 71-74 (pini type by page precedence).

PLAGIOCIRRUS Van Cleave, H. J.; & Mueller, J. F., 1932a, 17 (tod: P. primus).

PLAGIOPELTIS Diesing, K. M., 1850a, 289, 416-417 (mt: P. duplicata).

PLAGIOPORUS Stafford, J., 1904b, May 3, 493-494 (mt: P. serotinus).

PLAGIORCHIS Luehe, M. F. L., 1899k, 531, 532, 533, 534 (tld: D. lima).

plagiorchis Ozaki, Y., 1926a, 125-128. 1926: COITOCOECUM. 1933: OZAKIA.

PLAGIORCHOIDES Olsen, O. W., 1937c, 313-314 (tod: P. noblei (Park, 1936)).

PLAGITURA Holl, F. J., 1938b, 181 (tod: P. salamandra).

plana Faust, E. C., 1922c, 250, 267, pl. 21, fig. 1. 1922: CERCARIA.

plana Linton, E., 1928b, 20-21, pl. 7, fig. 50. 1928: ASCOCOTYLE. 1933: PYGIDIOPSIS.

planci Stossich, M., 1899a, 5, fig. 9. 1899: PODOCOTYLE. 1902: OROPHOCOTYLE (type). 1914: DISTOMA.

planicipitis Cameron, T. W. M., 1928e, 87-90, fig. 1. 1928: PLATYNOSOMUM. 1944: CONCINNUM.

planicolle Rudolphi, C. A., 1819a, 682, 686-687. 1819: DISTOMA (ECHINOSTOMA). 1901: ANOICTOSTOMA. 1926: OPISTHOMETRA.

planorbicola Szidat, L.; & Szidat, U., 1960a, 361, 362-367, figs. 4, 7-9. 1960: CERCARIA.

planorbida Iles, C., 1959a, 487, 488, 489, 490, fig. 3 (a-c). 1959: CERCARIA.

planorbidis Porter, A., 1938a, 5, 8, 227-229, 465, 470, pl. 25, figs. 1-2. 1938: CERCARIA.

planorbidum Faust, E. C., 1924e, 290. 1924: CERCARIA.

planorbinus Lutz, A., 1928a, 108. 1928: PNEUMONOECES.

planorbis carinati Diesing, K. M., 1858d, 266. 1858: CERCARIA (ACANTHOCEPHALA).

planorbis carinati Filippi, F., 1857c, 13-14, pl. 2, figs. 12-13. 1857: DISTOMA. 1858: CERCARIAEUM. 1912: AGAMODISTOMUM.

planorbis cornei Diesing, K. M., 1850a, 298. 1850: CERCARIA. 1855: CERCARIAEUM.

planorbis cornei von Linstow, O. F. W., 1877b, 187. 1877: DISTOMA.

planorbis cornei Skvortsov, A. A., 1924a, 205, 209, 210. 1924: CERCARIA.

planorbis cornei (hepatis) Diesing, K. M., 1858d, 281. 1858: CERCARIAEUM.

planorbis cornei (ovariorum) Diesing, K. M., 1858d, 281. 1858: CERCARIAEUM.

planum Yamaguti, S., 1951f, 315, 327-329, pl. 1, fig. 11, pl. 2, fig. 14. 1951: OPEPHEROTREMA (tod).

planus Bykhovskii, B. E., [1958a], 109-111, 121, figs. 1-2. [1958]: DOGIELIUS.

plasmiorchis Mehra, H. R., 1934b, 169, 170, 182-183, 186, 187, 188, 190, 193 (tod: P. orientalis).

platacis Nagaty, H. F., 1957a, 217-218, 219, 220, pl. I, figs. 2-3. 1957: STEPHANOSTOMUM.

plataleae Dubinina, M. N.; & Dubinin, V. B., (1940), 223-224. (1940): HYSTEROMORPHA.

platei Fernando, W., 1952a, 19-21. 1952: CARIDINICOLA.

platei holocotyle Fernando, W., 1952a, 20, 21, 22, pl. 9, fig. 2, pl. 10, fig. 3A, 4-5, pl. 12, figs. 10, 12A. 1952: CARIDINICOLA.

atei schizocotyle Fernando, W., 1952a, 20, 21, 22, pl. 8, fig. 1, pl. 10, fig. 3D, pl. 11, figs. 6-9, pl. 12, figs. 11, 12B. 1952: CARIDINICOLA.

atellae Bosc, L. A. G., [1802a], v. 1, 273, see platessae. [1802]: FASCIOLA.

atense Szidat, L., 1954a, 6, 7, 15-17, figs. 3 a-c. 1954: CREPIDOSTOMUM.

atessae Mamaev, I. L.; Parukhin, A. M.; & Baeva, O. M., 1963a, 90, 102-103, 112, fig. 5 (Gliptocephalus stelleri, Platessa quadriturberculata; all from Pacific Ocean). 1963: LECITHOCHIRIUM.

atessae Mueller, O. F., 1780a, 4, pl. 78, 1780: FASCIOLA. 1803: DISTOMA. [1809: Distoma areolatum].

atichthyi Lloyd, L. C., 1928a, 116-117, 123, 128, 129, pl. 2, fig. 20. 1928: PARAHEMIURUS.

LATINOSOMUM Travassos, L. P., 1918c, 9, 11, for Platynosomum.

LATOCYSTIS Yamaguti, S., 1938f, 16, 54, 55 (tod: P. alalongae).

LATYAMPHISTOMA Yamaguti, S., 1958a, 963 (tod: P. polycladiformae (Näsmark, 1937)).

LATYASPIS Monticelli, F. S., 1892a, 198, 205, 213 (mt: P. lenoiri).

atycephali Yamaguti, S., 1934a, 252, 466- 468, fig. 113. 1934: ECTENURUS. 1954: ERILEPTURUS. 1954: UTEROVESICULURUS.

atycephali Yamaguti, S., 1934a, 249, 279-280, fig. 14. 1934: GOTONIUS. 1938: PROSORHYNCHUS.

atycephali Yamaguti, S., 1953b, 203, 209-210, 255, pl. I, fig. 4. 1953: ANCYROCEPHALUS (renamed A. macassarensis (Yamaguti, S., 1963a, 50)).

atycephali Yin, W. -Y.; & Sproston, N. G., [1949a], 78, 79, 80, 81-82, figs. 27-29. [1949]: HALIOTREMA. 1963: ANCYROCEPHALUS (Yamaguti, S., 1963a, 51).

atycephalum Creplin, F. C. H., 1825a, 39-41, 81-82. 1825: AMPHISTOMA. 1845: HOLOSTOMUM. 1928: COTYLURUS.

atycephalus communis (Hughes, R. C., 1928e, 415-419, 420, 421, 422, 423, 424, 427, pl. 55, figs. 1, 5-7, pl. 56, figs. 8-11). 1948: COTYLURUS.

LATYCOTYLE van Beneden, P. J.; & Hesse, C. E., 1863a, 96, 108 (mt: P. gurnardi).

atygaster Leuckart, F. S., 1842a, 30. 1842: OCTOBOTHRIUM.

LATYMETRA Mehra, H. R., 1931a, 170, 176 (mt: P. bascaniensis).

atynosomoides Potekhina, K. F., 1948a, 156-157, fig. 1. 1948: BRACHYLECITHUM. 1951: BRACHYLACITUM [lapsus for Brachylecithum]. [1953]: LYPEROSOMUM.

LATYNOSOMUM Looss, A., 1907d, 607-610 (type: P. semifuscum).

LATYNOTREMA Nicoll, W., 1914i, 118-120 (tod: P. bilosum).

atyura Creplin, F. C. H., 1838b, 82. 1838: AXINE.

atyura Leidy, J., 1891a, 416. 1891: CERCARIA.

atyurum Muehling, P., 1897a, 267-270, figs. 6, 13-14. 1897: DISTOMA. 1899: PSILOSTOMUM (type).

ecostomi Szidat, L., 1954a, 6, 7, 45-48, figs. 16-18. 1954: MEGACOELIUM (tod).

PLECTANOCOTYLE Diesing, K. M., 1850a, 289, 420-421, 425 (mt: P. elliptica).

PLECTANOPHORA Diesing, K. M., 1858e, 315.

PLECTANOPHORUS Diesing, K. M., 1858e, 315, 382 (mt: P. ellipticus).

PLECTOGNATHOTREMA Layman, E. M., 1930a, 59, 61 (tod: P. cephalopore).

plectorhynchi Yamaguti, S., 1934a, 250, 316-317, fig. 31. 1934: CHOANOSTOMA (tod).

plectorhynchi Yamaguti, S., 1934a, 251, 383-385, figs. 69-70. 1934: PROCTOTREMA. 1941: GENOLOPA. [1954]: LASIOTOCUS.

plectropomi Manter, H. W., 1963a, 99, 110, 112, pl. IV, figs. 30-32 (Plectropomus maculatus?; intestine; Fiji). 1963: PODOCOTYLE. 1966: ALLOPODOCOTYLE (Pritchard, M. H., 1966a, 161).

plectropomi Young, P. C., 1967, 1008, 1012-1014, figs. 15-20 (J. Parasitol., v. 53 (5), Oct.) (Plectropomus maculatus; gills; Heron Island, Queensland, Australia). 1967: TROCHOPUS.

plectropteri Dubois, G., 1930a, 385-390, figs. 1-7. 1930: OPHTHALMOPHAGUS.

plectropteri Fain, A., 1960c, 299-302, 303, figs. 5-8. 1960: GIGANTOBILHARZIA.

plegadis Dubinin, V. B., 1938, 144-149, 192, figs. 8-10 (Trudy Astrakhan. Gosudarstv. Zapovednika (II), [WS.]) (Plegadis falcinellus; duodenum). 1938: STRIGEA.

plegadis Nezlobinski, N., 1926a, 209-210, 217, fig. 3, pl. 1, fig. 3. 1926: LEPIDOPTERIA. 1951: TANAISIA. 1958: TANAISIA (LEPIDOPTERIA).

plegadus Rogers, W. A., 1967, 501, 516-517, figs. 160-166 (J. Parasitol., v. 53 (3)) (Hybopsis amblops; Alabama, Louisiana). 1967: DACTYLOGYRUS.

PLEHNIA Goto, S.; & Ozaki, Y., 1929b, 380 (P. japonica).

PLEHNIELLA Szidat, L., 1951a, 83, 84, 85 (tod: P. coelomicola).

PLENOSOMA Ching, H. L., 1960b, 58, 59-60, 61 (tod: P. minimum).

plenum Manter, H. W., 1934c, 258, 282-283, 341, pl. 4, figs. 27-28. 1934: BENTHOTREMA (tod).

plenus Stafford, J., 1904b, 484. 1904: DEROGENES.

PLEORCHIS Railliet, A., 1896d, 160 (for Polyorchis Stossich, 1892 (type: P. polyorchis).

pleroticum Braun, M. G. C. C., 1899e, 631. 1899: DISTOMA. 1901: TELORCHIS. 1928: CERCORCHIS.

PLERURUS Looss, A., 1907e, 604-605 (tod: P. digitatus).

plesientera Sumwalt, M., 1926a, 78-86, pl. 1, figs. 1-2, pl. 2, figs. 3-4. 1926: LECHRIORCHIS.

PLESIOCHORUS Looss, A., 1901b, 205, 207, 209.

PLESIOCREADIUM Winfield, G. F., 1929a, 86.

PLESIODISTOMUM Dayal, J., 1942c, 171 (tod: P. callichrius).

plesiostomum von Linstow, O. F. B., 1883a, 305-306, pl. 9, fig. 48. 1883: DISTOMA. 1899: DICROCOELIUM. [1899: LYPEROSOMUM]. 1913: LYPEROSOMUM. 1940: CORRIGIA. 1944: ORTHORCHIS.

LEUROCOTYLE Gervais, P.; & van Beneden, P. J., 1859b, 194 (based upon Grube, 1855a, 137) (mt: P. scombri).

LEUROGENES Looss, A., 1896b, 97 (tod: P. claviger).

eurogenes medians Dollfus, R. P. F., 1924b, 306. 1924: METACERCARIA.

LEUROGENOIDES Travassos, L. P., 1921h, 77 (tod: P. tener (Looss, 1898)).

LEUROGONIUS Looss, A., 1901 l, 567, 568, 569 (tod: P. longiusculus).

LEUROLOBATUS Kaw, B. L., 1943a, 106-107 (type: P. lobatus).

eurolophocerca Sonsino, P., 1892c, 138-139. 1892: CERCARIA. 1932: KASR. 1940: HAPLORCHIS.

LEURONECTES Stiles, C. W., 1901r, 183, lapsus calami for Pleurogenes.

euronectes Monticelli, F. S., 1889h, 117. 1889: EPIBDELLA hippoglossi.

euronectes Mueller, O. F., 1773b, 70. 1773: CERCARIA.

euronectini Zhukov, E. V., 1958a, 844-845, 846, fig. 4. 1958: LEPIDOPHYLLUM.

euronectis Layman, E. M., 1930a, 57-58, 90-91, fig. 8. 1930: BUCEPHALOPSIS.

euronectis maximi Diesing, K. M., 1855c, 64, based on Bellingham, 1844a, 428, renamed D. microcotyle. 1855: DISTOMA.

LEUROPSOLUS Mehra, H. R., 1935a, 99, 106, 111, 119 (tod: P. insolens).

eurovitellum Johnston, T. H.; & Tiegs, O. W., 1922a, 96. 1922: ANCYROCEPHALUS. [lapsus for plurovitellum].

icata Sinitsin, D. T., 1910a, 169-190, pl. 1910: CERCARIA.

icata cerithiolus Sinitsin, D. F., 1911a, 9. 1911: CERCARIA.

icata rissoa Sinitsin, D. F., 1911a, 7. 1911: CERCARIA.

LICATRIUM Manter, H. M.; & Pritchard, M. H., 1960a, 89.

icatum Creplin, F. C. H., 1829a, 878-880, pl. 52, figs. 9-11. 1829: MONOSTOMA. 1891: OGMOGASTER.

icatum Kay, M. W., 1947b, 79-82, pl. 1, figs. 1-8. 1947: OTODISTOMUM.

icitum Linton, E., 1928b, 5, pl. 2, fig. 7. 1928: PSILOSTOMUM. 1931: BIANIUM. 1958: DIPLOPROCTODAEUM.

otiopsis Johnston, T. H.; & Simpson, E. R., 1939b, 65-68. 1939: CERCARIA.

LOTNIKOVIA Skrjabin, K. I., 1945e, 155.

otosi Yamaguti, S., 1940b, 36, 84-86, 87, fig. 36. 1940: DERETREMA.

otosi Yamaguti, S., 1940b, 36, 74-75, fig. 30. 1940: OPEGASTER.

ovmornini Manter, H. W., 1933a, 169, 173, for pulvomørmini Isaichikov, 1933: HELICOMETRA.

umbeus Rogers, W. A.; & Mizelle, J. D., 1966, 707, 711, figs. 49-54 (J. Parasitol., v. 52 (4)) (Moxostoma duquesnei; Alabama). 1966: DACTYLOGYRUS.

plumosa Sinitsin, D. F., 1911a, 36-37, 65, 89, pl. 5, figs. 78-79. 1911: CERCARIA.

plunketi Fyfe, M. L., 1953a, 187-190, pl., figs. 1-3. 1953: OTODISTOMUM.

plurovitellum MacCallum, G. A., 1916c, 20-21, fig. 7. 1916: DIPLECTANUM. 1922: ANCYROCEPHALUS. [1922: DIPLECTANOTREMA (tod)].

pneumata Fain, A., 1953e, 22, 40, 117, 121, 122-124, 266, 267, 282, 283, pl. XIV, figs. 1-3, pl. XXII, fig. 15. 1953: CERCARIA.

pneumatis Rao, K. H., 1961a, 301-304, fig. 1 (Arius gella; air bladder; Waltair, India). 1961: ELONGOPARORCHIS (tod).

PNEUMATOPHILUS Odhner, T., 1910d, 23, 51, 56, 58, 61, 62, 67.

pneumatophori Price, E. W., 1961b, 148, 149, 150, 151, figs. 44-48 (syn.: Pleurocotyle scombri of Linton, 1940, not Gervais & Beneden, 1859) (Pneumatophorus grex; Woods Hole, Massachusetts). 1961: GRUBEA.

PNEUMOBITES Ward, H. B., 1917c, 5 (tod: P. longiplexus (Stafford)).

PNEUMONOECES Looss, A., 1902m, 732, 780, 839 (Haematoloechus Looss renamed) (type: P. variegatus).

PNEUMOTREMA Bhalerao, G. D., 1937c, 34 (tod: P. travassosi).

pocillator Holliman, R. B., 1961a, 42, 43, 44, figs. 86-88 (Donax variabilis; Gulf Beach, Alligator Point, Franklin County, Florida). 1961: CERCARIA.

poconensis Willey, C. H., 1930a, 364. 1930: CERCARIA.

podicepensis Bhardwaj, O. N., [1962d], 114-115 (Podiceps ruficollis; midgut; Jabalpur region, India). [1962]: MONILIFER.

podicipina Kozicka, J.; & Niewiadomska, K., 1960a, 25-33, 35, 36, figs. 1-11. 1960: TYLODELPHYS. 1961: DIPLOSTOMUM (TYLODELPHYS) (Dubois, G., 1961e, 118).

podicipitis Yamaguti, S., 1939d, 130, 195-196, 209, pl. 21, fig. 35. 1939: ORNITHODIPLOSTOMUM. [1945]: POSTHODIPLOSTOMUM.

podilymbae Olsen, O. W., 1938c, 215-218, pl., figs. 1-7. 1938: DIASIA. [1945: PLOTNIKOVIA]. 1950: PLOTNIKOVIA [corrected to podilymbi Olsen, 1939].

podilymbi Olsen, O. W., 1939d, 186, correction for podilymbae. 1939: DIASIA.

PODOCNEMITREMA Alho, C. J. R.; & Vicente, J. J., 1964a, 17, 18, 21 (tod: P. papillosus).

PODOCOTYLE (Dujardin, 1845) Filippi, F., 1857c, 9 (tld: P. angulatum=atomon).

PODOCOTYLOIDES Yamaguti, S., 1934a, 250, 298 (tod: P. petalophallus).

podomorphum Nitzsch, C. L., 1819a, 399-400, figs. 8-10. 1819: HOLOSTOMUM. 1850: HEMISTOMUM. 1932: DIPLOSTOMUM.

PODOSPATHALIUM Dubois, G., 1932c, 391, 392, 397 (type: P. pedatum (Diesing, 1850)).

podura Mueller, O. F., 1773b, 66. 1773: CERCARIA. 1815: FURCOCERCA.

poeyi Perez Vigueras, I., 1935, 43-44, pls. 5-6. 1935: TRISTOMA. 1938: CAPSALA. 1960: TRISTOMELLA.

pogoniae MacCallum, G. A., 1931c, 391-394, 401, fig. A. 1931: MICROCOTYLE. 1963: ASPINATRIUM (Yamaguti, S., 1963a, 246).

POÏKILORCHIS Fain, A.; & Vandepitte, J., 1957a, 740 (tod: P. congolensis).

poirieri Dubois, G., 1932c, 375, 377, 396, 398-403, figs. D-E. 1932: NEODIPLOSTOMUM.

poirieri Giard, A.; & Billet, A., 1892a, 615. 1892: HOMALOGASTER.

poirieri Stossich, M., 1895d, 227. 1895: DISTOMA. 1902: TELORCHIS. 1909: CERCORCHIS. 1935: HIRUDINELLA.

polesianum Ejsmont, L., 1927a, 220-235, figs. 1-6. 1927: SPIRHAPALUM (mt). 1939: HAPLOTREMA.

POLISTOMUM Sonsino, P., 1889g, 283, for Polystomum.

politae alliariae Harper, W. F., 1932a, 307, 309, 310-312, 313, figs. 3-6. 1932: CERCARIA.

politae cylindraceae Harper, W. F., 1932a, 314 [lapsus for lauriae cylindraceae]. 1932: CERCARIA.

politae lucidae Harper, W. F., 1932a, 307, 313, 315-316, 317, figs. 9-10. 1932: CERCARIA.

politae nitidulae Harper, W. F., 1932a, 307, 309, 312-313, 317, figs. 7-8. 1932: CERCARIA.

politus Skrjabin, K. I., 1915k, 395, 396, 397, 406-407, 413, pl. 6, fig. 4. 1915: ECHINOPARYPHIUM. 1943: ECHINOSTOMA (provisional).

poljanskyi Gusev, A. V., 1955b, 313, 314-315, 316, 360, 395, 398, fig. 54 (3). 1955: ANCYLODISCOIDES.

pollachi Monticelli, F. S., 1888a, 66, for pollachii. 1888: DACTYCOTYLE.

pollachii van Beneden, P. J.; & Hesse, C. E., 1863a, 110-111, pl. 11, figs. 23-30. 1863: DACTYCOTYLE (type). 1879: OCTOBOTHRIUM . 1883: DACTYLOCOTYLE. 1943: DICLIDOPHORA.

pollachii van Beneden, P. J.; & Hesse, C. E., 1863a, 90-91, pl. 8, figs. 1-8. 1863: UDONELLA.

pollaris Kontrimavichus, V. L.; & Bakhmet'eva, T. L., 1960a, 128-129, fig. 3. 1960: RENICOLA.

pollex Mizelle, J. D.; & Donahue, M. A., 1944a, 614-615, 620, 622, 623, pl. 2, figs. 43-49. 1944: DACTYLOGYRUS.

poloniae Stiles, C. W.; & Goldberger, J., 1908a, 24, for paloniae. 1908: HOMALOGASTER.

polonica Kowalewski, M., 1895g, 41-70 (1-27), pl. 2, 20 figs. 1895: BILHARZIA. 1898: SCHISTOSOMA. 1899: BILHARZIELLA (type). 1925: ORNITHOBILHARZIA.

polonicus Soltys, A., 1957a, 487, 488, 489, 490, 491, 492-493, 494, 499, 502-503, 504, fig. 1957: PLAGIORCHIS (MULTIGLANDULARIS).

polonii Molin, R., 1859e, 291. 1859: DISTOMA. 1886: DISTOMA (ECHINOSTOMA). 1953: OPECHONA. 1960: PHARYNGORA.

polyadena Cort, W. W., 1914a, 79, 80, 84, fig. 12. 1914: CERCARIA.

POLYANGIUM Looss, A., 1902m, 584, 633, 634, 639, 642, 648, 652, 658, 667, 668, 675, 681, 684, 687-688 (tod: P. linguatula).

polycestus Dietz, E., 1909a, 183. 1909: MESORCHIS. [1937]: STEPHANOPRORA.

polycladiformae Näsmark, K. E., [1937a], 422, 423, 521, 522, 527-530, 535, 564, fig. 85, pl. 5, figs. 12-13. [1937]: NILOCOTYLE. 1958: PLATYAMPHISTOMA.

polycladum Johnston, S. J., 1913a, 362, 390-392, pl. 24, fig. 13. 1913: PETALODISTOMUM (tod). [1953]: PETALODISTOMUM (PETALODISTOMUM).

polyclinorum Pagenstecher, H. A., 1862i, 306, pl. 29, fig. 4. 1862: DISTOMA.

POLYCLITHRUM Rogers, W. A., 1967, 274-276 (tod: P. mugilini).

POLYCOTYLE von Willemoes-Suhm, R., 1870a, 9 (mt: P. ornata).

polydactyla Deblock, S.; & Rose, F., 1962b, 773-781, pls., figs. 1-4 (Actitis hypoleucos, Chlidonias leucopterus, Spheroma hoockeri; France). 1962: LEVINSENIELLA.

polydactyli Manter, H. W., 1953a, 196, 198, 199, figs. 3-4. 1953: NEIDHARTIA.

polyfimbriatus Read, C. P., 1947a, 231-233, figs. 1-3. 1947: OPECOELOIDES.

polygyrae-thyroides Dollfus, R. P. F., 1935a, 260. 1935: CERCARIA.

POLYKOTYLE Schneidemuehl, G., 1896a, 295, for Polycotyle.

polylecithos Richard, J., 1966, 1030, 1033-1035, fig. 2 (Bull. Mus. Nat. Hist. Nat., 2 s., v. 37 (6), 1965) (Limnogale mergulus; rectum; Antsampandrano (Antsirabe)). 1966: OPISTHIOGLYPHE.

POLYLEKITHUM Arnold, J. G., 1934a, 267-268 (tod: P. halli (Mueller & van Cleave, 1932)).

polylobatum Haderlie, E. C., 1950a, 298, 299, 300, pl. 1, figs. 1-4. 1950: TRIGANODISTOMUM.

polymastos Lejtenyi, K., 1880a, 125-146, pls. 1-3 or Leuckart, 1880. 1880: GASTRODISCUS. 1896: GASTRODISKUS.

polymixiae Yamaguti, S., 1968, 18, 180-181, fig. 138 (Monogenetic trematodes of Hawaiian fishes) (Polymixia japonica; gills; Hawaii). 1968: MICROCOTYLE.

polymorpha Rudolphi, C. A., 1802b, 70-72, Fasciola anguillae Gmelin renamed. 1802: FASCIOLA. 1809: DISTOMA.

polymorphis Oshmarin, P. G.; & Mamaev, I. L., 1963b, 359-364, 365, figs. 2-4 (Priacanthus tayenus; gills, oral cavity, fins, body cavity; Tonkin Bay). 1963: DIDYMOZOON.

polymorphum de Filippi, 1837a, 337-338, figs. 8-14. 1837: DISTOMA. 1909: CERCARIA. 1912: AGAMODISTOMUM.

polymorphum Travassos, L. P., 1920d, 19-20, fig. 8. 1920: EURITREMA. [1953]: EURYTREMA (LUBENS). [1953]: LUBENS.

polymorphus Baer, K. E., 1827b, 570-589, pl. 30, figs. 1-27. 1827: BUCEPHALUS. 1856: CERCARIA. 1894: CERCARIA (BUCEPHALUS). 1928: GASTEROSTOMUM.

polymorphus Gusev, A. V., 1955b, 187, 300-302, 345, 357, 358, 364, 368, 369, 380, 395, 397, fig. 49. 1955: ANCYROCEPHALUS.

polymorphum Layman, E. M., 1933b, 55, 57, 69, 70, 74-76, 93, pl. 1, figs. 1-5. 1933: ALLOCREADIUM. (1951): BAIKALOTREMA (Layman, E. M.; Prakticheskoe Rukovodstvo po Bolezniam Ryb, p. 95).

polynemi Chauhan, B. S., 1954d, 289, 311, 312, 387, fig. 4. 1954: LECITHOCHIRIUM.

olynemi MacCallum, G. A., 1917b, 68-69, figs. 33-33a. 1917: MICROCOTYLE.

olynemi Von Wicklen, J. H., 1946a, 156-157, 159, 161, 163, pl., figs. 1-4. 1946: OPECOELOIDES.

olynemous Chauhan, B. S., 1945c, 160, 162, 163-164, 165, pl., fig. 2. 1945: LECITHOCHIRIUM. 1955: DISSOSACCUS.

olynemus Chauhan, B. S., 1954d, 311, as syn. of polynemi. 1954: LECITHOCHIRIUM.

olynemus Tripathi, Y. R., 1957a, 5, 9-10, 17, figs. 9-11. 1957: DIPLECTANUM.

olynemusinis Chauhan, B. S., 1943b, 133-137, figs. 1-3. 1943: MEHRATREMA.

olyoon von Linstow, O. F. B., 1887d, 104-104. 1887: DISTOMA. 1948: LEYOGONIMUS (tod).

OLYORCHIS (Stossich, 1888) Stossich, M., 1892a, 4.

olyorchis Alvey, C. H., 1936a, 229, 235, 246-247, 249, 251, 253, pl. 10, fig. 2. 1936: SPHYRANURA.

olyorchis Lautenschlager, E. W.; & Cheng, T. C., 1958a, 451-453, fig. 1. 1958: LARELMINTHA (tod).

olyorchis Stossich, M., 1889h, 24-25, fig. 61. 1889: DISTOMA. 1896: POLYORCHIS. 1896: PLEORCHIS (type).

olyorchis Unnithan, R. V., 1961a, 117-121, 122, 144, 145, figs. 17-29 (Carangoides malabaricus; gills; Trivandrum, Kerala). 1961: HETEROMICROCOTYLA.

OLYORCHITREMA Srivastava, H.D., 1937x, 400-401 (mt: P. piscicola).

olyprioni Manter, H. W., 1954b, 475, 486-487, 488, 489, 563, figs. 7-8. 1954: NEOLEPIDAPEDON (tod).

olypteri Malmberg, G., 1956a, 317-330, figs. 1-7, pl. 1, figs. A-D. 1956: MACROGYRODACTYLUS (mt).

olypyreta Hall, J. E.; & Groves, A. E., 1963a, 249, 250, 251, 256, 257, 258-259, 262, pls., figs. 3-4, 20-21 (Nitocris dilatatus; West Virginia). 1963: CERCARIA.

OLYSARCUS Looss, A., 1899b, 561 (tod: P. westermanni).

olyspinosus Kobayasi, H., 1942c, 214, 215, 218-220, 222, figs. 15-16. 1942: CENTROCESTUS.

olyspiralis Jain, S. L., 1958b, 450 [nomen nudum]; 1959d, 162. 1959: UROCLEIDUS.

OLYSTOMA Zeder, J. G. H., 1800a, xviii, 199-203 nec Polystoma Steph. Coleoptera) (type was clearly intended to be Planaria uncinulata=Polystoma ranae; name Polystoma was in MS. in 1788 based on this species, see Zeder, 1803a, 233).

OLYSTOMOIDELLA Price, E. W., 1939d, 81, 86, 87 (tod: P. oblongum (Wright, 1879)).

OLYSTOMOIDES (Ward, 1917) Fuhrmann, O., 1928b, 28.

olyxena Brumpt, E., 1945b, 97-119, figs. 1-7. 1945: XIPHIDIOCERCARIA.

omacanthi MacCallum, G. A., 1916c, 35, fig. 15. 1916: MONOSTOMA. 1931: PLEUROGONIUS. [1954]: BARISOMUM (Yamaguti, S., [1954a], 237).

omacanthi Nahhas, F. M.; & Cable, R. M., 1964a, 198-200, 203, pl., fig. 31 (Pomacanthus arcuatus; posterior intestine; Jamaica). 1964: PHYLLODISTOMUM.

pomacanthi Price, E. W., 1937e, 487-488, 490, fig. 5. 1937: HEXANGITREMA (tod).

pomacentri Manter, H. W., 1937c, 383, 384-385, 387, figs. 4-5. 1937: HAPLOSPLANCHNUS. 1955: SCHIKHOBALOTREMA.

pomacentri Nahhas, F. M.; & Cable, R. M., 1964a, 214, 215, pl., fig. 51 (Pomacentrus leucostic[t]us; stomach; Jamaica). 1964: THELETRUM.

pomacentri Paperna, I., 1965, 5, 6, pl. 2, figs. A-C (Sea Fish. Res. Stat. Haifa, Bull. (3)) (Dascyllus marginatus, D. sp., Pomacentrus trichourus; gills; Red Sea). 1965: ANCYROCEPHALUS.

pomatiae Diesing, K. M., 1850a, 303. 1850: HETEROSTOMA helicis.

pomatiae Vaney, L.; & Conté, A., 1899a, 194-196, figs. 1-2. 1899: CERCARIA.

pomatiopsidis Stimpson, W., 1865a, 34-35, fig. 27. 1865: HISTRIONELLA. 1939: CERCARIA.

pomatomi Goto, S., 1899a, 278-279, pl. 21, fig. 27. 1899: MICROCOTYLE.

pomocanthi MacCallum, G. A., 1915a, 73-78, fig. C. 1915: MICROCOTYLE.

pontaliei Stossich, M., 1892c, 178, for pontalliei. 1892: DISTOMA.

pontalliei Cobbold, T. S., 1860a, 10, D. cladocalium Diesing, renamed. 1860: DISTOMA.

pontica Chernyshenko, A. S., 1949a, 85-86, fig. 7. 1949: ASYMPHYLODORA tincae. 1955: ASYMPHYLODORA.

pontica Isaichikov, I. M., 1925b, 39, 46. 1925: TAURIDIANA.

pontica Pigulevskii, S. V., 1938a, 389-390, fig. 1. 1938: OVOTRÈMA (mt). [1954]: STERINGOTREMA (OVOTREMA).

ponticapeica Isaichikov, I. M., 1927p, 115, 122 [nomen nudum]. 1927: ASOVIA.

PONTICOTREMA Isaichikov, I. M., 1926e, 12 [nomen nudum]; 1927d, 146-147 (tod: P. euxini).

pooli Annereaux, R. F., 1947a, 250, 251, 253-255, pl. 1, fig. 3. 1947: DERETREMA.

poonaensis Bhalerao, G. D., 1937f, 114, 115, 119-121, fig. 12. 1937: NEOCLADORCHIS (tod). [1954]: CLEPTODISCUS (Yamaguti, S., [1954a], 253).

poonui Yamaguti, S., 1966, 419, 429-431, fig. 6 (Pacific Science, v. 20 (4), Oct.) (Parathunnus sibi; gills; Hawaii). 1966: SIBITREMA (tod).

popovi Kasimov, G. B., 1952a, 232-234, fig. 1. 1952: SKRJABINUS. 1964: CONSPICUUM (Odening, K., 1964i, 166).

popovicii Szidat, L., 1950a, 236, 237, 239, 241-243, 263, 265, 266, 267, 268, figs. 2-3. 1950: MONORCHEIDES.

popowi Palimpsestov, M. A., (1929b), 48-52, pl. (1929): PLAGIORCHIS. 1931: PLAGIORCHIS (PLAGIORCHIS). 1934: LEPODERMA.

popowi Skrjabin, K. I.; & Evranova, V. G., (1942b), 149-152, fig. (1942): EUCOTYLE.

PORACANTHIUM Dollfus, R. P. F., 1948d, 5, 10 (mt: P. furcathum (Bremser in Rudolphi, 1819)).

porcellanae Stunkard, H. W., 1932c, 321, 334, 335, 342, fig. 13. 1932: METACERCARIA.

porcorum Gmelin, J. F., [1790a], 3054. [1790]: FASCIOLA hepatica.

rodavi Bhalerao, G. D., 1926a, 182, 183, 193, 194. 1926: LECITHODENDRIUM glandulosum. 1948: PARALECITHODENDRIUM glandulosum. 1958: PROSTHODENDRIUM glandulosum.

ricola Schlotthauber, 1860a, 129. 1860: ASTOMUM.

roformis Bhardwaj, O. N., 1963c, 345, 346, 348, 349, 351, 352, 353, fig. II (Rana tigrina; duodenum; western coastal region of India). 1963: PROSOTOCUS.

ROGONUS Fuhrmann, O., 1928b, 109, for Progonus.

ronoti MacCallum, G. A., 1915a, 72-73, fig. B. 1915: MICROCOTYLE.

rrectum Braun, M. G. C. C., 1899b, 714. 1899: DISTOMA. [1899: LYPEROSOMUM]. 1913: LYPEROSOMUM. 1944: ORTHORCHIS. [1944: SKRJABINOSOMUM]. [1953]: SKRJABINOSOMUM.

rilli Herber, E. C.; & Trejos, A., 1961a, 42 (Physa lacustris; El Salvador). 1961: CERCARIA.

teri Fain, A., 1953, 18, 19, 25, 40, 117, 121, 124-125, 270, 271, 282, 283, pl. XVI, fig. 1, pl. XXII, fig. 12. 1953: CERCARIA.

tosacculus Holliman, R. B., 1961a, 53, 54, figs. 109-113 (Anachis obesa; Alligator Point, Franklin County, Florida). 1961: CERCARIA.

zanae Harwood, P. D., 1939a, 421, 422, 423, 424, 436, 437, pl. 1, fig. 4. 1939: NOTOCOTYLUS.

idoniarum Daumézon, G., 1908a, 535-537. 1908: DISTOMA (a tunicate).

tacetabulorchis Oshmarin, P. G.; & Mamaev, I. L., 1963b, 357-359, 364, 365, fig. 1 (Arius sp.; intestine; Tonkin Bay). 1963: PARAMONODHELMIS (tod).

tacetabulum Yamaguti, S.; & Asada, Z., 1942a, 1, 7-8, fig. 6. 1942: PROSTHODENDRIUM. 1955: PROSTHODENDRIUM (PROSTHODENDRIUM). 1960: ACANTHATRIUM (PROSTHODENDRIUM) (Etges, F. J., 1960c, 527).

terocolpa Hargis, W. J., 1955e, 220, 221, 222-223, 224, pl. V, figs. 33-38. 1955: BENEDENIA. 1963: BENEDENIELLA (Yamaguti, S., 1963a, 125).

terolecithale Belopol'skaia, M. M., 1952a, 723-724, fig. 208. 1952: PSEUDOMARITREMA.

terorchis Oguro, Y., 1936a, 1, 6-8, fig. 8. 1936: PYELOSOMUM.

tgonoporus Neiland, K. A., 1951a, 563-565, 567, pl. 1, fig. 1-2. 1951: MACYELLA.

tguttata Burns, W. C.[3], 1961a, 921, 922, 923, 924, 925, figs. 5-6 (Oxytrema silicula; Shot Pouch Creek, Lincoln County, Oregon). 1961: CERCARIA.

STHARMOSTOMUM Witenberg, G. G., 1923k, 22; 1925c, 171, 175 (type: Harmostomum (P.) gallinum).

STHODIPLOSTOMULUM Dubois, G., 1937c, 396 (for metacercaria of Posthodiplostomum Dubois, 1936) (tod: P. cuticola (v. Nordmann, 1832)).

STHODIPLOSTOMUM Dubois, G., 1936a, 508, 511, 513 (tod: P. cuticola (Nordmann)).

STHOVITELLUM Khotenovskii, I. A., 1966, 156, 158 (syn.: Eumegacetes Looss, 1900 in part) (Skrjabin, K. I., Trematody Zhivotnykh i Cheloveka, v. 22) (tod: P. contribulans).

ticum Stafford, J., 1905a, 692-693. 1905: LECITHODENDRIUM. 1921: PARALECITHODENDRIUM. 1936: PROSTHODENDRIUM. 1960: ACANTHATRIUM (PROSTHODENDRIUM) (Etges, F. J., 1960c, 527).

POSTMONORCHEIDES Szidat, L., 1950a, 236, 237, 243, 245-246 (mt: P. maclovini).

POSTMONORCHIS Hopkins, S. H., 1941b, 396, 397, 398, 403 (tod: P. orthopristis).

POSTORCHIGENES Tubangui, M. A., 1928b, 359 (tod: P. ovatus).

postporum Fischthal, J. H.; & Kuntz, R. E., 1967, 245-247, figs. 1-2 (Proc. Helminth. Soc. Washington, v. 34 (2)) (Lepidodactylus lugubris, Gymnodactylus pelagicus; small intestine; gall bladder; Espíritu Santo Island, New Hebrides Islands). 1967: GEKKONOTREMA (tod).

POSTPORUS Manter, H. W., 1949a, 432, 435.

potamonides Tubangui, M. A., 1946a, 152-153. 1946: PLAGIORCHOIDES. 1958: PLAGIORCHIS.

potanini Skrjabin, K. I., 1928c, 80, 81, 83-85, fig. 2. 1928: PLAGIORCHIS. 1929: LEPODERMA. 1931: PLAGIORCHIS (MULTIGLANDULARIS). 1959: PLAGIORCHIS (MULTIGLANDULARIS) cirratus.

poturzycensis Kowalewski, M., 1898g, 71, 72, 73, 75, or 1898h, 138, 140, 141, 142, 143, 144, 148, 150, 163, figs. 23-26. 1898: OPISTHORCHIS. 1898: OPISTHORCHIS simulans. 1898: CAMPULA. 1902: METORCHIS.

praeclarus Manter, H. W., 1934c, 258, 309, 312, pl. 12, fig. 74. 1934: STERRHURUS. [1954]: LECITHOCHIRIUM. 1955: MUSCULOVESICULA.

praematura Sinitsin, 1911a, 44, 90, 113, pl. 6, figs. 93-94. 1911: ADOLESCARIA.

praemorsum von Nordmann, A., 1832a, 55-56, 96. 1832: MONOSTOMA. 1892: MONOSTOMULUM.

praeorchis Oshmarin, P. G. in Skrjabin, K. I.; & Evranova, V. G., [1953a], 507-508, figs. 191-192. [1953]: PRAEORCHITREMA (tod).

PRAEORCHITREMA Oshmarin, P. G. in Skrjabin, K. I.; & Evranova, V. G., [1953a], 507 (tod: P. praeorchis).

praesphinctris Näsmark, K. E., [1937a], 417, 521, 524, 535. [1937]: NILOCOTYLE. 1958: NILOCOTYLE (NILOCOTYLE).

praetenuis Oshmarin, P. G. inSkrjabin, K. I.; & Evranova, V. G., [1953a], 193, fig. 69. [1953]: BRACHYLECITHUM. 1957: LYPEROSOMUM (BRACHYLECITHUM) (Jaiswal, G. P., 1957a, 18).

praeteritus Looss, A., 1901e, 633-634, fig. 10. 1901: ACANTHOCHASMUS. 1934: ACANTHOSTOMUM.

PRAGIORCHIS Ono, S., 1934d, 267, for Plagiorchis.

prashadi Bhalerao, G. D., 1942k, 68-69. 1942: CLINOSTOMUM.

prashadi Chauhan, B. S., 1950a, 63-66, fig. 1 a-c. 1950: MAZOCRAEOIDES.

prashadi Gogate, B. S., 1940a, 19-21, fig. 1. 1940: PROACETABULORCHIS.

pratensis Ono, (1933). (1933): ECHINOSTOMA.

pratensis Skvortsov, A. A., 1924a, 205, 209, 210. 1924: CERCARIA.

prayagi Mehra, H. R.; & Negi, P. S., 1926c, 185-186. 1926: PLEUROGENES.

precaria Teixeira de Freitas, J. F., 1951b, 88-90, pl. 34, figs. 84-87, pl. 69, fig. 198. 1951: TANAISIA. 1958: TANAISIA (TAMERLANIA).

ehensa Schell, S. C.; & Thomas, L. J., 1955a, 22, 23, 24, pl. 1, figs. 4-8. 1955: CERCARIA.

eistis Mola, P., 1907j, 39, for pristis. 1907: DISTOMA.

enanti Arvy, L., 1949a, 780-782. 1949: CERCARIA.

enanti Saint-Remy, G., 1890c, 41-43. 1890: ONCHOCOTYLE. 1899: RAJONCHOCOTYLE.

eovaricum Caballero y C., E.; Bravo Hollis, M.; & Grocott, R. G., [1953a], 167-170, 171, figs. 1-2. [1953]: FELLODISTOMUM.

eporatus Manter, H. W., 1954b, 476, 508, 509-510, 515, 563, fig. 34. 1954: PLAGIOPORUS. 1958: PLAGIOPORUS (PLAGIOPORUS).

EPTETOS Pritchard, M. H., 1960a, 245-248 (tod: P. caballeroi).

etiosa Bravo Hollis, M.; & Manter, H. W., 1957a, 43, 44-45, pl., figs. 18-19. 1957: HELICOMETRA.

etiosus Ariola, V., 1902a, 107-108, fig. 11. 1902: DIDYMOZOON. 1916: KÖLLIKERIA (DIDYMOZOON). 1935: DIDYMOZOUM.

acanthi Byrd, M. A., 1962a, 135-138, figs. 1-3 (Priacanthus boops; gill raker; Atlantic Ocean, 50 miles east of Virginia). 1962: SYNCOELIUM.

acanthi MacCallum, G. A., 1917b, 70-71, fig. 34. 1917: CITHARA (mt). [1929: TERGESTIA]. 1940: TERGESTIA.

acanthi MacCallum, G. A., 1921c, 149-151, fig. 73. 1921: ALLOCREADIUM. 1947: PSEUDOPECOELUS.

acanthi Manter, H. W., 1940c, 4, 6, 17, figs. 1-2. 1940: BUCEPHALUS.

acanthi Meserve, F. G., 1938a, 29, 52-53, 80, 81, pl. 6, figs. 30-32. 1938: MICROCOTYLE.

acanthi Yamaguti, S., 1953c, 257, 276-277, 295, pl. III, fig. 11. 1953: LECITHOCHIRIUM.

acanthi Yamaguti, S., 1968, 16, 120-121, fig. 93 (Monogenetic trematodes of Hawaiian fishes) (Priacanthus boops; gills; Hawaii). 1967: DIPLECTANUM.

acanthi Yamaguti, S., 1968, 15, 85, fig. 60 (Monogenetic trematodes of Hawaiian fishes) (Priacanthus cruentatus; gills; Hawaii). 1968: HALIOTREMA.

ICEA Chauhan, B. S., 1945a, 98; 1945b, 143, 156 (tod: P. multae).

cei Caballero y C., E.; Bravo Hollis, M.; & Grocott, R. G., 1955a, 117-121, figs. 1-3. 1955: MURRARYTREMA. 1958: MURRAYTREMATOIDES.

cei ? Chechina, A. S.; Malevitskaia, M. A.; & Kononova, N. E., 1953a, 174. ? 1953: ANCYROCEPHALUS.

cei Foster, A. O., 1939c, 191-192, 193, 197, pl. 3, figs. 18-19. 1939: OPISTHORCHIS.

cei Harwood, P. D., 1939a, 339, 340, 432, 436, 437, pl. 1, figs. 2-3. 1939: CATATROPIS.

cei Hidalgo Escalente, E., [1959a], 209, 210-316, pl. I, figs. 1-4, pl. II, figs. 5-7, pl. III. [1959]: CAPSALA. 1960: TRISTOMELLA.

pricei Koratha, K. J., 1955a, 244, 246, 256-257, 274, 277, 278, figs. 25, 37. 1955: ENCOTYLLABE.

pricei Koratha, K. J., 1955a, 270-271, pls. 9, 14, 38, 43, 46. 1955: HEXOSTOMA. 1961: NEOHEXOSTOMA (Price, E. W., 1961a, 6-7).

pricei Krull, W. H., 1934e, 353-356, figs. 1-2. 1934: NEODIPLOSTOMUM. 1936: MESOOPHORODIPLOSTOMUM (tod).

pricei McIntosh, A., 1932d, 50-52, fig. 9. 1932: LEUCOCHLORIDIUM.

pricei McIntosh, A., 1937c, 21-23, fig. 8B. 1937: ATHESMIA.

pricei Manter, H. W.; & Larson, M. I., 1950a, 595-596, 598, pl. 1, figs. 1-2. 1950: NEOSPIRORCHIS.

pricei Mueller, J. F., 1936f, 458, 459, 461, 464, pls. 56-57, figs. 11-15. 1936: CLEIDODISCUS.

pricei Pearse, A. S., 1949a, 27-28, fig. 6 d-f. 1949: MONOCOTYLE. 1963: HETEROCOTYLOIDES (Yamaguti, S., 1963a, 154).

pricei Pérez Vigueras, I., 1940b, 227-228, pl., fig. 5. 1940: LECITHODENDRIUM.

pricei Pérez Vigueras, I., 1944b, 222, 226-227, pl., fig. 4. 1944: PRIONOSOMA.

pricei Rothschild, M., 1940b, 437-448, figs. 1-4. 1940: CERCARIA.

pricei Siddiqi, A. H.; & Cable, R. M., 1960a, 257, 263, 272-273, 330, figs. 13-14. 1960: HEXANGITREMA.

pricei Sinitsin, D. F., 1931e, 794, 797, 801, 812, 813, 829-830, 832, pl. 1, fig. 4, pl. 4, fig. 27, pl. 6, figs. 38-40. 1931: PANOPISTUS.

pricei Tendeiro, J.; & Valdez, V., 1955b, 139, 141, 142-145, 146, fig. 7, pl., figs. 7-8. 1955: ERPOCOTYLE.

pricei Vercammen-Grandjean, P. H., 1960d, 57-59, pl. 3, figs. 12, 14-17, pl. 5, fig. 13. 1960: POLYSTOMA.

pricei Wetzel, R., 1930d, 1-4, pl. 1, figs. 1-4. 1930: ORNITHOBILHARZIA.

PRICETREMA Ciurea, I., 1933c, 104, 106, 115 (tod: P. zalophi).

prima Sinitsin, D. F., 1905a, 147, 153. 1905: CERCARIA.

primarius Gusev, A. V., 1955b, 224-227, 349, 394, 397, figs. 19 (1-2). 1955: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 41).

primas Jaegerskiöld, L. A. K. E., 1908a, 302-307, figs. 1-3. 1908: SPELOPHALLUS (type). 1921: LEVINSENIELLA. 1951: MICROPHALLUS. 1952: SPELOTREMA.

primata Premvati, 1960a, 117-121, figs. 1-3. 1960: REPTILIOTREMA.

PRIMATOTREMA Premvati, [1959a], 639, 640 (mt: P. macacae).

primum Faust, E. C.; Yokogawa, S.; & Nishigori, M., [1925a], 24. [1925]: MONORCHOTREMA.

primus Stafford, J., 1905a, 691. 1905: LECHRIORCHIS.

primus Stunkard, H. W., 1951c, 316, 317, for primas. 1951: MICROPHALLUS.

primus Van Cleave, J. H.; & Mueller, J. F., 1932a, 17-21, pl. 2. 1932: PLAGIOCIRRUS (tod).

ncipalis Mizelle, J. D., 1936a, 798-799, 806, fig. 2. 1936: ONCHOCLEIDUS. 1938: UROCLEIDUS.

ONOSOMA Dietz, E., 1909a, 190 (tod: Echinostomum serratum (Diesing)).

nonoti MacCallum, G. A., 1917b, 47-48, fig. 18. 1917: DICLIDOPHORA. 1941: CHORICOTYLE. 1943: CYCLOCOTYLA.

omaticum Zeder, J. G. H., 1800a, xvi, 150, 151-152. 1800: MONOSTOMA. 1809: MONOSTOMA (MONOSTOMA).

STICOLA Cable, R. M., 1952a, 86, 90, 91 (mt: P. sturionis).

stiophori Johnston, S. J., 1902a, 326-330, pl. 13, figs. 1-7. 1902: DISTOMA. 1935: OTODISTOMUM.

ISTIOSOMUM Fuhrmann, O., 1928b, 104, for Pristisomum.

stipomai Tubangui, M. A., 1928b, 354-355, pl. 1, fig. 4. 1928: AZYGIA.

stipomatis Srivastava, H. D., 1942a, 128-131, fig. 1. 1942: HORATREMA (mt).

stipomatis Yamaguti, S., 1934a, 252, 521-523, fig. 139. 1934: NEMATOBOTHRIUM. 1938: GONAPODASMIUS. 1935: NEMATOBOTHRIUM (MACLARENOZOUM). 1955: NEMATOBOTHRIUM (NEMATOBOTHRIUM).

stis Deslongchamps, E. E. in Lamoureux, A., 1824a, 563. 1824: DISTOMA. 1860: ECHINOSTOMUM. 1899: ANOIKTOSTOMUM. 1899: STEPHANOSTOMUM. 1901: STEPHANOCHASMUS.

ISTISOMUM Looss, A., 1907e, 615 (tod: P. pumex).

stiuri Gallien, L., 1937a, 10-13, 14, fig. 1. 1937: PSEUDOBOTHRIUM. 1937: LEPTOBOTHRIUM.

ISTOTREMA Cable, R. M., 1952a, 86 (mt: P. manteri).

tchardae Nahhas, F. M.; & Cable, R. M., 1964a, 201-202, 203, pl., fig. 34 (Haemulon album; intestine; Curaçao). 1964: PROCTOTREMA.

OACETABULORCHIS Gogate, B. S., 1940a, 19, 20-21, illus. (tod: P. prashadi).

OALARIA La Rue, G. R., 1926d, 12, 15, 16, 17 (type: Hemistomum spathaceum (Rudolphi)).

OALARIOIDES Yamaguti, S., 1933b, 2, 91, 97-98 (tod: P. serpentis).

oavitum Wiśniewski, L. W., 1933g, 27-30, 31, 33, 34-35, 38, fig. 1, pl. 1934: COITOCOECUM. [1957]: CROWCROCAECUM. 1958: EXCOITOCAECUM.

oblematica Faust, E. C., 1924e, 294. 1924: CERCARIA.

oblematica Lutz, A., 1933b, 363-364, 391-392. 1933: DICRANOCERCARIA.

oblematica Szidat, U., 1940a, 443-446, 448, figs. 8-10. 1950: CERCARIA. 1940: ECHINOCERCARIA.

oblematicum Bashkirova, E. I., 1941b, 250-251, 296, pl. XVI, figs. 41-42. 1941: MICROPARYPHIUM.

oblematicum Isaichikov, I. M., 1928d, 19, 20, 21, 65, 66-68, 69, 70, pl. 2, fig. 11. 1928: RHODOTREMA. 1934: EURYCREADIUM. 1963: STENAKRON (Mamaev, I. L.; Parukhin, A. M.; & Baeva, O. M., 1963a).

problematicum Magath, T. B., 1920c, 333-334. 1920: LEUCOCHLORIDIUM. 1950: NEOLEUCOCHLORIDIUM.

problematicum Stossich, M., 1902g, 14-15, pl. 1, figs. 3-4, pl. 7, fig. 25, pl. 8, fig. 29. 1902: CYCLOCOELUM. 1923: CYCLOCOELUM (POSTPHARYNGEUM).

problematicus Tubangui, M. A., 1932f, 374-375, 376, 377, 378, pl. 3, fig. 1. 1932: PHILOPHTHALMUS.

PROBLEMOGENUS Witenberg, G. G., 1923b, 98.

PROBOLITREMA Looss, A., 1902m, 855, 857, 858, 859, 860, 863, fig. 6 (tod: P. ricchiardii).

PROBOLOCORYPHE Otagaki, H., 1958a, 588 (n. n. for Macrophallus Otagaki, 1958) (mt: P. asadai).

proboscideum Rudolphi, C. A., 1814a, 106-107. 1814: POLYSTOMA. 1814: POLYSTOMA (PENTASTOMA). 1819: PENTASTOMA.

proboscidus Oshmarin, P. G., 1963b, 46-49, fig. 18 (Aquila clanga, Aythya fuligula; eye; both from Suifuno-Khankaiskii Okrug). 1963: PHILOPHTHALMUS (TUBOLECITHALMUS).

procaudotestis Szidat, L., 1954a, 14 (tod: P. uruguayensis).

procax Mizelle, J. D.; & Donahue, M. A., 1944a, 618-619, 620, 621, pl. 1, figs. 62-68. 1944: UROCLEIDUS. 1963: ONCHOCLEIDUS (Yamaguti, S., 1963a, 76 (spelled Oncocleidus)).

procellata Southcott, R. V., 1956c, 897. 1956: CERCARIA.

PROCEROVUM Onji, Y.; & Nishio, T., 1916c, 941.

PROCRASSIPHIALA Verma, S. C., 1936c, 173.

PROCTOBIUM Travassos, L. P., 1918f, 76 (tod: P. proctobium).

proctobium Travassos, L. P., 1918f, 76-77, pl. 1918: PROCTOBIUM (tod). 1921: PARORCHIS.

PROCTOCAECUM Baugh, S. C., [1957c], 304-305 (tod: P. diploporus (Stunkard, 1931)).

proctocolus Manter, H. W., 1940a, 326, 410-412, 445, 447, 451, 486, 487, pl. 45, figs. 96-97. 1940: TETROCHETUS.

PROCTOECES Odhner, T., 1911g, 107-108.

PROCTOPHANTASTES Odhner, T., 1911f, 238 (tod: P. abyssorum).

proctophorum Dwivedi, M. P., 1966, 87-89, 90, 91, pl., figs. 1-3 (Rev. Biol. Trop., Univ. Costa Rica, v. 13 (1)) (Tropidonotus piscator; India). 1966: HAPLOCAECUM.

PROCTOTREMA Odhner, T., 1911f, 249 (tod: P. bacilliovatum).

PROCTOTREMATOIDES Yamaguti, S., 1938c, 2, 85-86 (tod: P. pisodontophidis).

procyonis Denton, J. F., 1942a, 29-30, fig. 1. 1942: EURYTREMA. 1944: CONCINNUM.

procyonis Harkema, R., 1942a, 117-122, pls. 102, figs. 1-10. 1942: PHARYNGOSTOMOIDES (tod).

PROCYOTREMA Harkema, R.; & Miller, C. C., 1959a, 151 (tod: P. marsupiformis).

PRODIPLOSTOMUM Ciurea, I., 1933b, 159, 162 (tod: P. excavatum).

ODISTOMUM Linton, E., 1910b, 76-77 (tod: P. gracile).

oducta von Linstow, O. F. B., 1903t, 354-356, figs. 5-6. 1903: EPIBDELLA. 1927: PHYLLONELLA. 1938: ENTOBDELLA.

oductus Odhner, T., 1902e, 24, 25. 1902: ACANTHOCHASMUS. 1934: ACANTHOSTOMUM.

oductus Stafford, J., 1904b, 485. 1904: SINISTROPORUS. [1954]: PODOCOTYLE.

OECHINOCEPHALUS Srivastava, O. N., 1958a, 236-238 (tod: P. tarai).

OENENETERUM Manter, H. W., 1954b, 475, 490-491, 562 (tod: P. isocotylum).

OEPUTIODIPLOSTOMUM Gupta, R., [1962b], 88 (tod: P. indicum).

OFUNDIELLA Skrjabin, A. S., [1959a], 341-342 (tod: P. skrjabini).

ofundus Manter, H. W., 1934c, 258, 273-274, 339, 342, pl. 2, fig. 12. 1934: STERINGOPHORUS. [1954]: FELLODISTOMUM.

ofundus Manter, H. W., 1934c, 258, 311-312, 337, 339, 340, pl. 13, figs. 82-85. 1934: STERRHURUS. 1947: LETHADENA (mt).

ogastrica Sinitsin, 1911a, 42, 90, pl. 6, fig. 89. 1911: ADOLESCARIA.

ogenetica Markowski, S., 1936a, 292, 294, 311-312, 315, pl. 14, fig. 27. 1936: METORCHIS. 1959: BUNOCOTYLE. 1959: MONORCHIS [? lapsus for Metorchis].

ogenetica Serkova, O. P.; & Bykhovskii, B. E., 1940a, 162-175, figs. 1-5. 1940: ASYMPHYLODORA.

ogeneticum Büttner, A., [1951a], 380. [1951]: PARALEPODERMA.

ogeneticum Hall, J. E., 1959b, 1902 [nomen nudum]: 1960b, 309-311, 313, 314, 315, pl. I, figs. 1-3. 1960: NEOPROSTHODENDRIUM.

ogeneticum Wiśniewski, L. W., 1933b, 260, 267, 268-217, 273, 274, fig. 6. 1933: PSILOSTOMUM.

ogeneticus Dollfus, R. P. F., 1964a, 755-762, 766, figs. 1-4 (Gibbula umbilicalis; tissues between radula & intestine; sud de Rabat, Maroc). 1964: PROCTOECES.

ogeneticus Sogandares-Bernal, F., 1962a, 319-322, figs. 1-8 (Gambarellus puer; on surface of viscera in cephalothorax; Lousiana). 1962: MICROPHALLUS.

ROGONIMODISCUS Vercammen-Grandjean, P. H., 1960d, 63-64 (tod: P. doyeri).

ROGONOTREMA Perez Vigueras, I., 1950c, 249-251, for Prosogonotrema.

ogonum Jaiswal, G. P., 1957a, 43-44, fig. 7. 1957: CLINOSTOMUM.

ROGONUS Looss, A., 1899b, 643 (tod: P. mülleri).

ROHARMOSTOMUM Sinitsin, D. T., 1931e, 814.

ROHEMISTOMULUM Ciurea, I., 1933b, 156-157, 162.

ROHEMISTOMUM Odhner, T., 1913c, 313-317 (tod: P. spinulosum).

ROHYPTIASMUS Witenberg, G. G., 1923b, 85, 99, 118, 119, 120, 124 (tod: P. robustus).

ojecta Willey, C. H., 1930b, 481-489, figs. 1-5. 1930: CERCARIA.

ROLECITHA Manter, H. W., 1961a, 72 (tod: P. obesa).

PROLECITHODIPLOSTOMUM Dubois, G., 1936a, 512, 514 (tod: P. constrictum).

prolecithum Oshmarin, P. G., 1963b, 74-76, fig. 30 (Alcedo att[h]is; intestine; Amursko-Ussuriiskii Okrug). 1963: BELOPOLSKIELLA (tod).

prolificus Lutz, A., 1935b, 160, 167, 173, 180. 1935: MESOSTEPHANUS (Provisional name).

prolixum Caballero y C., E.; & Montero-Gei, F., 1961a, 46-49, 71, 80, fig. 1 (Philander opossum fuscogriseus; conducto colédoco; Provincia de Alajuela, Costa Rica). 1961: MARITREMA.

proloba Baer, J. G., 1938a, 75-80, pl. 1, pl. 2, figs. 1-6. 1938: DUBOISIELLA.

PROLOBODIPLOSTOMUM Baer, J. G., 1959b, 9, 15, 17 (tod: P. garambense).

prolongus Hargis, W. J., 1955b, 128, 129-131, figs. 4-7. 1955: GYRODACTYLUS. [1959]: GYRODACTYLUS rarus.

promicrops MacCallum, G. A., 1915b, 409. 1915: ATALOSTROPHION. 1935: ATALOSTROPHIUM (ATALOSPARGANUM).

promicropsi Manter, H. W., 1940c, 13-14, 19, figs. 20-22. 1940: PROSORHYNCHUS.

promicropsi Manter, H. W., 1947a, 305-306, 374, 386, figs. 54-55. 1947: STEPHANOSTOMUM.

promiscua Nicoll, W., 1914h, 347-348. 1914: STRIGEA.

PROMPTENOVUM Witenberg, G. G., 1923b, 85, 99, 127.

pronatus Rogers, W. A., 1967, 501, 517, figs. 167-173 (J. Parasitol., v. 53 (3)) (Notropis hypselopterus, N. euryzonus; Alabama). 1967: DACTYLOGYRUS.

PRONEOCHASMUS Szidat, L., 1954a, 5, 34 (tod: P. argentinensis).

PRONOCEPHACUS Braun, M. G. C. C., 1901b, 50, lapsus for Pronocephalus.

PRONOCEPHALUS Looss, A., 1899b, 551, 666 (tod: P. trigonocephalus).

PRONOPHARYNX Cohn, L., 1904a, 239-240 (tod: P. nematoides).

PRONOPRYMNA Poche, F., 1926b, 202 (tod: P. ventricosa).

PRONOPYGE Looss, A., 1899b, 641-642 (tod: P. ocreata).

PROPARORCHIS Ward, H. B., 1921a, 122 (tod: P. artericola).

propinqua Jägerskiöld, L. A. K. E., 1907a, 135-139, 140, 141, 142, 143, 144, 147, 148, 150, figs. 1-5. 1907: LEVINSENIELLA.

propinqua Lutta, A. S., 1934a, 307. 1934: CERCARIA.

propinquum Braun, M. G. C. C., 1901g, 942. 1901: GLAPHYROSTOMUM.

propinquus Bykhovskii, B. E., 1931a, 236-237, figs. 3-4. 1931: DACTYLOGYRUS. 1938: NEODACTYLOGYRUS.

propinquus Teixeira de Freitas, J. F.; & Dobbin, J. E., 1956a, 439-441, figs. 1-2. 1956: CATADISCUS.

propositus Yamaguti, S., 1938c, 3, 131-132, fig. 80. 1938: GLOMERICIRRUS.

propria Nicoll, W., 1914f, 140-141, 153, pl. 1, fig. 1. 1914: MEDIORIMA (type). 1934: LECHRIORCHIS.

proprius Gusev, A. V., 1955b, 270, 273, 395, 398, pl., fig. 35 (1). 1955: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 41).

PROPYCNADENOIDES Fischthal, J. H.; & Kuntz, R. E., 1964c, 248, 251 (tod: P. philippinensis).

PROSCHISTOSOMA Gretillat, S., 1962d, 556, 565, 567, 568 (tod: P. curassoni (Brumpt, 1931)).

prosechorchis Deblock, S.; Capron, A.; & Brygoo, E. R., 1965a, 503, 513-517, 520, figs. 6-7 (Zonosaurus sp.; vésicule biliaire; Mahabo, Madagascar). 1965: OMMATOBREPHUS.

PROSHYSTERA Korkhaus, R., 1930b, 293-294 (mt: P. rossittensis).

prosocotyle Lutz, A., 1928a, 118, 120. 1928: CONCHOGASTER. ?1937: CRASSIPHIALA. [1938]: UVULIFER.

PROSOGONARIUM Yamaguti, S., 1952a, 191-192 (tod: P. arii).

PROSOGONOTREMA Perez Vigueras, I., 1940c, 249-252 (mt: P. bilabiatum).

PROSOMICROCOTYLA Yamaguti, S., 1958b, 84 (tod: P. gotoi).

PROSORCHIOPSIS (Dollfus, 1938) Skrjabin, K. I.; & Gushanskaia, L. K., 1954a, 500 (type: P. legendrei).

PROSORCHIS Yamaguti, S., 1934a, 252, 507-508 (tod: P. psenopsis).

PROSORHYNCHOIDES Dollfus, R. P. F., 1929d, 100, 105 (tod: P. ovatus).

PROSORHYNCHUS Odhner, T., 1905a, 296, 297-305 (tod: P. squamatus).

PROSOSTEPHANUS Lutz, A., 1935b, 161, 166, 173, 179, 180 (mt: P. industrium).

prosostomum Dubois, G.; & Rausch, R. L., 1948a, 30, 54-55, 59, fig. 18. 1948: POSTHODIPLOSTOMUM microsicya. 1952: POSTHODIPLOSTOMUM.

PROSOTOCUS Looss, A., 1899b, 616, 623 (tod: P. confusus).

PROSTATOMICROCOTYLA Yamaguti, S., 1968, 18, 185, 187 (Monogenetic trematodes of Hawaiian fishes) (tod: P. kuhliae).

prostae Molnár, K., 1964b, 461-462, fig. 2 (1-6) (Leuciscus cephalus; Hungary). 1964: DACTYLOGYRUS.

PROSTERRHURUS Fischthal, J. H.; & Kuntz, R. E., 1963f, 90 (mt: P. labeonis).

PROSTHENHYSTERA Travassos, L. P., 1922b, 17, 19 (tod: P. obesa).

PROSTHODENDRIUM Dollfus, R. P. F., 1931b, 484 (tod: Lecithodendrium dinanatum).

prosthogonimicuneati Vergun, G. I., 1957a, 159. 1957: CERCARIA.

PROSTHOGONIMUS Luehe, M. F. L., 1899k, 539 (tod: P. ovatus).

PROSTHOPYCOIDES Martin, G. W., 1966, 1066-1069 (J. Parasitol. v. 52 (6)) (tod: P. lynchi (Ingles, 1936)).

prosthovitellatus Nicoll, W., 1914i, 115-117, pl. 7, fig. 7. 1914: ECHINOCHASMUS. 1931: EPISTHMIUM. 1947: ECHINOCHASMUS (EPISTHMIUM).

PROSTOMUS Fuhrmann, O., 1928b, 62.

PROSTRIGEA Bisseru, B., 1956e, 217, 224, 229, 239 (tod: P. arcuata).

PROTANCYROCEPHALUS Bykhovskii, B. E., 1957a, 34, 36, 95, 157-159, 250, 348, 349, 351 (mt: P. strelkowi).

PROTECHINOSTOMA Beaver, P. C., 1943c, 65-70 (tod: P. mucronisertulatum).

protei Prudhoe, S., 1945b, 378, 379, 380, 381, fig. 1. 1945: PLAGIOPORUS.

PROTENES (Barker & Covey, 1911) Ward, H. B., 1918a, 394.

PROTENTERON Stafford, J., 1904b, 494 (mt: P. diaphanum).

PROTERODIPLOSTOMUM Dubois, G., 1936a, 511, 513 (tod: P. longum).

PROTEROMETRA Horsfall, M. W., 1933a, 175-176 (mt: P. macrostoma).

proteropora Thomas, J. D., 1958a, 1-3, figs. 1-2. 1958: EMOLEPTALEA.

proterorhini Vojtek, J., 1964b, 125, 126, 128, 129, figs. 1 (2), 2 (4). 1964: APATEMON cobitidis.

proteus Brandes, G. P. H., 1891d, 19, 22, 23. 1891: MONOSTOMA. 1892: NOTOCOTYLE. 1899: BARIS (mt). 1902: DEUTEROBARIS (type).

PROTOCLADORCHIS Willey, C. H., 1935b, 8-14 (tod: P. pangasii).

PROTOFASCIOLA Odhner, T., 1926a, 1-7 (mt: P. robusta).

PROTOFASCIOLOPSIS Fuhrmann, O., 1928b, 121.

PROTOGYRODACTYLUS Johnston, T. H.; & Tiegs, O. W., 1922a, 84, 85, 87, 88, 90 (tod: P. quadratus).

PROTOMICROCOTYLE Johnston, T. H.; & Tiegs, O. W., 1922a, 84, 85, 123, 125-126 (tod: Acanthodiscus mirabilis).

PROTOPOLYSTOMA Bykhovskii, B. E., 1957a, 280, 400, 401 (mt: P. xenopi (Price, 1943)).

protopteri Dollfus, R. P. F., 1929d, 84-85, fig. 8. 1929: DISTOMA.

protopteri Thomas, J. D., 1958b, 9-10, 11, 12, figs. 1-5. 1958: HETERORCHIS.

protuberus Rogers, W. A.; & Wellborn, T. L., 1965a, 977, 978, 980-981, figs. 6-10 (Notropis uranoscopus; fins & body; Perry County, Alabama). 1965: GYRODACTYLUS.

PROVISOGENUS Witenberg, G. G., 1926a, 132.

provitellaria Sacks, M., 1952a, 267-269, pl., fig. 1. 1952: LANGERONIA. 1958: LOXOGENES.

provitellosum Sogandares-Bernal, F., 1959b, 85, 87, 88, 115, figs. 33-34. 1959: STEPHANOSTOMUM.

provittelaria Bennett, H. J., 1938a, 247. 1938: DASYMETRA.

proxilliciens Canavan, W. P. N., 1937a, 478, 479-481, fig. 2. 1937: DICROCOELIUM. 1938: PLATYNOSOMUM.

proxima Lespès, P. G. C., 1857b, 116, pl. 1, fig. 14. 1857: CERCARIA. 1858: CERCARIA (GYMNOCEPHALA).

proximum Travassos, L. P., 1921p, 338, fig. 2. 1921: PACHYTREMA.

proximum Travassos, L. P., 1922f, 188. 1922: EPISTHMIUM. 1947: ECHINOCHASMUS (EPISTHMIUM).

proximus Barker, F. D., 1915a, 192, pl. 2, fig. 3. 1915: PLAGIORCHIS. 1931: PLAGIORCHIS (PLAGIORCHIS).

proximus Bykhovskii, B. E.; & Polianskii, I. I., [1954a], 106, 108, 109, 117, fig. 16. [1954]: GYRODACTYLUS.

proximus Kutikova, L. A., 1950a, 135-136, 140, 141, fig. 1950: GYRODACTYLUS arcuatus.

proximus Teixeira de Freitas, J. F., 1941e, 31, 39-40, figs. 24-30. 1941: GLYPTHELMINS. 1959: MARGEANA.

prudhoei Bisseru, B., 1956d, 55-58, figs. 6-7. 1956: NEODIPLOSTOMUM (NEODIPLOSTOMUM).

prudhoei Deblock, S.; & Tran Van Ky, P., 1966, 23, 30-35, figs. 3-4 (Ann. Parasitol., v. 41 (1)) (Charadrius hiaticula; Orkney Islands, Great Britain). 1966: SPHAIRIOTREMA (tod).

prudhoei Yeh, L. S., 1954a, 675, 678, 680-683, figs. 4-5. 1954: GRASSITREMA.

PRUDHOELLA Beverley-Burton, M., 1960c, 129 (mt: P. rhodesiensis).

prussica Mühling, P., 1896a, 590. 1896: CYATHOCOTYLE (type).

PRYMNOPRION Looss, A., 1899b, 628-629 (tod: P. ovatus).

psammechini Timon-David, J., 1934a, 4, 12-16, figs. 5-6. 1934: METACERCARIA.

psenopsis Yamaguti, S., 1934a, 252, 477-479, fig. 119. 1934: LECITHOCLADIUM.

psenopsis Yamaguti, S., 1934a, 252, 505-508, figs. 131-132. 1934: PROSORCHIS.

PSETTARIUM Goto, S.; & Ozaki, Y., 1930a, 81 (for Plehnia Goto & Ozaki).

pseudacanthii Tendeiro, J.; & Valdez, V., 1955b, 134-139, 141, 142, 144, fig. 7, pl., figs. 3-4. 1955: ERPOCOTYLE.

PSEUDACANTHOCOTYLA Yamaguti, S., 1963a, 112 (tod: P. williamsi (Price, 1938)).

PSEUDACOLPENTERON Bykhovskii, B. E.; & Gusev, A. V., 1955a, 110, 117 (tod: P. pavlovskii).

PSEUDALLACANTHOCHASMUS Velasquez, C. C., 1961a, 915 (tod: P. grandispinus).

PSEUDALLASSOSTOMA Yamaguti, S., 1958a, 555-556 (tod: P. heteroxenus).

PSEUDALLOBENEDENIA Yamaguti, S., 1966, 419, 423 (Pacific Science, v. 20 (4), Oct.) (tod: P. apharei).

pseudalveatum Price, E. W., 1931a, 9-10, 11, fig. 4. 1931: PARAMONOSTOMUM.

pseudamnicolae Sordi, M., 1948a, 141, 142, figs. 1-3. 1948: CERCARIA.

PSEUDAMPHIBDELLA Yamaguti, S., 1958b, 72 (tod: P. paralichthydis).

PSEUDAMPHIMERUS Gower, W. C., 1940a, 163-166 (tod: P. sterni).

PSEUDAMPHISTOMUM Luehe, M. F. L., 1908a, 429, 431, 432, 433 (tod: P. truncatum).

pseudamphistomum Creplin, F. C. H., 1846a, 146. 1846: MONOSTOMA.

PSEUDANCYLODISCOIDES Yamaguti, S., 1963a, 77-78 (tod: P. gigi (Yamaguti, 1942)).

PSEUDANCYROCEPHALUS Yamaguti, S., 1968, 15, 98, 100 (Monogenetic trematodes of Hawaiian fishes) (tod: P. kala).

PSEUDANTHOCOTYLOIDES Price, E. W., 1958a, 10 (tod: P. banghami).

PSEUDAPATEMON Dubois, G., 1936a, 510, 512 (tod: P. elassocotylus).

pseudarmata Brown, F. J., 1926a, 28-29, pl. 2, figs. 19-21. 1926: CERCARIA.

PSEUDASCOCOTYLE Sogandares Bernal, F.; & Bridgman, J. F., 1960a, 33, 34, 35-36, 37, 38, fig. 8 (tod: P. mollienisicola).

pseudaspii Akhmerov, A. K., (1941); Akhmerov, A. K. in Pigulevskii, S. V., 1953a, 263, 318, 323-324, fig. 74 [Avtoreferat dissertatsii]. (1941): PHYLLODISTOMUM. 1953: PHYLLODISTOMUM (PHYLLODISTOMUM).

pseudaspii Akhmerov, A. A., 1960c, 287-289, 294, fig. 2. 1960: NEOALLOCREADIUM.

pseudaspii Gusev, A. V., [1954a], 131-132, fig. 4. [1954]: DACTYLOGYRUS.

PSEUDATHESMIA Travassos, L. P., 1942b, 349, 350 (tod: P. paradox).

pseudattenuatum Dubois, G., 1928a, 33-36, fig. 1. 1928: HEMISTOMUM. 1932: NEODIPLOSTOMUM.

pseudaureum Dollfus, R. P. F., 1946a, 120-122, 127, fig. 3, pl. 1, figs. 1-2. 1946: ENENTERUM .

PSEUDAXINE Parona, C.; & Perugia, A., 1890h, 11-12, 19 (mt: P. trachuri).

PSEUDECHINOSTOMUM Odhner, T., 1910d, 94, 95, 106, 142, 146, 163 (tod: P. incoronatum).

PSEUDECHINOSTOMUM Shchupakov, I., 1936a, 137 (tod: P. advena).

PSEUDEMPLEUROSOMA Yamaguti, S., 1965, 55, 64, 66, 68 (Pacific Science, v. 19 (1), Jan.) (tod: P. carangis).

pseudemyae Byrd, E. E., 1939a, 126, 128-129, 130, 139, 148, 149, pl. 1, fig. 2. 1939: SPIRORCHIS.

pseudeutropei Gupta, S. P., [1955b], 2, 6-8, 12, figs. 3-4. [1955]: NEOBUCEPHALOPSIS.

PSEUDEXORCHIS Yamaguti, S., 1938c, 2, 66, 68 (tod: P. major).

PSEUDHEMISTOMUM Szidat, L., 1936a, 313.

PSEUDHYPTIASMUS (Dollfus, 1948) Timon-David, J., 1954b, 400-402.

pseudibis Odening, K., 1962, 381, 388-390, 421, 423, figs. 3-4 (Pseudibis papillosa, ? Casmerodius albus modestus; Mittlerer Bereich des Dünndarms; Berliner Tierparks). 1962: STRIGEA.

pseudis Fahel, J., 1952a, 435, for G. palmipedis. 1952: GLYPTHELMINS.

pseudis Lutz, A., 1928a, 133, pl. 25, fig. 3. 1928: PNEUMONOECES.

PSEUDOACANTHOSTOMUM Caballero y C., E.; Bravo Hollis, M.; & Grocott, R. G., 1953b, 124 (tod: P. panamensis).

eudoaculeatus Dollfus, R. P. F., 1929e, 23 (n. n. for Telorchis aculeatus (American form)). 1929: TELORCHIS.

EUDOANTHOCOTYLE Bykhovskii, B. E.; & Nagibina, L. F., 1954a, 30, 36 (tod: P. pavlovskyi).

EUDOARTYFECHINOSTOMUM Bhardwaj, O. N., 1963b, 303, 308, 311 (mt: P. laruei-formis).

eudoattenuatum Shibue, H., 1954d, 57, 58-59.for pseudattenuatum. 1954: NEODIPLO-STOMUM.

EUDOBACCIGER Nahhas, F. M.; & Cable, R. M., 1964a, 177 (tod: P. manteri).

eudobagri Akhmerov, A. K., 1952a, 204, 205, 206, 211, fig. 8a. 1952: BYCHOWSKY-ELLA (tod).

eudobagri Yamaguti, S., 1934a, 250, 334-336, fig. 39. 1934: ORIENTOCREADIUM.

EUDOBARISOMUM Siddiqi, A. H.; & Cable, R. M., 1960a, 257, 271 (tod: P. hola-canthi).

EUDOBENEDENIA Johnston, T. H., 1931b, 95, 96 (tod: P. nototheniae).

EUDOBILHARZIELLA Ejsmont, L., 1929a, 395-396, 400-401 (tod: P. kowalewskii).

EUDOBOTHRIUM Gallien, L., 1937a, 11-13, 14 (mt: P. pristiuri).

eudobranchialis Job, S. V., 1964a, 128-134, figs. 1-4 (Sphyraena picuda; pseudo-branch on roof of buccal cavity; Gulf of Mannar & Madras). 1964: DIDYMOCYSTIS.

EUDOBUCEPHALOPSIS Long, S.; & Lee, W. C., 1964a, 570, 576, 578, 580 (mt: P. spheroides).

eudoburti Rankin, J. S., 1939a, 87-91, figs. 1-3. 1939: CERCARIA.

EUDOCALCEOSTOMA Yamaguti, S., 1963a, 93-94.(tod: P. sciaenae (Yamaguti, 1940)).

eudocarangis Sogandares-Bernal, F., 1959b, 90, 91, 115, figs. 35-36.- 1959: STEPHANOSTOMUM.

eudocellata Cort, W. W., 1936b, 353. 1936: CERCARIA.

eudocellata Szidat, L., 1942a, 482, 492, 493, 513, 520, 522-523, figs. 6-7, 18c. 1942: CERCARIA.

EUDOCHAUHANEA Yamaguti, S., 1965, 56, 87, 88-89 (Pacific Science, v. 19 (1), Jan.) (tod: P. sphyraenae).

EUDOCHETOSOMA (Dollfus, 1951) Dollfus, R. P. F., 1952f, 370, 371-372, 381, 382, 383, 384 (mt: P. salmonicola).

EUDOCHIORCHIS Yamaguti, S., 1958a, 377-378.

eudocirrata Witenberg, G. G., 1929b, 140, 174-175, 214, 233, fig. 15. 1929: DIOR-CHITREMA (tod).

EUDOCLADORCHIS Dadai, J., 1906b, 529-544.

eudoclathratum Krause, R. K. L., 1914a, 105, 106, 109, 110, 121, 122, 123, 124, 198-204, figs. h^2-p^2, pl. 6, fig. 6. 1914: HEMISTOMUM. 1926: ALARIA. 1938: ALARIA (PARALARIA).

EUDOCLEPTODISCUS Caballero y C., E., 1961b, 61.

PSEUDOCODYLE Taschenberg, G., 1879c, 49, for Pseudocotyle.

pseudocotyea Witenberg, G. G., 1923b, 85, for pseudocotylea. 1923: UVITELLINA.

PSEUDOCOTYLE van Beneden, P. J.; & Hesse, C. E., 1865a, 4th appendix, 11-18 (mt: P. squatinae).

pseudocotylea Witenberg, G. G., 1923b, 85, 94, 99, 102, 105, 106-107, pl. 2, fig. 11. 1923: UVITELLINA. 1927: CYCLOCOELUM. 1948: HAEMATOTREPHUS (UVITELLINA) (tod).

PSEUDOCREADIUM Layman, E. M., 1930a, 68, 95 (tod: P. monocanthi).

PSEUDOCROCODILICOLA Byrd, E. E.; & Reiber, R. J., 1941a, 357; 1942c, 55, 63, 64, 65 (tod: P. americaniense).

PSEUDOCRYPTOGONIMUS Yamaguti, S., 1958a, 219-220 (tod: P. cirrhiti).

PSEUDOCRYPTOTROPA Yamaguti, S., 1958a, 749-750 (tod: P. macrotestis).

PSEUDOCTOCOTYLA Yamaguti, S., 1938f, 15, 25, 26 (tod: P. dorosomatis).

pseudocystosphincter Dubois, G., 1964a, 384-388, figs. 1-4 (Hipposideros caffer; rectum; Albertville, Congo). 1964: PROSTHODENDRIUM.

PSEUDODACTYLOCOTYLA Yamaguti, S., 1963a, 174 (tod: P. phycidis (Parona & Perugia, 1889)).

PSEUDODACTYLOGYRUS Gusev, A. V., 1965a, 124-125 (tod: P. bini (Kikuchi, 1929)).

pseudodasybatis Hargis, W. J., 1955e, 210, 211, 212-213, 224, pl. II, figs. 12-15. 1955: THAUMATOCOTYLE.

pseudodenticulata Mendheim, H., 1940a, 489, 530-532, figs. 31-32. 1940: STEPHANOPRORA. 1956: MESORCHIS.

PSEUDODICLIDOPHORA Yamaguti, S., 1965, 55, 69, 71 (Pacific Science, v. 19 (1), Jan.) (tod: P. decapteri).

PSEUDODIPLECTANUM Tripathi, Y. R., 1957a, 5, 15, 16 (tod: P. cynoglossum).

PSEUDODIPLODISCUS Manter, H. W., 1962a, 98 (tod: P. cornu (Diesing, 1836)).

PSEUDODIPLORCHIS Yamaguti, S., 1963a, 291 (tod: P. americanus (Rodgers & Kuntz, 1940)).

PSEUDODIPLOSTOMUM Yamaguti, S., 1934b, 544, 580-582 (tod: P. cochleariforme).

pseudodisci collinsi Peter, C. T.; & Srivastava, H. D., 1955b, 353. 1955: CERCARIA.

PSEUDODISCOCOTYLA Yamaguti, S., 1965, 55, 82, 83 (Pacific Science, v. 19 (1), Jan.) (tod: P. opakapaka).

PSEUDODISCOGASTEROIDES Gupta, S. P., [1955b], 191.

PSEUDODISCUS Sonsino, P., 1895n, 184, 185, 186.

PSEUDODISTOMULA Lutz, A., 1933a, 41, 58.

PSEUDODISTOMULUM Lutz, A., 1933a, 33, 35-36.

pseudodivaricata Faust, E. C., 1924e, 296. 1924: CERCARIA.

pseudoechinatum Olsson, P., 1876b, 21-22, pl. 4, figs. 45-49. 1876: DISTOMA. 1892: ECHINOSTOMA. 1909: MESORCHIS (type). 1958: STEPHANOPRORA.

EUDOECHINOCHASMUS Verma, S. C., 1936c, 168 (tod: P. satjivani).

eudo-echinostoma Faust, E. C., 1924e, 247-248, 290, pl. 1, fig. 5. 1924: CERCARIA.

EUDOECHINOSTOMUM Bashkirova, E. I., 1947a, 383, 384, for Pseudechinostomum.

EUDOENTOBDELLA Yamaguti, S., 1963a, 130 (tod: P. pacifica (Guberlet, 1936)).

EUDOEURYSORCHIS Caballero y C., E.; & Bravo Hollis, M., 1962a, 110-113 (tod: P. travassosi).

EUDOEXORCHIS Morozov, F. N., 1962b, 580, 583, for Pseudexorchis.

eudofelineus Ward, H. B., 1901b, 180. 1901: OPISTHORCHIS. 1911: AMPHIMERUS.

eudoflagillicirrus Long, S., 1963a, 24, 25, 28, 32, fig. 4 (Culter erythropterus; gill slits; Taihu). 1963: DACTYLOGYRUS.

eudofolium Nybelin, O., 1926a, 12-13, 21, 22, 25, fig. 5. 1926: PHYLLODISTOMUM. 1953: PHYLLODISTOMUM (PHYLLODISTOMUM).

EUDOGALACTOSOMA Yamaguti, S., 1942b, 131, 142, 144-145 (tod: P. macrostoma).

eudoglessulae Porter, A., 1938a, 5, 9, 308-310, pl. 46, figs. 1-2. 1938: CERCARIAEUM.

EUDOGLOSSODIPLOSTOMUM Dubois, G., [1945a], 12, 32, 68, 73 (tod: P. hieraetii).

eudogobii Akhmerov, A. K., 1952a, 186, 188, 190, 210, fig. 3 (1). 1952: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 42).

eudogonotyla Chen, H. T., 1944b, 159-161, pl., figs. 1-4. 1944: SPELOTREMA. 1951: CARNEOPHALLUS. [1958]: MICROPHALLUS.

eudogracilis Zdun, W., 1959b, 97, 99, 103, 106-107, figs. 4, 4a. 1959: CERCARIA.

eudogranifera Ito, J., 1957a, 439-444, figs. 1-10. 1957: CERCARIA.

eudogypsis Bisseru, B., 1956d, 57, 58-59, figs. 5-6. 1956: NEODIPLOSTOMUM (NEODIPLOSTOMUM).

eudogyrina Nahhas, F. M.; & Cable, R. M., 1964a, 183-184, 185, pl., fig. 15 (Cantherines pullus; intestine; Jamaica). 1964: MEGAPERA.

EUDOHALIOTREMA Yamaguti, S., 1953b, 203, 218, 222 (tod: P. spincteroporus).

EUDOHALIOTREMATOIDES (Yamaguti, 1953) Yamaguti, S., 1963a, 79 (new rank) (tod: P. fusiforme (Yamaguti, 1953)).

EUDOHAPLADENA Yamaguti, S., 1952a, 181 (tod: P. scatophagi).

EUDOHAPLORCHIS Dayal, J., 1949a, 106 (tod: P. macrones).

EUDOHAPLORCHIS Yamaguti, S., [1954a], 147, 150 (P. anguillarum) (corrected on errata slip to Tubanguia).

eudoheteracantha Hargis, W. J., [1957a], 440, 442-443, pl. 1, figs. 1-9. [1957]: MICROCOTYLE. 1962: CYNOSCIONICOLA (Price, E. W., 1962c, 413).

EUDOHETEROLEBES Yamaguti, S., 1959b, 256-257 (tod: P. cotylophorus).

EUDOHETEROPHYES Yamaguti, S., 1939d, 130, 162, 164-165 (tod: P. continua).

eudoheterostomum Tubangui, M. A., 1933c, 178-179, 191, 197, pl. 3, fig. 1. 1933: CLINOSTOMUM.

PSEUDOHEXABOTHRIUM Brinkman, A., [1952a], 93 (tod: P. rajae).

PSEUDOHOLORCHIS Yamaguti, S., 1958a, 123 (tod: P. pulcher).

PSEUDOHURLEYTREMA Yamaguti, S., [1954a], 264 (tod: P. eucinostomi).

pseudolabri Manter, H. W., 1954b, 476, 513, 521-522, 525, 563, figs. 44-47. 1954: DECEMTESTIS.

PSEUDOLAMELLODISCUS Yamaguti, S., 1953b, 203, 229-230 (tod: P. sphyraenae).

PSEUDOLATEROTREMA (Yamaguti, 1939) Singh, S., 1962i, 96 [n. rank].

pseudolenoki Strelkov, I. A., 1963a, 132-133, 135-136, fig. 2 (Brachymystax lenok; gills; Amur river, Lake Khivanda). 1963: TETRAONCHUS (SALMONCHUS).

PSEUDOLEPIDAPEDON Yamaguti, S., 1938c, 1, 44 (tod: P. paralichthydis).

PSEUDOLEPTOBOTHRIUM Young, P. C., 1967, 1008, 1013, 1014-1015 (J. Parasitol., v, 53 (5), Oct.) (tod: P. aptychotremae).

PSEUDOLEUCOCHLORIDIUM Pojmańska, T., 1959a, 345, 360, 361, 363-364 (tod: P. soricis).

PSEUDOLEVINSENIELLA Tsai, S. -T., 1955a, 147-158 (tod: P. cheni).

pseudolinearis Khan, D., 1962b, 59-62, figs. 1-2 (Planorbis corneus; Stoneyfield's Park, (Edgware), London). 1962: CERCARIA.

pseudomarginatus Bravo Hollis, M., [1958a], 205-211, fig. 18, pl., figs. 14-17. [1958]: TROCHOPUS.

PSEUDOMARITREMA Belopol'skaia, M. M., 1952a, 689, 723 (tod: P. posterolecithale).

PSEUDOMAZOCRAEOIDES Price, E. W., 1961b, 139, 145 (syn.: Mazocraeoides Price, 1936 in part) (tod: P. megalocotyle (Price, 1959) n. comb.).

PSEUDOMAZOCRAES Caballero y C., E.; & Bravo Hollis, M., 1955a, 107, 113-115 (tod: P. monsivaisae).

PSEUDOMEGALOCOTYLA Yamaguti, S., 1963a, 137 (tod: P. latridis (Robinson, 1961)).

PSEUDOMERIZOCOTYLE Kay, M. W., 1942d, 255, 256-258, 260 (tod: P. dasybatis).

PSEUDOMETADENA Yamaguti, S., 1952a, 178 (tod: P. celebesensis).

PSEUDOMICROBOTHRIUM Yamaguti, S., 1958b, 53, 60 (tod: P. spari).

PSEUDOMICROCOTYLE Sandars, D. F., 1947a, 149, 151 (tod: P. elegatis).

pseudomicrostomum Harrah, E. C., 1922a, 12, 25, 26, 27, 29, 33, 34, 37-38, pl. 2, fig. 4, pl. 7, fig. 27, pl. 8, fig. 30, pl. 9, fig. 43. 1922: CYCLOCOELUM. 1926: CYCLOCOELUM (ANTEPHARYNGEUM).

pseudominima Hargis, W. J., 1955j, 11-12, 16, pl., figs. 78-79. 1955: HETEROCOTYLE

pseudomugilis Hargis, W. J., [1957a], 440, 443-444, pl. 1, figs. 10-13. [1957]: MICROCOTYLE.

PSEUDOMURRAYTREMA Bykhovskii, B. E., 1957a, 254, 309, 310, 348 (mt: P. copulatum

PSEUDOMURRAYTREMA Yamaguti, S., 1958b, 53, 70-71 (tod: P. spari).

PSEUDONEODIPLOSTOMUM Dubois, G., 1936a, 511, 514 (tod: P. thomasi).

PSEUDONITZSCHIA Yamaguti, S., 1965, 55, 60, 61 (Pacific Science, v. 19 (1), Jan.) (tod: P. uku).

PSEUDOPARABARIS Yamaguti, S., 1958a, 344-345 (type: P. parabaris).

PSEUDOPARAMPHISTOMA Yamaguti, S., 1938a, 96 (type: P. cuonum).

PSEUDOPARVUMCREADIUM Caballero y C., E., 1957b, 15-16, 21 (tod: P. maris).

PSEUDOPECOELINA Yamaguti, S., 1942c, 329, 349-351 (tod: P. dampieriae).

PSEUDOPECOELOIDES Yamaguti, S., 1940b, 36, 75, 108 (tod: P. tenuis).

PSEUDOPECOELUS Von Wicklen, J. H., 1946a, 159-160, 161 (tod: P. vulgaris).

pseudopellucidus Tubangui, M. A.; & Masiluñgan, V. A., 1941a, 132, 133, 141, pl. 1, figs. 1-2. 1941: PROSTHOGONIMUS.

PSEUDOPISTHODISCUS Yamaguti, S., 1958a, 377 (tod: P. americanus).

PSEUDOPISTHOGYNE Yamaguti, S., 1965, 55, 74, 76 (Pacific Science, v. 19 (1), Jan.). (tod: P. lepidocybii).

PSEUDOPISTHOGYNOPSIS Yamaguti, S., 1965, 55, 78, 80, 82 (Pacific Science, v. 19 (1), Jan.) (tod: P. lepidocybii).

PSEUDOPLAGIOPORUS Yamaguti, S., 1938c, 1, 26 (tod: P. lethrini).

PSEUDOPOLYSTOMA Yamaguti, S., 1963a, 298 (tod: P. dendriticum (Ozaki, 1948)).

PSEUDOPROCTOTREMA Yamaguti, S., 1942c, 330, 373 (tod: P. parupenei).

PSEUDOPROSORHYNCHUS Yamaguti, S., 1938c, 1, 9 (tod: P. synodi).

PSEUDOPROSTHENHYSTERA Kloss, G. R., 1966a, 190-191 (tod: P. microtesticulata) (tod).

PSEUDOPSILOSTOMA Yamaguti, S., 1958a, 662, 904 (tod: P. varium).

PSEUDOPTERINOTREMA Yamaguti, S., 1966, 419, 427, 429 (Pacific Science, v. 20 (4), Oct.) (tod: P. albulae).

PSEUDORAJONCHOCOTYLE Bykhovskii, B. E., 1959a, 198.

pseudorasborae Akhmerov, A. Kh., 1952a, 189, 194, 210, fig. 4z. 1952: ANCYROCEPHALUS.

PSEUDORENICOLA Odening, K., 1962b, 57, 58, 61 (tod: P. nana (Bychovskaja-Pavlovskaja, 1953)).

PSEUDORENIFER Price, E. W., 1935b, 437 (tod: P. megametricus).

PSEUDORHABDOSYNOCHUS Yamaguti, S., 1958a, 53, 65-66 (tod: P. epinepheli).

PSEUDORHIPIDOCOTYLE Wang & Pang, (1963) teste Long, S.; & Lee, W. C., 1964a, 567.

pseudorhombi Tripathi, Y. R., [1959a], 23, 41-43, 59, fig. 20. [1959]: ANCYROCEPHALUS.

pseudorhombi Yamaguti, S., 1938c, 3, 121-122, fig. 72. 1938: TUBULOVESICULA.

pseudornata Luehe, M. F. L., 1909b, 189, fig. 149. 1909: CERCARIA.

pseudorosea Bravo Hollis, M., 1956a, 266-268, 275, figs. 17-19. 1956: HYSTEROLECITHOIDES.

PSEUDOSELLACOTYLA Yamaguti, S., [1954a], 157 (tod: P. lutzi).

PSEUDOSIPHODEROIDES Yamaguti, S., 1958a, 369, 392 (tod: P. hapalogenyos).

pseudosloanei Odening, K., 1962b, 56, 57, 59 (syn.: R. sloanei Wright, 1954 ex parte, "from Uria aalge", ?R. sp. Wright, 1956 aus Gavia arctica, R. sp. Wright, 1956 aus Uria aalge). 1962: RENICOLA (R.).

PSEUDOSONSINOTREMA Dollfus, R. P. F., 1951a, 141, 144 (tod: P. chamaeleonis).

pseudospathula Ciurea, I., 1928a, 207, n. n. for Diplostomum spathula Brandes. 1928: NEODIPLOSTOMUM.

PSEUDOSPELOTREMA Yamaguti, S., 1939d, 130, 171, 173 (tod: P. japonicum).

PSEUDOSPELOTREMATOIDES (Yamaguti, 1939) Baer, J. G., [1944a], 72.

PSEUDOSTERINGOPHORUS Yamaguti, S., 1940b, 36, 88, 90-91 (tod: P. hoplognathi).

pseudostoma Willemoes-Suhm, R., 1870a, 11-12, pl. 11, fig. 2. 1870: DISTOMA. 1886: DIPLOSTOMUM. [1926: PARADIPLOSTOMUM]. 1926: CROCODILICOLA (tod). 1926: PARADIPLOSTOMUM.

PSEUDOSTOMACHICOLA Skrjabin, K. I.; & Gushanskaia, L. K., 1954a, 345, 435-436 (tod: P. rubea).

PSEUDOSTRIGEA Yamaguti, S., 1933b, 1, 3, 5, 6 (tod: P. buteonis).

PSEUDOTAGIA Yamaguti, S., 1963a, 208-209 (tod: P. cupida (Hargis, 1956).

PSEUDOTETRANCISTRUM Caballero y C., E.; & Bravo-Hollis, M., 1961b, 64 (tod: P. skrjabini).

PSEUDOTETRAONCHOIDES Bykhovskii, B. E.; Gusev, A. V.; & Nagibina, L. F., 1965a, 144, 159, 161, figs. 10 ZH (tod: P. bleekeriae).

PSEUDOTHORACOCOTYLA Yamaguti, S., 1963a, 283 (tod: P. ovalis (Tripathi, 1956)).

pseudotritoni Rankin, J. S., 1937a, 33-34, 40, 41, pl. 1, fig. 4. 1937: ALLOCREADIUM. 1958: CAINOCREADIUM.

pseudovaricus Velasquez, C. C., 1959a, 137, 145, 147, fig. 7. 1959: BUCEPHALUS.

pseudo-vivax Faust, E. C., 1924e, 255-256, 296, pl. 2, fig. 11. 1924: CERCARIA.

PSEUDOZOOGONOIDES Zhukov, E. V., 1957a, 841-842, 846 (tod: P. microacetabulum).

pseudura Manter, H. W., 1933b, 234-235, 236, 238, 240, pl. 32, figs. 1-2. 1933: EURYPERA (tod). 1934: MEGAPERA.

PSILLOTREMA Skrjabin, K. I.; & Shul'ts, R. E. S., 1934b, 390, for Psilotrema.

PSILOCHASMUS Luehe, M. F. L., 1909b, 57, 59 (mt: P. oxyurus).

PSILOCOLLARIS Singh, S., 1954a, 24 (tod: P. indicus).

PSILOLECITHUM Oshmarin, P. G., 1964a, 656 (tod: P. longorchum).

PSILOLINTONUM Oshmarin, P. G., 1964a, 655-656 (tod: P. lineatum).

PSILORCHIS Thapar, G. S.; & Lal, M. B., 1935b, 88, 91, 92, 93 (mt: P. indicus).

PSILOSTOMUM Looss, A., 1899b, 573-574, 578, 579 (tod: P. platyurum).

PSILOTREMA Odhner, T., 1913c, 296 (tod: P. similimum).

PSILOTREMATOIDES Yamaguti, S., 1958a, 904 (tod: P. castoris).

pteractinota Miller, E. L., 1935a, 252-253, 254, pl. 2, figs. 23-25. 1935: CERCARIA.

pterigynus Rogers, W. A., 1967, 501, 521, figs. 206-210 (J. Parasitol., v. 53 (3)) (Hypentelium etowanum; Georgia, Moxostoma poecilurum; Alabama). 1967: PELLUCIDHAPTOR.

PTERINOTREMA Caballero y C., E.; Bravo Hollis, M.; & Grocott, R. G., 1954a, 83, 84 (tod: P. macrostomon).

PTERINOTREMATOIDES Caballero y C., E.; & Bravo Hollis, M., 1955a, 97, 104-105 (tod: P. mexicanum).

PTEROCLEIDUS Mueller, J. F., 1937b, 210 (tod: P. acer).

pterocleidus Gusev, A. V., 1955b, 255-256, 350, 394, 397, fig. 29. 1955: DACTYLOGYRUS. 1964: GUSSEVIANUS (Akhmerov, A. K., 1964a, 75). 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 42).

PTEROCOTYLE van Beneden, P. J.; & Hesse, C. E., 96, 106 (palmatum-inhaerens, type by inclusion, also type because it is only species figured).

pteroisi Gupta, N. K., 1956a, 61, 62-64, fig. 1. 1956: STENOPTERA.

pteroisi Nagaty, H. F.; & Abdel Aal, T. M., 1962b, 384, 385, 386, fig. 3 (Pterois volitans; Ghardaga, Red Sea). 1962: HAMACREADIUM.

PTERONELLA van Beneden, P. J.; & Hesse, C. E., 1863a, 94-95 (mt: P. molvae).

pterophallus Yamaguti, S., 1968, 15, 86-87 (Monogenetic trematodes of Hawaiian fishes) (Centropyge potteri, Chromis verator, C. ovalis, Pomacentrus jenkinsi; gills; Hawaii). 1968: HALIOTREMA.

pterygialis Bykhovskii, B. E.; & Polianskii, I. I., [1954a], 96-98, 117, fig. 5. [1954]: GYRODACTYLUS.

pterygialis Gusev, A. V., 1955b, 254-255, 359, 360, 394, 397, fig. 28 (2). 1955: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 42).

PTERYGOTOMASCHALOS Stunkard, H. W., 1923c, 358; 1924b, 109 (mt: P. attenuatus).

ptochus Nicoll, W., 1915d, 28-29. 1915: AEPHNIDIOGENES. [1961]: LEPIDAPEDON (Skrjabin, K. I.; & Koval, V. P., [1961a], 258).

ptschelkini Sobolev, A. A., 1946a, 248-250, fig. 2. 1946: PLAGIORCHIS. [1959]: PLAGIORCHIS (PLAGIORCHIS).

PTYALINCOLA Wootton, D. M.; & Murrell, K. D., 1967, 739-742 (J. Parasitol., v. 53 (4), Aug.) (tod: P. ondatrae).

PTYASIORCHIS Mehra, H. R., 1937a, 430, 456, 462 (tod: P. (Ostiolum) mehrai).

ptychocheilus Faust, E. C., 1917a, 110-111, fig. 3. 1917: CERCARIA. [1920]: HOLOSTOMULUM. 1928: NEASCUS 1930: PARADIPLOSTOMUM. 1936: ORNITHODIPLOSTOMUM (tod).

ptychocheilus Monaco, L. H.; & Mizelle, J. D., 1955a, 462-463, 469, 475, figs. 83-96. 1955: DACTYLOGYRUS.

ptychocheilus palaearcticum Odening, K., 1963h, 227-228, fig. 7 (Mergus merganser; Dünndarm; Berliner Tierparks). 1963: ORNITHODIPLOSTOMUM.

PTYCHOGONIMUS Luehe, M. F. L., 1900u, 489 (mt: P. megastomus).

pudens Linton, E., 1900a, 269, 283, 290-291, pl. 37, figs. 40-47. 1900: DISTOMA.

puerilis Faust, E. C., 1921d, 13, pl. 3, fig. 4. 1921: CERCARIA.

puertoricensis Price, E. W., 1932g, 167. 1932: ASCOCOTYLE. 1935: ASCOCOTYLE (ASCOCOTYLE).

puffini Yamaguti, S., 1941a, 321, 335-338, figs. 12-14. 1941: GALACTOSOMUM.

pugetensis Acena, S. P., 1947a, 129-132, 133, 138, pl. 2, figs. 5-9. 1947: LEPIDAPEDON.

pugetensis Guberlet, J. E., 1937a, 457. 1937: ACANTHOCOTYLE. 1963: ALLACANTHOCOTYLA (Yamaguti, S., 1963a, 111).

pugetensis Kay, M. W., 1942d, 256, 257, 258-260, figs. 2-5. 1942: MERIZOCOTYLE.

pugetensis Lloyd, L. C.; & Guberlet, J. E., 1932a, 234-237, 238, 239, fig. 1. 1932: TELOLECITHUS (tod).

pugetensis Robinson, E. S., 1961a, 252, 253, 254-255, 263, figs. 37-42. 1961: DICLIDOPHORA. (Atheresthes stomias; gills; Washington). 1963: NEOHETEROBOTHRIUM (Yamaguti, S., 1963a, 185).

pugetensis Robinson, E. S., 1961a, 248, 249, 250, 263, figs. 25-29. 1961: ENTOBDELLA (Atheresthes stomias; gills; Washington). 1963: PSEUDOENTOBDELLA (Yamaguti, S., 1963a, 130).

pugio von Linstow, O. F. B., 1887d, 105, pl. 2, figs. 7, 17c. 1887: CERCARIA.

pugnax von La Valette Saint George, A. J. H., [1855a], 19, pl. 1, fig. R. [1855]: CERCARIA. [1855: C. microcotyla].

pulchelli Mukherjee, R. P., 1963b, 77, 78-79, 80, 83, figs. 1-2 (Bithynia pulchella; Bareilly, India). 1963: CERCARIA.

pulchellum Johnston, S. J., 1917a, 227-230, 249, 252, 256, pl. 16, fig. 16. 1917: HARMOSTOMUM. 1935: BRACHYLAEMUS. 1948: POSTHARMOSTOMUM.

pulchellum Rudolphi, C. A., 1819a, 94, 367-368, 595. 1819: DISTOMA. 1902: HELICOMETRA (type). 1903: DISTOMA (DICROCOELIUM).

pulcher Bravo Hollis, M., 1943b, 152-155, 156, 157, fig. 5. 1943: HAEMATOLOECHUS. 1962: OSTIOLUM (Skrjabin, K. I.; & Antipin, D. N., 1962a, 150).

pulcher Bykhovskii, B. E., [1958a], 114-115, 122, figs. 7-8. [1958]: DACTYLOGYRUS.

pulcher Manter, H. W., 1954b, 475, 492-493, 494, 495, 563, fig. 15. 1954: HOLORCHIS. 1958: PSEUDOHOLORCHIS.

pulcherrima Travassos, L. P., 1929a, 14, 15-16, pl., figs. 2-3. 1929: MARITREMA.

pulcherrima Weyenbergh, G. H., [1876a], 167-169, pl. 9, figs. 75-78. [1876]: AMPHISTOMA. 1878: DISTOMA.

pulchra Ališauskaitė, V., [1959a], 32, 38, 39. [1959]: CERCARIA.

pulchra Travassos, L. P., 1921n, 180, fig. 2. 1921: MACIA. 1947: XYSTRETRUM.

PULCHROSOMA Travassos, L. P., 1916b, 313-314 (tod: P. pulchrosoma).

pulchrosoma Travassos, L. P., 1916b, 313-314. 1916: PULCHROSOMA (tod). 1949: CATHAEMASIA.

PULCHROSOMOIDES Teixeira de Freitas, J. F.; & Lent, H., 1937e, 55-57, figs. 1-2 (tod: P. elegans).

pulchrum Johnston, S. J., 1913a, 362, 386-389, pl. 24, fig. 12, pl. 27, figs. 41-42. 1913: STERINGOTREMA. [1954]: LINTONIUM. (Yamaguti, S., [1954a], 21).

pulchrum Travassos, L. P., 1920d, 21-22, fig. 11, 1920: EURYTREMA. 1944: CONSPICUUM. [1953]: EURYTREMA (CONSPICUUM).

pulicis von Linstow, O. F. B., 1892a, 333-334, pl. 15, fig. 19. 1892: DISTOMA. 1926: CERCARIA.

pulmonale Baelz, E., 1883a, 236-237, fig. 3. 1883: DISTOMA. 1890: MESOGONIMUS. 1957: PARAGONIMUS.

pulmonale von Linstow, O. F. B., 1904u, 678-680, figs. 1-2. 1904: OPISTHOTREMA. 1926: PULMONICOLA (mt).

pulmonale colubri natricis Viborg, E. N., 1795a, 243. 1795: DISTOMA.

pulmonalis Artigas, P. de T.; Ruiz, J. M.; & Leão, A. T., [1943a], 157, 158-160, 163, 167, pl., figs. 1-3. [1943]: LIOPHISTREMA (tod).

pulmonar Toussaint [3], 1895a, 488-489, for pulmonale. 1895: DISTOMA.

pulmonis Kiyona, Suga & Yamagata, 1881, teste Ijima, 1889b, 148, see westermanii. 1881: DISTOMA.

pulmonum Baelz, E., 1880a, 721, see westermanii. 1880: GREGARINA. (1883): DISTOMA. [1899: PARAGONIMUS].

PULMOVERMIS Coil, W. H.; & Kuntz, R. E., 1960b, 148, 149, 150 (tod: P. cyanovitellosus).

pulsans Zdún, V. I., 1952a, 95, 99-100, 111, 112, fig. 3. 1952: CERCARIA.

pulverulenta Braun, M. G. C. C., 1901g, 946-947. 1901: BILHARZIELLA. 1924: DENDRITOBILHARZIA.

pulvinatum Braun, M. G. C. C., 1899e, 630. 1899: DISTOMA. 1910: THAUMATOCOTYLE. 1930: BRAUNOTREMA (tod).

PULVINIFER Yamaguti, S., 1933b, 1, 23, 27 (tod: P. singularis).

pulvomornini Isaichikov, I. M., 1928d, 19, 21, 47, 49, 50-51, 52, pl. 2, figs. 8-9. 1928: HELICOMETRA.

pumex Looss, A., 1907e, 615. 1907: PRISTISOMUM.

pumilio Looss, A., 1896b, 154-158, pl. 10, figs. 101-106. 1896: MONOSTOMUM. 1899: HAPLORCHIS (type). 1931: NAPLORCHIS [lapsus].

punctata Müller, O. F., 1774a, 57. 1774: FASCIOLA. 1787: PLANARIA.

punctati Agrawal, V., 1966, 217, 228-230, figs. 1-5 (Ann. Parasitol., v. 41 (3)) (Ophicephalus punctatus; stomach; Lucknow). 1966: GENARCHOPSIS.

punctati Dayal, J.; & Gupta, S. P., 1954b, 190. 1954: BRAHAMPUTROTREMA.

punctatum Diesing, K. M., 1850a, 329, for punctum Zeder. 1850: DISTOMA.

punctum Ercolani, G. B., 1882a, 51-52, 108, pl. 1, figs. 38-41. 1882: CERCARIA.

punctum Zeder, J. G. H., 1800a, 164, 183-184. 1800: DISTOMA. 1828: FASCIOLA.

pungens von Linstow, O. F. B., 1894b, 333-334, fig. 10. 1894: DISTOMA. 1899: ECHINOSTOMA. 1928: PETASIGER. 1947: PETASIGER (PETASIGER).

pungitii Malmberg, G., 1964a, 222, 224, 225, fig. 15 d-e (syn.: G. rarus Wegener sensu Bykhovskii et Polianskii 1953). 1964: GYRODACTYLUS.

pungitis Shigin, A. A., 1965c, 264-265 (koliushki [Gasterosteus aculeatus], okunia [Perca fluviatilis]; eye; Rybinsk Reservoir & Volga Delta). 1965: DIPLOSTOMUM.

punicus Balozet, L.; & Callot, J., 1938b, 18-21, 28, fig. 1 A-E. 1938: PLEUROGENOIDES stromi. 1948: PLEUROGENES stromi.

puntii Buschkiel, A. L., 1930a, 121-140, figs. 7-9. 1930: DACTYLOGYRUS.

pupula Bory de Saint Vincent, G. J. B. M., 1825b, 252. 1825: HISTRIONELLA.

puriensis Tripathi, Y. R., 1957a, 5, 11-12, figs. 15-17. 1957: DIPLECTANUM.

purii Srivastava, H. D., 1937p, 297. 1937: INDODEROGENES (mt).

purii Srivastava, H. D., 1939 l, 69, 70-71, fig. 2. 1939: HAPLOSPLANCHNUS.

purius Dayal, J., 1947a, 120 [nomen nudum]; 1948a, 48-51, figs. 1-3. 1948: NEOPROSORHYNCHUS.

purpuracauda Miller, H. M., 1925b, 76-78, 83, pl. 3, figs. 1-4. 1925: CERCARIA.

purpurae Lebour, M. V., 1912a, 446-447, pl. 29, figs. 1-3. 1912: CERCARIA.

purvisi Dawes, B., 1941a, 300-305, fig. 1. 1941: MULTICOTYLE (tod).

purvisi Southwell, T.; & Kirshner, A., 1937a, 215-219, figs. 1-5. 1937: CHIORCHIS. 1949: QUASICHIORCHIS.

pushpai Bhalerao, G. D., 1936d, 212-217, 218, 219, 225, fig. 5. 1936: PROSTHODENDRIUM. 1943: TRAVASSODENDRIUM.

pusilla Braun, D. M., [1790a], 62-65, pl. 3, figs. 6-7. 1790: PLANARIA. 1790: FASCIOLA. 1803: DISTOMA. (1892): AGAMODISTOMUM.

pusilla Guberlet, J. E., 1928c, 205-211, 216-217, figs. 1-8. 1928: STOMATREMA (tod).

pusilla Holliman, R. B., 1961a, 17-18, figs. 25-26 (Chione cancellata; Alligator Harbor, Franklin County, Florida). 1961: CERCARIA.

pusilla Looss, A., 1896a, 229-230, 231, 232, pl. 16, figs. 178-180. 1896: CERCARIA.

pusilla Stafford, J., 1904b, 485-486. 1904: NEOPHASIS.

pusillum Dubois, G., 1928a, 36-37, figs. 2-2a. 1928: HEMISTOMUM. 1932: DIPLOSTOMUM.

pusillum Lutz, A., 1928a, 123, pl. 24, fig. 1. 1928: CLINOSTOMUM.

pusillum Onji, Y.; & Nishio, T., [1924b], 372-373, pl. 2, fig. 5. [1924]: CORNATRIUM. 1958: STICTODORA.

pusillum Stafford, J., 1904b, 494-495. 1904: GASTEROSTOMUM. 1918: BUCEPHALUS. 1932: BUCEPHALOPSIS. 1932: PROSORHYNCHOIDES [? lapsus for Bucephalopsis].

pusillus Gusev, A. V., 1955b, 265, 266, 395, 397, fig. 33 (3). 1955: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 42).

pussilum Harz, K. O., 1881c, 3, for pusillum. 1881: DISTOMA.

ustulosa Holliman, R. B., 1961a, 32-34, figs. 61-64 (Melongena corona; Live Oak Point, Wakulla County, Florida). 1961: CERCARIA.

utjatini Zhukov, E. V., 1957a, 840-841, 846, fig. 1. 1957: ANOMALOTREMA.

utorii Gmelin, J. F., 1790a, 3053. 1790: FASCIOLA. 1790: PLANARIA. 1893: DISTOMA. [1850: D. trigonocephalum]. 1898: ECHINOSTOMUM.

utorii von Linstow, O. F. B., 1877b, 191, pl. 14, fig. 21. 1877: DIPLOSTOMUM. 1878: TETRACOTYLE. 1929: DIPLOSTOMULUM.

utorii Molin, R., 1858d, 121. 1858: DISTOMA. (1892): AGAMODISTOMUM. 1952: ALARIA.

utrescens Looss, A., 1902h, 135, 143, fig. 14. 1902: LECITHOBOTHRYS.

utschkowskii Skrjabin, K. I., 1912f, 1273, 1275, 1277, 1279, 1281, 1283, 1284, 1285, 1286, figs. 1-2. 1912: PROSTHOGONIMUS.

PYCNADENA Linton, E., 1911a, 303 (n. n. for Didymorchis Linton).

PYCNADENOIDES Yamaguti, S., 1938c, 1, 24 (tod: P. pagrosomi).

PYCNOPORUS Looss, A., 1899b, 551, 610-611, 612, 618, 619 (tod: P. heteroporus).

ycnoporus Stossich, M., 1900b, 92-93, pl. 6, fig. 10. 1900: HOLORCHIS (tod).

ycnorganum Rees, F. G., 1953, 16, 21-25, 26, figs. 1-2. 1953: STEGANODERMA. [1954]: DERETREMA.

PYELOSOMUM Looss, A., 1899b, 667 (mt: P. cochlear).

pygargi Skrjabin, K. I.; & Shul'ts, R. E. S., 1933a, 267-270, figs. 1-2. 1933: OGMOCOTYLE (tod). 1954: OGMOGASTER [lapsus for Ogmocotyle].

PYGIDIOPSIS Looss, A., 1907b, 488 (mt: P. genata).

PYGIDIOPSOIDES Martin, W. E., 1951a, 297, 300 (tod: P. spindalis).

pygmaea similis Jaegerskiöld, L. A. K. E., 1900c, 737, figs. 1-3. 1900: LEVINSENIA. [1902: SPELOTREMA]. 1902: DISTOMA.

pygmaeum Levinsen, G. M. R., 1881a, 73-75, pl. 3, fig. 3. 1881: DISTOMA. 1899: LEVINSENIA. 1903: LEVINSENIELLA. 1902: SPELOTREMA. [1944]: MICROPHALLUS.

pygmaeum Näsmark, K. E., [1937a], 332, 423, 521, 522-523, 535, 563, pl. 4, figs. 10-12. [1937]: NILOCOTYLE. 1958: NILOCOTYLE (NILOCOTYLE).

pygmaeus Lutz, A., 1928a, 102-103, pl. 24, figs. 5-6. 1928: DIPLODISCUS. 1939: CATADISCUS.

pygocystophora Rao, M. A. N., 1933c, 238, for C. pygocytophora. 1933: CERCARIA.

pygocytophora Brown, E. J., 1931a, 96-97, pl. 3, figs. 13-14. 1931: CERCARIA.

PYGORCHIS Looss, A., 1899b, 587 (mt: P. affixus).

pyradorum Faust, E. C., 1924e, 293. 1924: CERCARIA.

PYRAGRAPHORUS Sproston, N. G., 1946a, 190, 449 (tod: P. pyragraphorus).

pyragraphorus MacCallum, G. A.; & MacCallum, W. G., 1913c, 225-227, 232, figs. A-B. 1913: MICROCOTYLE. 1946: PYRAGRAPHORUS (tod).

pyramidum Looss, A., 1896, 76-78, pl. 6, fig. 62. 1896: DISTOMA. 1899: LECITHODENDRIUM. 1921: PARALECITHODENDRIUM. 1936: PROSTHODENDRIUM. 1936: CERCARIA. 1937: PROSTHODENDRIUM (PROSTHODENDRIUM). 1960: ACANTHATRIUM (PROSTHODENDRIUM) (Etges, F. J., 1960c, 527).

pyramidum maroccana Dollfus, R. P. F., 1954f, 626-632, figs. 31-33. 1954: PROSTHODENDRIUM (PROSTHODENDRIUM).

pyramidum orientale Yamaguti, S.; & Asada, Z., 1942a, 1, 5-7, fig. 5. 1942: PROSTHODENDRIUM. 1955: PROSTHODENDRIUM (PROSTHODENDRIUM).

pyrazi Bearup, A. J., 1955a, 956-959, figs. 1 a-d. 1955: CERCARIA variglandis.

pyrenaica Deblock, S.; & Combes, C., 1965a, 101-104, 106, 108, 110, figs. 1-3 (Galemys pyrenaica; intestin grêle; Sainte-Colombe-sur-Guette (Aude), France). 1965: MARITREMA.

pyrenaicus Combes, C., 1965, 459-465, fig. 1 (Ann. Parasitol., v. 40 (4)) (Rana t. temporaria, Bufo b. bufo; poumons; Rieutord, Puyvalador, Canton de Mont-Louis, Pyrénées-Orientales). 1965: HAEMATOLOECHUS.

PYRIFORMA Skrjabin, K. I.; & Koval, V. P., 1957a, 384, for Piroforma.

pyriforme Creplin, F. C. H., 1837a, 316. 1837: DISTOMA.

pyriforme Diesing, K. M., 1838a, 189. 1838: AMPHISTOMA. 1901: CLADORCHIS (type). 1929: CLADORCHIS (CLADORCHIS).

pyriforme Johnston, T. H.; & Tiegs, O. W., 1922a, 100-101, pl. 14, fig. 31, pl. 15, figs. 32-34. 1922: EMPLEUROSOMA (tod).

pyriforme Linton, E., 1900a, 269, 279, 292-293, pl. 38, figs. 52-59. 1900: DISTOMA. 1934: LEPOCREADIUM.

pyriforme Prudhoe, S., 1957a, 13, 14, 15, 28, fig. 5. 1957: CLINOSTOMUM.

pyriforme Yamaguti, S., 1934a, 251, 395-397, fig. 75. 1934: PARALEPIDOPHYLLUM (tod). 1957: STEGANODERMA.

pyriformis Chandler, A. C., 1951a, 711, 712-715, 721, pl., figs. 1 a-b, 5 a. 1951: NEASCUS.

pyriformis Fischthal, J. H., 1951c, 396, 409-410, 412, 413, 430, 431, 435, 436, 443, pl. I, fig. 3, pl. V, figs. 34-37. 1951: CERCARIA.

pyriformis Gupta, R., 1964b, 82-84, 90, 91, 92, 93, pl., figs. 2-3 (Xenorhynchus asiaticus; small intestine; near Anupshahr, District of Bulandshahr, Uttar Pradesh). 1964: HOLOSTEPHANUS.

pyriformis Linton, E., 1910b, 17, 22, 55-56, 92, pl. 15, figs. 123-126. 1910: BRACHADENA (type). 1958: LECITHOPHYLLUM.

pyriformis Manter, H. W., 1963a, 99, 100, 101, 103, pl. I, figs. 4-5 (angelfish; intestine; Fiji). 1963: MULTITESTIS.

pyriformis Mizelle, J. D.; & Klucka, A. R., 1953a, 730, pl., figs. 78-86. 1953: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 42).

pyriformis Pritchard, M. H., 1963a, 578, 580, 581, 583, 585, pl. I, figs. 7-8 (Malacanthus hoedtii; intestine; Hawaii). 1963: ZOOGONOIDES.

pyriformis Simha, S. S., 1958a, 162, 205-207, 213, fig. 26. 1958: XENOPHARYNX.

pyriformis Webster, G. A.; & Wolfgang, R. W., 1956a, 597, 598, 600-601, figs. 5-7. 1956: EURYHELMIS

formis Yamaguti, S., 1934a, 251, 420-422, fig. 85. 1934: PARADISCOGASTER (tod).

formoides Coil, W. W., 1954a, 19-20, 21, 22, 23, 24, 26, 27, 28, pl. I, figs. 1-6, l. II, figs. 12-13, pl. III, fig. 18, pl. IV, figs. 19, 21-22, 24-26. 1954: CERCARIA.

la Bory de Saint Vincent, G. J. B. M., 1823a, 355. 1823: CERCARIA.

llare Pigulevskii, S. V., 1953a, 257, for patellare Sturgess. 1953: PHYLLODISTOMUM.

ionike Rothschild, M., 1935b, 153, 154, 155-164, figs. 1, 3-5, 7, 13-20a. 935: CERCARIA.

ceps Hall, J. E., 1960a, 236, 237, 238, 244, figs. 25-27. 1960: CERCARIA.

datum Bremser, J. G. in Rudolphi, C. A., 1819a, 678-679. 1819: DISTOMA.

dradena Singh, R. N., 1956b, 239-241, pl., fig. 1, 2 a-b. 1956: CERCARIA.

drangularis Pallas, P. S., 1774, 20-21, pl. 1, figs. 12a-c. 1774: FASCIOLA.

drangulatum Dadai, J., 1906b, 504-506, fig. 1. 1906: DISTOMA. 1925: PSEUDOCLADORCHIS. 1929: DENTICAUDA (tod). 1932: PARABARIS.

draspinis Coil, W. H., 1954c, 488, 490, figs. 8-9. 1954: METACERCARIA.

dratus Johnston, T. H.; & Tiegs, O. W., 1922a, 87-89, pl. 9, figs. 1-5, pl. 10, ig. 6. 1922: PROTOGYRODACTYLUS.

dratus Ozaki, Y., 1928a, 16, 24, fig. 8. 1928: OPECOELUS.

ADRIACANTHUS Paperna, I., 1961a, 21, 23 (tod: Q. clariadis).

driculatum Kohn, A., 1961a, 41-43 (Scomberomorus maculatus; intestino delgado; Rio de Janeiro, Brasil). 1961: RHIPIDOCOTYLE.

driglandula Premvati, 1953a, 34-37, figs. 5-6. 1953: CERCARIA.

drilobata Bazikalova, A., 1932a, 140, 142, 152, fig. 11. 1932: RHODOTREMA. 1958: STERINGOTREMA (RHODOTREMA).

dripterygia Sinitsin, D. F., 1911a, 29-30, 37, 89, pl. 4, figs. 60-63. 1911: CERCARIA. 1911: PARTHENITA.

dritestes Pratt, I.; & Herrmann, R., 1962a, 291-292, fig. 1 (Acipenser transmontanus, A. medirostris; gills; Columbia River, Oregon). 1962: NITZSCHIA.

drorchis Manter, H. W.; & Pritchard, M. H., 1960c, 653, 654, 657, figs. 7-8. 1960: HELICOMETRINA.

esitus Nicoll, W., 1918d, 372-373. 1918: ACANTHOCHASMUS. 1941: ACANTHOSTOMUM.

ASICHIORCHIS Skrjabin, K. I., 1949a, 462, 467 (tod: P. purvis).

ttuor-solenata Faust, E. C., 1919d, 331, 332, 334, 337-338, fig. 8. 1919: CERCARIA.

queni Szidat, L., 1951b, 135, 142-146, 147, 148, figs. 8f, 9-10. 1951: CERCARIA.

rni Yamaguti, S., 1968, 16, 121, fig. 94 (Monogenetic trematodes of Hawaiian fishes) (Epinephelus quernus; gills; Hawaii). 1968: DIPLECTANUM.

rquedulae Ablasov, N. A.; & Chibichenko, N. T., 1960a, 156-158, 164, fig. 3. 1960: ECHINOPARYPHIUM.

querquedulae McLeod, J. A., 1937a, 458-461, 463, 465, pl. 1, figs. 1-3. 1938: PSEUDOBILHARZIELLA. 1945: TRICHOBILHARZIA.

querquedulae Rudolphi, C. A., 1819a, 92. 1819: AMPHISTOMA anatis.

querquedulae Yamaguti, S., 1933b, 1, 54-55, fig. 23. 1933: PROSTHOGONIMUS.

querquedulum Lal, M. B., 1936e, 26-27, 29, 30, figs. 1-2. 1936: PARAMONSTOMUM.

quieta O'Roke, E. C., 1917a, 171-172, pl. 4, figs. 32-33, 37. 1917: CERCARIA.

quietum Stafford, J., 1900a, 403-406, fig. 4. 1900: DISTOMA. 1905: GLYPTHELMINS (type).

quinqueangularis Skrjabin, K. I., 1923d, 68-70, fig. 1923: CIUREANA (mt). 1929: CRYPTOCOTYLE.

quinquelobata Layman, E. M., 1930a, 61-62, 63, 91-92, fig. 11. 1930: RHODOTREMA. [1954]: STERINGOTREMA (RHODOTREMA). 1963: STENAKRON (Mamaev, I. L.; Parukhin, A. M.; & Baeva, O. M., 1963a).

quinqueseriale Barker, F. D.; & Laughlin, J. W., 1911a, 261-274, pl. 1, figs. 1-12. 1911: NOTOCOTYLE. 1918: NOTOCOTYLUS. 1936: BARKERIA. [1935: NOTOCOTYLUS (QUINQUESERIALIS)]. 1939: QUINQUESERIALIS (tsd).

QUINQUESERIALIS (Skvortsov, 1935) Harwood, P. D., 1939a, 335, 430 (tsd: Q. quinqueserialis).

quinta Andronova, E. V., 1937a, 671-672. 1937: RENICOLA.

quintareti Dollfus, R. P. F., 1925c, 50-51, fig. 2. 1925: CERCARIA.

quissetensis Miller, H. M.; & Northup, F. E., 1926a, 492, 495, 496, 501-502, pl. 1, fig. 9, pl. 2, figs. 11-14, 18-19. 1926: CERCARIA. 1934: HIMASTHLA.

raabei Bezubik, B., 1958b, 309-317, fig. 1. 1958: STRIGEA. 1961: COTYLUROSTRIGEA (Sudarikov, V. E., 1961, 293, 294). 1964: COTYLURUS (Dubois, G., 1964e).

raabei Furmaga, S., [1957a], 588, 590, 596, 599, figs. 3-4. [1957]: PLAGIORCHIS (PLAGIORCHIS).

raabei Prost, M., 1957a, 107, 112-114, 115, fig. 3. 1957: GYRODACTYLUS.

raabei Ślusarski, W., 1958a, 385, 388-394, 396, 464, 489, figs. 110-114. 1958: HEMIURUS (NEOHEMIURUS).

raabei Sołtys, A., 1959a, 600, 606-607, 608-609, 613, fig. 3. 1959: TRAVASSODENDRIUM.

raabei Sudarikov, E. V., 1961b, 293, 294 (Anas querquedula, Nyroca nyroca; cloaca; Poland). 1961: COTYLUROSTRIGEA (tod).

rabbi Dunagan, T. T., 1957c, 87-88, 89, 90, pl. I, figs. 1-3. 1957: CERCARIA.

rabdosargi Prudhoe, S., 1956a, 72-74, fig. 1. 1956: AEPHNIDIOGENES. 1960: HOLORCHIS (Thomas, J. D., 1960a, 323).

rabusculum Kossack, W. F. K., 1910a, 114-116, fig. 1. 1910: PARADISTOMUM (tod).

racemosa Faust, E. C., 1917a, 117-118, figs. 15, 20. 1917: CERCARIA.

rachiacea Reichenow, E.; & Wülker, G., 1929a, 169, for rhachiaea. 1929: TYLODELPHYS.

r hiaea Isaichikov, I. M., 1923c, 22, 24, for rhachiaea. 1924: TYLODELPHYS.

r hiaea Odhner, T., 1905a, 328, 332-338, fig. 3, pl. 2, figs. 12-15, for rachion (Distoma). 1905: LEPODORA (tod).

r hiaea gymnacanthi Isaichikov, I. M., 1928d, 59, for rachiaea gymnacanti. 1928: LEPODORA. 1934: LEPIDAPEDON.

r hiaea gymnacanti Isaichikov, I. M., 1928d, 19, 20, 59 (gymnacanthi), 61, 62. 1928: LEPODORA.

r hiaeum Creplin, F. C. H., 1839a, 289. 1839: DIPLOSTOMUM.

r hidis Hannover, A., 1864a, 3, for rhachidis. 1864: TYLODELPHYS.

r hidis Parona, C., 1896, 2, for rhachiaeum. 1896: DIPLOSTOMUM.

r hieum Fraipont, J., 1880c, 419. 1880: DIPLOSTOMUM.

r hineum Mueller, J., 1842c, 20. 1842: DIPLOSTOMUM.

r hion Cobbold, T. S., 1858b, 158, pl. 31, figs. 9-10. 1858: DISTOMA. 1904: LEPIDAPEDON (type). 1905: LEPODORA (type).

r hycentris Hargis, W. J., 1955e, 213-214, 215, 216, 224, pl. III, figs. 16-19. 1955: DIONCHUS.

r diata Komiya, Y., 1941c, 229-232, pl. 1, figs. 1-4, pl. 2, figs. 5-6. 1941: CERCARIA.

r diata Müller, O. F., 1774a, 66. 1774: FASCIOLA. 1787: PLANARIA.

r diatum Dujardin, F., 1845a, 427-428. 1845: DISTOMA. 1909: PARYPHOSTOMUM (type). 1910: ECHINOSTOMUM. 1934: PETASIGER.

r difistuli Acena, S. P., 1941a, 285-287, 289, pl. 1, figs. 1-3. 1941: DIDEUTOSACCUS (tod).

r dula Dujardin, F., 1845a, 433-434. 1845: DISTOMA (ECHINOSTOMA).

r gazzi von Linstow, O. F. B., 1903t, 354, for ragazzii. 1903: DISTOMA.

r gazzii Setti, E., 1897a, 8-12, pl. 8, figs. 6-7. 1897: DISTOMA (POLYORCHIS). 1899: SYNCOELIUM (type).

r iacauda Steelman, G. M., 1938a, 613-618, pl. 1, figs. 1-6. 1938: CERCARIA.

r iae MacCallum, G. A., 1916c, 23-25, figs. 9, 9A, 9B. 1916: ACANTHOCOTYLE. 1922: EMPRUTHOTREMA (tod).

r ipurensis Saksena, J. N., 1958a, 58-59, 61-63, fig. 1. 1958: ORIENTOCREADIUM.

r ipurensis Tiwari, I. P., 1959b, 283, 289-290, 291, fig. 4. 1959: XENOPHARYNX.

r ja Looss in Näsmark, K. E. J., [1937a], 497. [1937]: AMPHISTOMA.

r ja Näsmark, K. E., [1937a], 363, 381, 408, 491, 496-497, 563, pl. 3, figs. 1-2. [1937]: CALICOPHORON.

r jae Brinkmann, A., [1952a], 4, 93-96, figs. 17-19. [1952]: PSEUDOHEXABOTHRIUM.

r jae Rudolphi, C. A., 1809a, 435, for rajae intestinale. 1809: DISTOMA.

r jae intestinale Viborg, E. N., 1795a, 242. 1795: DISTOMA.

rajai Kaw, B. L., 1950a, 70, 74-78, figs. 5-10. 1950: EUPOLYSTOMA (tod).

rajai Shrivastava, P. S., [1960b], 87, 88, 89, 90, 91, figs. 3-4. [1960]: CERCARIA.

RAJANCHOCOTYLE Guberlet, J. E., 1937a, 466, for Rajonchocotyle.

rajazzii Ariola, V., 1899e, 135, for ragazzii. 1899: DISTOMA.

RAJONCHOCOTYLE Cerfontaine, P., 1899a, 347, 373, 420, 440, 445, 446, 455-456 (type batis).

RAJONCHOCOTYLOIDES Price, E. W., 1940a, 77, 78 (mt: R. emarginata).

RAJONCOCOTYLE Yamaguti, S., 1938f, 15, 29-31, 72, for Rajonchocotyle.

ralli Baylis, M. A., 1936d, 475-476, fig. 1935: NOTOCOTYLUS.

ralli Rudolphi, C. A., 1819a, 120. 1819: DISTOMA.

ralli Yamaguti, S., 1934b, 543, 564-566, fig. 9. 1934: ECHINOSTOMA.

rallinarum Tubangui, M. A., 1932f, 382-384, pl. 5, fig. 1. 1932: GLAPHYROSTOMUM.

ralphaudya Vercammen-Grandjean, P. H., 1960d, 48, 80-81, pl. 18, figs. 113-123. 1960: CERCARIA.

ramai Pande, B. P., 1938c, 199-203, figs. 1-2. 1938: BASANTISIA.

ramai Verma, S. C., 1936, 187. 1936: RIDGEWORTHIA (mt). 1953: APHARYNGOSTRIGEA.

ramanujami Peter, C. T., 1955c, 335, 336-338, 339, figs. 1-2. 1955: CERCARIA.

rami Bhalerao, G. D., 1936c, 199-202, 203, 204, fig. 5. 1936: ASTIOTREMA

raminellae Dery, D. W., 1958a, 40-44, pl., figs. 1-3. 1958: MARITREMINOIDES. 1961: MARITREMA (Deblock, S.; Capron, A.; & Biguet, 1961a, 131). 1963: PSEUDOSPELOTREMA (Ching, H. L., 1963a, July or Belopol'skaia, M. M., 1963c, 451 (Permission given to publish Apr. 10, 1963)).

ramitesticularis Nasir, P., 1966, 166, 167-168, fig. 2 (Proc. Helminth. Soc. Washington, v. 33 (2)) (Pseudis paradoxa; lungs; Valle de la Pascua, Edo. Guarico, Venezuela). 1966: GLYPTHELMINS.

ramlianum Looss, A., 1896b, 36-44, pl. 3, figs. 17-19. 1896: DISTOMA. 1899: LEPODERMA (type). 1904: PLAGIORCHIS. 1909: PLAGIORCHIS (LEPODERMA). [1959]: PLAGIORCHIS (PLAGIORCHIS). 1962: METAPLAGIORCHIS (Timofeeva, T. N., 1962a, 227).

ramonae McCoy, O. R., 1928b, 207, 220-221, 222, 223, 224, 226, pl. 10, figs. 7-9. 1928: CERCARIA.

ramosum Sonsino, P., 1895c, 123-124. 1895: ECHINOSTOMA. 1909: NEPHROSTOMUM (type). 1928: PATAGIFER (NEPHROSTOMUM).

ramsayi Robinson, E. S., 1961a, 238, 239, 241-242, 263, figs. 5-6 (Squalus lebruni; cloaca; New Zealand). 1961: CALICOTYLE.

ramsesi Macy, R. W., 1964b, 292-297, figs. 1-6 (Pipistrellus ruppelii ruppelii; intestine; Abu Rawash, Giza, Egypt). 1964: PYCNOPORUS.

ramulosus Malevits'ka, M. O., 1941a, 270-271, fig. 3. 1941: DACTYLOGYRUS. 1946: NEODACTYLOGYRUS.

ramulosus Rogers, S. A., 1967, 501, 521-522, figs. 211-215 (J. Parasitol., v. 53 (3)) (Minytrema melanops; Alabama, Georgia). 1967: PELLUCIDHAPTOR.

anae Cort, W. W.; & Brackett, S., 1938a, 263-271, figs. 1-4. 1938: CERCARIA.

anae von Frölich, J. A., 1791a, 69-73, pl. 3, figs. 7-8. 1791: FASCIOLA. 1907: OPISTHIOGLYPHE. 1946: LECITHOPYGE.

anae Gmelin, J. F., [1790a], 3055. [1790]: FASCIOLA. [1809: Amphistoma subclavatum]. 1840: FASCIOLARIA.

anae Kaw, B. L., 1950a, 70, 114-115, fig. 20. 1950: TETRACOTYLE.

anae Mayer, A. F. J. K., 1941a, 18-19, pl. 3, figs. 13, 17. 1841: DISTOMA cylindricum.

anae Ozaki, Y., 1931a, 181-184, fig. 1931: DIPLORCHIS (mt).

anae Wagener, G. R., 1857a, 19-24. 1857: DISTOMA cygnoides.

anae Zeder, J. G. H., 1800a, xviii, 203, 204-205, pl. 4, figs. 1-3. 1800: POLYSTOMA.

anae esculentae Diesing, K. M., 1850a, 388, based on Valentin, G. G., 1841c, 54. 1850: DISTOMA.

anarum Mehra, H. R.; & Negi, P. S., 1925a, 147. 1925: TREMIORCHIS.

anarum Srivastava, H. D., 1934b, 239-243, 255, fig. 1. 1934: MEHRAORCHIS (mt).

anerium Nardo, G. D., 1833a, 523, for raynerianum. 1833: DISTOMA.

angeli Artigas, P. d. T.; & Zerpa, M. G., 1961a, 25-28, 2 figs. (Leptodactylus ocellatus; intestino delgado; Brazil). 1961: PLAGIORCHIS.

ankini Bravo Hollis, M., 1941b, 653-655, 656, 657, 658, 660, fig. 6. 1941: MEGALODISCUS.

anophilus Millzner, R., 1924b, 228-230, figs. 1-2. 1924: MEGALODISCUS.

ansomii Isaichikov, I. M., 1925d, 75, 76-81, 82, 103, fig. 1925: HALLUM. [1935]: TOCOTREMA. 1957: CRYPTOCOTYLE.

anzii Rothschild, M., 1935b, 154, 158, 167-168, fig. 12. 1935: CERCARIA.

aoi Jaiswal, G. P., 1964a, 406, 408-410, fig. 1 (Cerchneis tinnunculus interstinctus; liver; Hyderabad, Andhra Pradesh, India). 1964: LYPEROSOMUM (BRACHYLECITHUM).

aphidoma Hargis, W. J., 1956b, 155, 156, 158, 162, figs. 1-4. 1956: AXINOIDES.

apidulus Dobbin, J. E., 1957b, 509-511, figs. 1-3. 1957: TELORCHIS.

appiae Szidat, L., 1932a, 507, 513-514, fig. 3. 1932: HAPLOMETROIDES. 1958: HAEMATOLOECHUS.

arissima Tubangui, M. A., 1928a, 47-48, pl. 4, figs. 3-4. 1928: CERCARIA.

arissimus Gusev, A. V.; & Strelkov, I. A., [1961a], 216, fig. 12A (Silurus soldatovi; gill fringe; Amur River). [1961]: ANCYLODISCOIDES.

arum van Beneden, P. J., 1858a, 178. 1858: DISTOMA.

arum Travassos, L. P., 1917h, 738, 741-742, fig. 4. 1917: LIPEROSOMUM. 1940: BRACHYLECITHUM. 1944: OLSSONIELLA. 1957: LYPEROSOMUM (BRACHYLECITHUM).

arus Braun, M. G. C. C., 1901c, 17-19, fig. 4. 1901: PROSTHOGONIMUS. 1909: SCHISTOGONIMUS (mt).

rarus Gusev, A. V., 1955b, 187, 202, 203, 204, 205, 393, 397, pl., fig. 9 (1). 1955: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 42).

rarus Mizelle, J. D., 1940a, 286, 288-289, figs. 32-38. 1940: CLEIDODISCUS.

rarus Rohde, K., 1963c, 272-274, 275, 276, 277, fig. 3 (Trionyx sp.; Darm; Singapore). 1963: CHIOSTICHORCHIS.

rarus Shtrom, Z. K., 1940d, 206-207, 216, 223, fig. 20. 1940: SKRJABINUS. 1964: CONSPICUUM (Odening, K., 1964i, 166).

rarus Wegener, G., 1910b, 205-206, fig. 2. 1910: GYRODACTYLUS.

rarus prolongus (Hargis, W. J., 1955b, 128, 129-131, figs. 4-7). [1959]: GYRODACTYLUS.

rarus rarus (Wegener, G., 1910b, 205-206, fig. 2). [1959]: GYRODACTYLUS.

rashidi Nasir, P., 1962c, 132, 133, 134-135, 136, figs. 1-4 (Planorbis carinatus; Edgbaston Pool, England, Aphyocharax rubripinnis, Lebistes reticulatus, Puntius lat[e]tristriga, Gasterosteus aculeatus, Brachydanio rerio (all exper.)). 1962: CERCARIA.

rastellum cylindriforme Perkins, M. G. L., 1928a, 348, 352, pl. 21, fig. 4. 1928: LECITHOPYGE.

rastellum rastellum Perkins, M. G. L., 1928a, 347, 352, pl. 21, fig. 6. 1928: LECITHOPYGE.

ratellum subulatum Perkins, M. G. L., 1928a, 348, 352, pl. 21, fig. 5. 1928: LECITHOPYGE.

ratellus Olsson, P., 1876b, 16-17, pl. 3, figs. 31-36. 1876: DISTOMA. 1907: OPISTHIOGLYPHE. 1928: LECITHOPYGE. 1930: DOLICHOSACCUS.

rathonisi Simon, C. E., 1896a, 182, 192, for rathouisi. 1896: DISTOMA.

rathouisi Poirier, J., 1887b, 203-211, pl. 13, figs. 1-7. 1887: DISTOMA. 1903: FASCIOLOPSIS. 1908: OPISTHORCHIS. 1909: FASCIOLA.

rathouisii Braun, M. G. C. C., 1892a, 568, for rathouisi. 1892: DISTOMA.

rathousi Castellani, A.; & Chalmers, A. J., 1910a, 928, for rathouisi. 1910: FASCIOLOPSIS.

rathousi Goddard, F. W., 1909a, 387-389, for rathouisi. 1909: FASCIOLA.

ratnagiriensis Peter, C. T.; & Srivastava, H. D., 1955a, 284-285. 1955: CERCARIA.

ratti Baugh, S. C., 1962b, 502-504, fig. 1 (Rattus rattus; intestine; Banaras, U. P., India). 1962: BRACHYLAEMUS.

ratti Chen, H. T., 1954a, 147, 148, 154-155, 168, 173, 176, 178, pl. II, fig. 20. 1954: PROSTHODENDRIUM.

ratti Yeh, Y.; et al., 1956a, 211-218, pl. 1956: NOTOCOTYLUS.

RATZIA Poche, F., 1926b, 145, n. n. for Brachymetra Stossich nec Mayr (tod: R. parva).

rauschi Goodman, J. D., 1952a, 231. 1952: OCHETOSOMA.

rauschi McIntosh, A., 1950a, 20. 1950: BRACHYLAIMA. 1958: BRACHYLAEMA.

rauschi Mizelle, J. D.; & Webb, F. O., 1953a, 206, 210-211, 216, pl., figs. 1-26. 1953: TETRAONCHUS.

ıschi Singh, S., 1956c, 43-45, fig. 1. 1956: CATATROPIS.

ıschi Singh, S., 1956d, 47-49, fig. 1. 1956: DIPLOSTOMUM.

USCHIELLA Babero, B. B., 1951b, 560 (tod: R. tineri).

yii Saxena, V., [1955a], 61-66, pls. 1-2. [1955]: HAPLORCHIS.

ynerianum Nardo, G. D., 1827a, 68. 1827: DISTOMA. 1901: ACCACOELIUM. 1912: TETROCHETUS [spelled raynerius].(mt).

ynerium Nardo, G. D., 1833a, 523, 524. 1833: DISTOMA. 1912: TETROCHETUS (mt).

zalensis Gower, W. C., 1938c, 47, 73, for rizalensis. 1938: PHILOPHTHALMUS.

belle Railliet, A., 1925a, 595. 1925: EURYTREMA. [1953]: EURYTREMA (PANCREATICUM).

ostocki McCoy, O. R., 1929f, 201-203, 207, pl. 15, fig. 3. 1929: CERCARIA.

ceptaculum Cobbold, T. S., 1860a, 29, D. labracis Dujardin renamed. 1860: DISTOMA.

CEPTOCOELUM Lal, M. B., 1939c, 130.

ciprocus Rogers, W. A., 1967, 501, 517, figs. 174-181 (J. Parasitol., v. 53 (3)) (Hybopsis bellica; Alabama). 1967: DACTYLOGYRUS.

condita Travassos, L. P., 1942c, 213-218, figs. 1-9. 1942: ACHILLURBANIA.

ctangulare Yamaguti, S., 1968, 15, 87, fig. 62 (Monogenetic trematodes of Hawaiian fishes) (Pervagor spilosoma; gills; Hawaii). 1968: HALIOTREMA.

ctisaccus Fischthal, J. H.; & Kuntz, R. E., 1964a, 42, 43, 45, 46, figs. 5-6 (Holocentrus violaceus; small intestine; Puerto Princesa, Palawan Island, Philippines). 1964: STENOPERA. 1965: HELICOMETRA (Fischthal & Kuntz, 1965a).

ctus Ozaki, Y., 1928a, 19, 24, fig. 10. 1928: OPEGASTER.

curvati Mathias, P., 1927a, 294, 296. 1927: CERCARIA echinoparyphii. 1963: METACERCARIA echinoparyphii.

curvatum von Linstow, O. F. B., 1873a, 101, 105, 106, pl. 5, fig. 1. 1873: DISTOMA. 1892: ECHINOSTOMUM. 1909: ECHINOPARYPHIUM. 1941: EUPARYPHIUM.

curvatum Travassos, L. P., 1928c, 327, ? for recurvum. 1928: HARMOSTOMUM.

curvatum Yamaguti, S., 1942a, 105, 119-120, figs. 12-14. 1942: HALIOTREMA.

curvatum circi Oshmarin, P. G. in Skrjabin, K. I.; & Bashkirova, E. I., 1956a, 296. 1956: ECHINOPARYPHIUM.

curvatum indiana Verma, S. C., 1936c, 153. 1936: ECHINOPARYPHIUM.

curvatum vanelli Yamaguti, S., 1939d, 129, 141-142, 208, pl. 16, fig. 16. 1939: ECHINOPARYPHIUM.

curvatus Jain, S. L., 1959d, 163. 1959: UROCLEIDUS.

curvatus Mizelle, J. D.; & Donahue, M. A., 1944a, 604-605, 620, 621, pl., figs. 50-61. 1944: ACTINOCLEIDUS.

curvatus Yamaguti, S., 1968, 16, 108-109, fig. 81 (Monogenetic trematodes of Hawaiian fishes) (Strongylura gigantea; gills; Hawaii). 1968: PSEUDOHALIOTREMATOIDES.

recurvispinus Oshmarin, P. G., (1956) fide Skrjabin, K. I.; & Bashkirova, E. I., 1956a, 618. (1956): ECHINOCHASMUS.

recurvum Dujardin, F., 1845a, 410. 1845: DISTOMA (BRACHYLAIMUS. 1927: HARMOSTOMUM. 1930: BRACHYLAEMUS. 1934: BRACHYLAIMA. 1958: BRACHYLAEMA.

redactum Nicoll, W., 1906b, 525-527, pl. 13, figs. 9-10. 1906: PSILOSTOMUM.

REDIA de Filippi, F., 1827a, 336-337 (mt: R. gracilis).

redicola Faust, E. C., 1924e, 297. 1924: CERCARIA.

redicystica Tubangui, M. A., 1928a, 39-41, pl. 1, figs. 3-5. 1928: CERCARIA.

redioduplicatus Yamaguti, S., 1933b, 2, 119-124, figs. 50-54. 1933: ECHINOCHASMUS.

reductum Looss, A., 1901 l, 562-563. 1901: ENODIOTREMA.

reductum Solov'ev, P. F., 1912c, 10, for rudectum. 1912: LYPEROSUM.

reelfootensis Najarian, H. H., 1961d, 515-158, 519-520, figs. 1-25 (Anadonta [sic] grandis; cavities bordering gills, heart, kidney, Ligumia subrostrata; cavities bordering gills, heart & foot, Uniomerus tetralasmus; cavities bordering gills & heart; all from Tennessee). 1961: COTYLASPIS.

reelfooti Byrd, E. E., 1939a, 131, 133, 134, 139, 156, 157, pl. 3, fig. 7. 1939: HAPALORHYNCHUS.

reelfooti Byrd, E. E.; & Reiber, R. J., 1940a, 147, 148-150, 153, pl. 3, figs. 16-19. 1940: CERCARIA.

reelfooti Denton in Petri, L. H., 1942a, 60 [nomen nudum]. 1942: ATHESMIA.

reelfooti Parker, M. V., 1941a, 27, 36-37, 41, 44, 45, pl. 1, fig. 5. 1941: CERCORCHIS. 1951: TELORCHIS.

REESELLA Mettrick, D. F., 1956a, 81-82 (tod: R. doviensis).

reesi Hutton, R. F., 1953a, 581-585, pl., fig. 1. 1953: CERCARIA.

reesi Palombi, A., 1940a, 7, 29. 1940: CERCARIA.

refertum Muehling, P., 1898a, 18, 26, 84, 86-87, figs. 5, 12. 1898: DISTOMA. 1899: DICROCOELIUM.

reficiens Braun, M. G. C. C., 1901g, 945. 1901: DICROCOELIUM. 1916: PLATYNOSOMUM.

reflexae Cort, W. W., 1914a, 75, 80, fig. 8. 1914: CERCARIA. 1940: PSILOSTOMUM.

reflexum, a term in teratology. It has no status in nomenclature. Schistosoma.

reflexum Chandler, A. C.; & Rausch, R., 1947a, 283, 284, 285, 287-288, 291, pl. 1, fig. 4. 1947: NEODIPLOSTOMUM.

reflexum Creplin, F. C. H., 1825a, 54. 1825: DISTOMA. 1905: PODOCOTYLE.

regis Harwood, P. D., 1939a, 338, 421, 422, 423, 424-425, 436, 437, pl. 1, fig. 5. 1939: NOTOCOTYLUS.

rehmani Rao, S. R.; & Niphadkar, S. M., [1963a], 11-15, 3 figs. (dog; small intestine; Bombay, India). [1963]: ECHINOSTOMA.

·einhardi von Linstow, O. F. B., 1903u, 280-282, fig. 16. 1903: DISTOMA.

·emorae MacCallum, G. A., 1916c, 21-22, figs. 8, 8A. 1916: ACANTHODISCUS. 1922: DIONCHOTREMA (tod). 1938: DIONCHUS.

·emorae Rudolphi, C. A., (1821-28), 163. (1821-28): DISTOMA echeneidis.

·ena Oshmarin, P. G., 1963b, 31-32, 33, fig. 13 (Alcedo att[h]is; kidneys; Amursko-Ussuriiskii Okrug). 1963: ACANTHOCORPA (tod).

·enale delle Chiaje, S., 1833a, 13, 116-117, pl. 2, fig. 13. 1833: TETRASTOMA.

·enale de Filippi, 1855b, 19-20, 23, pl. 2, fig. 21. 1855: DISTOMA. 1856: CERCARIA. 1858: CERCARIA (GYMNOCEPHALA). 1912: AGAMODISTOMUM.

·enale Yeh, L. S., 1954b, 159-162, 163, 164, figs. 1-2. 1954: ALLECHINOSTOMUM. 1957: IGNAVIA.

·enalis Timon-David, J., 1953a, 266-267, 285, fig. 13/. 1953: METACERCARIA.

·enalis Tubangui, M. A., 1933c, 175-177, 193, 197, pl. 4, fig. 4. 1933: STYPHLODORA.

·enalis orientalis Odening, K., 1963e, 37, 55-56, fig. 13 (Pelecanus philippensis; Ureteren; Berliner Tierparks). 1963: IGNAVIA.

·enalis renalis (Yeh, L. S., 1954b, 159-162, 163, 164). 1963: IGNAVIA (Odening, K., 1963e, 56).

·enecapite MacCallum, G. A., 1921c, 203, for renicapite. 1921: MONOSTOMA.

·enicapite Leidy, J., 1856b, 43. 1856: MONOSTOMA. 1916: PRONOCEPHALUS. 1926: ASTRORCHIS (mt). 1946: PYELOSOMUM.

RENICOLA Cohn, L., 1904a, 235 (tod: R. pinguis).

RENIFER Pratt, H. S., 1902a, 888, 889; 1903a, 25 (tld: R. ellipticus).

·eniferum Looss, A., 1898a, 461, D. unicum Looss, not Molin renamed. 1898: DISTOMA. 1899: ASTIA (type). 1899: PLAGIORCHIS. 1904: ASTIOTREMA.

·eniforma Premvati, 1955a, 285. 1955: CERCARIA.

·eniforme Luehe, M. F. L., 1899k, 531, for reniferum Looss. 1899: DISTOMA.

·eniformis Ariola, V., 1902a, 101-103, 104, 107, figs. 1-3. 1902: DIDYMOCYSTIS.

·eniformis Ishii, N., 1935e, 303, 307, 330-332, figs. 56-58. 1935: KÖLLIKERIA. 1955: WEDLIA.

RENIGONIUS MEHRA, R. K., 1939a, 99, 125, 128, 129 (mt: R. orientalis).

eniovarus Lal, M. B., 1939c, 117, 161-163, 169, figs. 9-10. 1939: ECHINOCHASMUS. 1956: ECHINOCHASMUS (EPISTHMIUM).

RENSCHETREMA Rohde, K., 1964b, 13, 20, 21, 22, 560 (tod: R. malayi).

REPANDUM Byrd, E. E.; & Maples, W. P., 1963a, 531-532, 534 (tod: P. repandum).

·epandum Dubois, G.; & Rausch, R. L., 1950a, 1, 16-19, figs. 9-11. 1950: DIPLOSTOMUM.

epandum Rudolphi, C. A., 1819a, 681. 1819: DISTOMA. 1924: GLYPTELMI[N]S. 1959: MARGEANA. 1963: REPANDUM (Byrd, E. E.; & Maples, W. P., 1963a, 531).

repens Bregenzer, A., 1916a, 237, 279, 280, 281, 283, figs. W-Z. 1916: CERCARIA.

repens Chase, E. E., 1920a, 500-504, fig. 1, pl. 26, figs. 1-5. 1920: HOLOSTOMUM. 1925: STRIGEA. 1937: APHARYNOGOSTRIGEA. 1961: PARASTRIGEA.

reptans Uribe Piedrahita, C., 1925a, 125-130, 131, 132, pl. 18, figs. 1-10, pl. 19, figs. 11-19, pl. 21, figs. 33-38. 1925: CERCARIA. 1950: XIPHIDIOCERCARIA.

REPTILIOTREMA Bashkirova, E. I., 1947a, 347-348 (type: R. indicum).

resectus Looss, A., 1902m, 537-541, 813, pl. 25, figs. 61-63. 1902: CRICOCEPHALUS.

resplendens Caballero y C., E.; Bravo Hollis, M.; & Grocott, R. C., 1954a, 81-83, figs. 1-4. 1954: AXINE. 1962: CHLAMYDAXINE (Price, E. W., 1962a, 7).

resupinatus Caballero y C., E., 1940f, 563-566, 570, figs. 3-4. 1940: SCHIZAMPHISTOMOIDES.

RETEVITELLUS Cable, R. M.; Connor, R. S.; & Balling, J. W., 1960a, 212-213 (tod: R. spinetus).

reticulaire Gower, W. C., 1938c, 52, for reticulare. 1938: TYPHLOCOELUM.

reticulare van Beneden, P. J., 1859b, 84-85, pl. 2, figs. 7-10. 1859: MONOSTOMA. 1899: MICROSCAPHA (type). 1901: MICROSCAPHIDIUM.

reticulare Johnston, S. J., 1913a, 362, 371-375, pl. 22, figs. 5-6, pl. 23, fig. 7, pl. 25, figs. 27-28, pl. 26, figs. 29-30. 1913: TYPHLOCOELUM. 1948: TYPHLOCOELUM (TYPHLOCOELUM).

reticulata Goto, S., 1894a, 189-191. 1894: MICROCOTYLE.

reticulata Harwood, P. D., 1936b, 251-253, 256, fig. 1. 1936: CATHAEMASIA.

reticulatum Looss, A., 1885a, 427-444. 1885: DISTOMA. 1899: CLINOSTOMUM. [1888: MESOGONIMUS (type)]. 1912: MESOGONIMUS. 1932: CLINOSTOMATOPSIS.

reticulatum Poirier, J., 1886a, 39, pl. III, fig. 8. 1886: DISTOMA.

reticulatum Stunkard, H. W., 1932c, 321, 334, 335, 339, fig. 1932: CERCARIAEUM.

reticulatum Wright, R. R., 1879a, 58-59, pl. 1, fig. 6. 1879: DISTOMA. 1899: FASCIOLA. 1936: CATHAEMASIA. 1939: PULCHROSOMA.

reticulatus Linton, E., 1910b, 17, 20, 72, 96, pl. 24, figs. 198-204. 1910: CLEPTODISCUS (type).

reticulatus Mizelle, J. D.; & Price, C. E., 1964b, 579, 581, 583-584, pl., figs. 45-53 (Lebistes reticulatus; California). 1964: UROCLEIDOIDES (tod).

retikulatum Looss, A., 1885b, 59, for reticulatum. 1885: DISTOMA.

retorta Hargis, W. J., 1955e, 210, 211, 212, 224, pl. II, fig. 11. 1955: THAUMATOCOTYLE.

RETORTOSACCULUS Yamaguti, S., 1958a, 816-817 (tod: R. trigonostoma).

retractilis Lebour, M. V., 1908a, 25, 28, 42-44, 66, pl. 2, fig. 7. 1908: PHARYNGORA. [1954]: OPECHONA.

retractilis Yamaguti, S., 1952a, 146, 148-149, 197, pl. III, fig. 13. 1952: BUCEPHALUS.

retroconstrictum Srâmek, A., 1901a, 95, 108, fig. 62. 1901: DISTOMA.

troflexum Molin, R., 1859e, 290. 1859: DISTOMA. 1898: PODOCOTYLE. 1911: LECITHOSTAPHYLUS (type). 1947: STEGANODERMA.

troocellata Lutz, A., 1933b, 354-355, 376, 382-383, 402, pl. 80, fig. 4. 1933: DICRANOCERCARIA.

trostoma Lutta, A. S., 1934a, 267, 289, 307, pl. 2, figs. 20-20a. 1934: CERCARIA.

trusum Linton, E., 1940a, 87-88, pl. 6, figs. 50-52. 1940: LEPOCREADIUM. 1960: NEOLEPIDAPEDON.

tusi von Linstow, O. F. B., 1878a, 327. 1878: CERCARIA distomi.

tusum Dujardin, F., 1845a, 405-406. 1845: DISTOMA (BRACHYCOELUM). 1910: CEPHALOGONIMUS. 1929: BRACHYCOELIUM.

villiodi Baer, J. G., 1931c, 340. 1931: METORCHIS.

voluta Froelich, J. A., 1802a, 58-60, pl. 2, figs. 6-7. 1802: FASCIOLA. 1899: ECHINOSTOMUM.

voluti Sewell, R. B. S., 1922a, 117, 137. 1922: CERCARIA echinostomi. 1963: METACERCARIA echinostomi.

volutum Lutta, A. S., 1934a, 266, 291-293, 307, pl. 5, figs. 23-23c, pl. 7, fig. 27. 1934: CERCARIA echinostomum.

volutum japonicus Kurisu, Y., 1932a, 286, 292-294, 296, 298; German summary, 25. 1932: ECHINOSTOMA.

volutum tenuicollis Bashkirova, E. I., 1941b, 245. 1941: ECHINOSTOMA.

welli Sandosham, A. A., 1951a, 19-23, 26, fig. 1. 1951: LEIPERTREMA (tod).

ynoldi Bhalerao, G. D , 1926f, 390-392, figs. 4-5. 1926: STEPHANOPRORA. 1941: MESORCHIS.

ynoldsi Bogitsh, B. J.; & Cheng, T. C., 1959a, 159-161, figs. 1-3. 1959: PISCIAMPHISTOMA.

ynoldsi Etges, F. J., 1961a, 221-226, pl., figs. A-E (Helisoma anceps; digestive gland; Mountain Lake, Virginia). 1961: CERCARIA.

ynoldsi Frayne, N. Z., 1943a, 382, 383-386, 387, 388, 389, pl., figs. 1, 6, 11. 1943: CHORICOTYLE.

EYNOLDSTREMA Cheng, T. C., 1959c, 84, 85 (tod: R. africana).

abdocaeca Faust, E. C., 1919d, 331, 332, 333, 334, 338-339, fig. 9. 1919: CERCARIA.

HABDIOPOEUS Johnston, S. J., 1913a, 362, 363-370; 1914a, 243 (mt: R. taylori).

HABDOSYNOCHUS Mizelle, J. D.; & Blatz, V., 1941a, 105, 107 (tod: T. rhabdosynochus).

abdosynochus Mizelle, J. D.; & Blatz, V., 1941a, 105-106, 109, figs. 1-10. 1941: RHABDOSYNOCHUS (tod).

achiaeum Henle, F. G. J., 1833a, 19-22. 1833: DIPLOSTOMUM. 1892: TYLODELPHYS. 1909: TETRACOTYLE. 1918: DIPLOSTOMULUM.

achidis Diesing, K. M., 1850a, 305. 1850: TYLODELPHYS.

acophori Yamaguti, S., 1936e, 551, 553-559, figs. 3-12. 1936: POLYSTOMA.

rhadinotus Manter, H. W., 1963a, 99, 106, 110, 111, pl. III, fig. 24, pl. IV, figs. 25-26 (T[h]erapon sp., "close to argenteus"; intestine & ceca; Fiji). 1963: OPECOELUS.

RHAGORCHIS Manter, H. W., 1931c, 406 (tod: R. odhneri).

RHAMNOCERCUS Monaco, L. H.; Wood, R. A.; & Mizelle, J. D., 1954a, 129 (tod: R. rhamnocercus).

rhamnocercus Monaco, L. H.; Wood, R. A.; & Mizelle, J. D., 1954a, 129-132, figs. 1-19. 1954: RHAMNOCERCUS (tod).

rhamphasti Dubois, G., 1937c, 394. 1937: NEODIPLOSTOMUM. 1938: NEODIPLOSTOMUM (NEODIPLOSTOMUM).

rhanti Odening, K., 1959a, 454-457, 468, 469, 473, 474, fig. 2. 1959: METACERCARIA (AGAMODISTOMUM).

rhatonisii Simon, C. E., 1897a, 223, for rathouisii. 1897: DISTOMA.

rhenanae Rudolphi, C. E., 1809a, 437-438. 1809: DISTOMA clupeae.

rhigedana Dietz, E., 1909a, 184. 1909: HIMASTHLA (tod).

rhinichthius Wood, R. A.; & Mizelle, J. D., 1957a, 193, 194-195, 200, pl. II, figs. 26-36. 1957: DACTYLOGYRUS.

rhinichthius Wood, R. A.; & Mizelle, J. D., 1957a, 188, 191, 199, 200, pl. I, figs. 31-36. 1957: GYRODACTYLUS.

rhinichthysi Hunter, W. S., 1933a, 255-258, pl. 36, figs. 1-4. 1933: NEASCUS.

RHINOBATONCOCOTYLE Yamaguti, S., 1963a, 309, for Rhinobatonchocotyle Doran, 1953.

rhinolophi Ogata, T., 1939b, 628. 1939: LECITHODENDRIUM. 1958: PROSTHODENDRIUM. 1960: PYCNOPORUS. 1960: ACANTHATRIUM (PROSTHODENDRIUM) (Etges, F. J., 1960c, 527).

rhinolophi Park, J. T., 1939b, 2-4, 5, 6, pl. 1, figs. 1-3. 1939: PLAGIORCHOIDES. 1958: PLAGIORCHIS.

rhinolophi Ryšavý, B., 1956b, 163, 168-169, 176, 177, 178, fig. 6. 1956: TRAVASSODENDRIUM.

rhinoplagusiae Yamaguti, S., 1934a, 252, 488-491, fig. 124. 1934: APONURUS.

RHIPIDOCOTYLE Diesing, K. M., 1858e, 313, 361-362 (type probably: R. gracilescens).

RHIPIDOCOTYLOIDES Long, S.; & Lee, W. C., 1964a, 568-569, 576, 577-578, 580 (mt: R. tsengi).

rhizophisae Monticelli, F. S., 1888c, 199, for rhizophysae. 1888: DISTOMA.

rhizophysae Studer, T., 1878b, 12-13, pl. 1, figs. 2, 7. 1878: DISTOMA.

rhodanicum Carrère, P., 1936a, 244-246. 1936: MARITREMA.

rhodei Žitňan, R., 1964d, 49-51, fig. 1 (Rhodeus sericeus amarus; skin, fins; Slovakia, CSSR). 1964: GYRODACTYLUS.

rhodesiensis Beverley-Burton, M., 1960c, 129, 131, figs. 1-2 (Lutra (Hydrictis) m. maculicollis, Aonyx c. capensis; small intestine; Southern Rhodesia). 1960: PRUDHOELLA (mt).

odesiensis Beverley-Burton, M., 1963a, 49, 53, 54-56, 58, 59, fig. 6 (Xenopus laevis; stomach; Southern Rhodesia). 1963: HALIPEGUS.

odesiensis Bisseru, B., 1956b, 73-78, figs. 7-11. 1956: STRIGEA.

ODOBILHARZIA Le Roux, P. L., 1958b, 13 (tod: R. margrebowiei).

odometopa Perez, C., 1924b, 341-343. 1924: CERCARIA.

ODOTREMA Odhner, T., 1911g, 100 (tod: R. ovacutum).

ombi van Beneden, P. J., 1871a, 72. 1871: DISTOMA.

ombi van Beneden, P. J.; & Hesse, C. E., 1863a, 73-74, pl. 6, figs. 1-7. 1863: PLACUNELLA. 1878: TRISTOMA. 1903: TROCHOPUS. 1939: MEGALOCOTYLE.

ombi laevis Diesing, K. M., 1858e, 328, based on Wedl, 1855a, 380, 394, pl. 2, fig. 14. 1858: MONOSTOMA.

ombispinosus Lebour, M. V., 1908a, 25, 45-46, 58, 66, pl. 2, figs. 9-10. 1908: STEPHANOCHASMUS. 1934: STEPHANOSTOMUM.

omboideus Sinitsin, D. F., 1931c, 797, 799, 800, 801, 811, 812, 814, 823-825, 832, pl. 1, fig. 3, pl. 2, figs. 11-12, pl. 3, fig. 18, pl. 5, figs. 29-33. 1931: ECTOSIPHONUS. 1931: PANOPISTUS [? lapsus]. 1953: BRACHYLAIMA.

OPALIAS Stiles, C. W.; & Hassall, A., 1898a, 82, 93, 96 (tod: R. coronatus).

OPALOCEPHALUS Lutz, A., 1895a, 182, ? for Rhopalophorus).

OPALOCERA de Filippi, F., 1854a, 6, for Rhopalocerca.

OPALOCERCA Diesing, K. M., 1850a, 286, 293 (mt: R. tardigrada=Distoma duplicatum renamed).

opaloides Creplin, F. C. H., 1839a, 294. 1839: AMPHISTOMA.

OPALOPHORUS Diesing, K. M., 1850a, 288, 400 (tld: R. coronatus).

udolphianum Saint-Loup, R., [1895a], 164, for rudolphianum. [1895]: TRISTOMA.

yacophilae von Linstow, O. F. B., (?) teste Luehe, M. F. L., 1909b, 153. (?): DISTOMA.

yacotritoni Martin, G. W., 1966, 935-937, figs. 1-5 (J. Parasitol., v. 52 (5)) (Rhyacotriton olympicus; intestine; Benton County, Oregon). 1966: CAUDOUTERINA (tod).

yacosiredonis Bravo Hollis, M., 1943b, 145-148, 149, 150, 151, fig. 4. 1943: PHYLLODISTOMUM.

ycobdelli Jain, S. L., 1958d, 450 (nomen nudum), for rhyncobdelli. 1958: UROCLEIDUS.

ynchobatis Tripathi, Y. R., [1959a], 68-70, fig. 32. [1959]: HORRIDAUDA (tod).

ynchobdelli Kohn, A.; & Paperna, I., 1964a, 148, for rhyncobdelli. 1964: GUSSEVIA.

YNCHOPHARYNX Odhner, T., 1928b, 167 (tod: R. paradoxa).

YNCHOTREMA Thapar, G. S., 1933a, 387 (mt: R. indica).

yncobdelli Jain, S. L., 1959d, 155, 159-162, 163, figs. 7-12. 1959: UROCLEIDUS. 1963: HAPLOCLEIDUS (Yamaguti, S., 1963a, 69). 1964: GUSSEVIA (spelled rhynchobdellae) (Kohn, A.; & Paperna, I., 1964a).

RHYTIDODES Looss, A., 1901 l, 565 (tod: R. gelatinosus).

RHYTIDODOIDES Price, E. W., 1939b, 24 (tod: R. intestinalis).

ribeiroi Ruiz, J. M.; & Teixeira Leão, A., 1955a, 485, 486-487, 488-489, pl. I, figs. 1-5 1955: ALIPTREMA (tod).

RIBEIROIA Travassos, L., 1939b, 301, 302 (tod: R. insignis).

ricchiardii Lopez, C., 1888a, 137-138, for richiardii. 1888: DISTOMA. 1901: ANAPORRHUTUM.

richardii Brandes, G. P. H., 1891b, 267, for richiardii. 1891: DISTOMA.

richardsoni Manter, H. W., 1954b, 476, 524, 525, 526, 563, figs. 50-52. 1954: BENTHOTREMA.

richardsonius Monaco, L. H.; & Mizelle, J. D., 1955a, 463-464, 469, 475, figs. 97-100. 1955: DACTYLOGYRUS.

richardsonius Wood, R. A.; & Mizelle, J. D., 1957a, 188, 191-192, 199, 200, pl. I, figs. 37-41. 1957: GYRODACTYLUS.

richiardi Monticelli, F. S., 1891d, 500, for richiardii. 1891: DISTOMA.

richiardii Lopez, C., 1888a, 137-138. 1888: DISTOMA. 1900: ANAPORRHUTUM. 1902: PROBOLITREMA (type). [1953]: PROBOLITREMA (PROBOLITREMA).

richiardii Sonsino, O., [1890m], 172. [1890]: ANOPLODISCUS. (type).

RIDGEWORTHIA Verma, C., 1936c, 186-187 (mt: R. ramai).

rieli Fain, A., 1953e, 20, 42, 121, 147-148, 280, 281, 282, 283, pl. XXI, fig. 2, pl. XXII, fig. 11. 1953: CERCARIA.

rietfontana Porter, A., 1938a, 7, 9, 406-408, pl. 69, figs. 7-9. 1938: CERCARIA.

rigens von Linstow, O. F. B., 1878a, 282, for ligula. 1878: DISTOMA.

riggini Dery, D. W., 1958b, 110, 111, 112, fig. 1958: GYNAECOTYLA. 1962: CORNUCOPULA (Rebecq, J. M., 1962a, 678). 1963: DIACETABULUM (Belopol'skaia, M. M., 1963c, 476).

rigonocerca Braun, M. G. C. C., 1892a, 809, for trigonocerca. 1892: CERCARIA.

rileyi Macy, R. W., 1931b, 30-32, pl. 2, figs. 1-5. 1931: DICROCOELIUM.

rimsky-korsakowi Gusev, A. V., 1955b, 230, 231, 232, 373, 394, 397, pl., fig. 22 (1). 1955: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 42). 1964: AUBANCYLODISCOIDES (tod) (Akhmerov, A. K., 1964a, 74, 76).

rimsky-korsakowski Akhmerov, A. Kh., 1952a, 201, 202, 203, fig. 7d. 1952: ANCYLODISCOIDES.

ringens von Linstow, O. F. B., 1878a, 360, see rigens. 1878: DISTOMA.

ringens Linton, E., 1905d, 327, 333, 367, 397, figs. 243-249. 1905: ASPIDOGASTER. 1932: LOBATOSTOMA (tod).

ringens Rudolphi, C. A., 1819a, 101, 385. 1819: DISTOMA. [1850: D. macrostomum].

ringeri Cobbold, T. S., 1880 l, 139-140, pl. 10, figs. 1-3. 1880: DISTOMA. 1890: MESOGONIMUS. 1915: PARAGONIMUS.

iojai Caballero y C., E.; & Bravo Hollis, M., [1964a], 174-185, 191, 201, figs. 7-15 (Caranx hippos; branquias; Salina Cruz, Oaxaca, Mexico). [1964]: VALLISIA.

IOJATREMA Lamothe Argumedo, R., 1963b, 79, 81, 82 (tod: R. bravoae).

iparius Gupta, R., 1957a, 261-264, pl., fig. 1. 1957: EUMEGACETES.

iponi Brackett, S., 1939b, 263-266, 267, fig. 1. 1939: CERCARIA.

itai Agrawal, V., 1964d, 93-96, figs. 4-5 (Rita rita; intestine; Lucknow). 1964: EUMASENIA.

itai Gupta, S. P., [1955b], 189. [1955]: HAPLORCHOIDES. [1957]: HAPLORCHIS.

ithaianensis Singh, R. N., [1955c], 57. [1955]: CERCARIA.

ithorensis Mukherjee, R. P., 1963b, 80, 81-82, figs. 3-4 (Gyraulus convexiusculus; Bareilly, India). 1963: CERCARIA.

itius Jain, S. L., 1959f, 39, 40. 1959: DACTYLOGYRUS. 1964: JAINIUS (Akhmerov, A. K., 1964a, 75).

ivicolae Diesing, K. M., 1850a, 298. 1850: CERCARIA cycladis. 1855: CERCARIAEUM cycladis.

izalensis Tubangui, M. A., 1932f, 376, 377, 379-380, pl. 3, fig. 2. 1932: PHILOPHTHALMUS.

oathensis Erasmus, D. A., 1960a, 85-90, figs. 1-5. 1960: CERCARIA.

obertsoni Patki, L. R., 1956a, 96-98, 100, pl., figs. 1-3. 1956: CERCARIA.

obinsonensis Schell, S. C., 1959a, 121-128, pl., figs. 1-3. 1959: CERCARIA.

ROBPHILDOLLFUSIUM Raggi, L.; & Orecchia, P., 1963a, 131, 140-141, 142 (mt: R. fractum).

obusta Faust, E. C., 1918c, 94-96, 97, pl. 1, figs. 1-5. 1918: CERCARIA.

obusta Johnston, T. H.; & Tiegs, O. W., 1922a, 116-117, fig. 1. 1922: MONOCOTYLE. 1934: MONOCOTYLOIDES (tod). 1938: HETEROCOTYLE.

obusta Lloyd, L. C., 1938a, 103, 113-114, 123, 128, 129, pl. 2, figs. 11-15. 1938: GENOLINEA.

obusta Murray, F. V., 1931a, 496, pl. 20, fig. 4. 1931: ANCYROCEPHALUS. 1937: MURRAYTREMA.

obusta Odhner, T., 1911h, 520-522, 529, fig. 2. 1911: AZYGIA.

obusta Szidat, L., [1927a], 400, fig. 3(4). [1927]: STRIGEA.

obusta Szidat, L., 1928d, 205, 208, 212. 1928: PARASTRIGEA.

obusta Teixeira de Freitas, J. F., 1951b, 104-105, pl. 63, figs. 158-159, pl. 64, figs. 160-163, pl. 65, fig. 164, pl. 66, fig. 166, pl. 67, figs. 188-189, pl. 71, fig. 207. 1951: TANAISIA. 1958: TANAISIA (TAMERLANIA).

obusta Verma, S. C., 1936c, 172-173. 1936: ALARIA.

obusticauda Faust, E. C., 1919d, 331, 332, 334, 337, fig. 7. 1919: CERCARIA.

obustri Ališauskaitė, V., [1959a], 33, 37, 39. [1959]: CERCARIA echinostomae.

robustum Lorenz, L., 1881a, 583-586, pl. 19, figs. 1-6. 1881: DISTOMA. 1926: PROTOFASCIOLA.

robustum Pérez Vigueras, I., 1944b, 222, 230-231, pl., fig. 7. 1944: NEPHROSTOMUM.

robustum Price, E. W., 1961a, 6, 7, 8, figs. 5-7 (Parathynnus sibi; gills; Tropical Pacific). 1961: NEOHEXOSTOMA.

robustum Pritchard, M. H.; & Manter, H. W., 1961a, 191-193, 196, 197, figs. 1-2 (Pomacentrus jenkinsi, Acanthurus sandvicensis, Chaetodon fremblii, Zebrasoma flavescens; intestine). 1961: SCHIKHOBALOTREMA.

robustum Ramalingam, K., 1952a, 346-347, fig. 6. 1952: PRICEA.

robustum Stossich, M., 1902g, 18, pl. 3, figs. 11-12. 1902: CYCLOCOELUM. 1909: MONOSTOMA. 1911: HYPTIASMUS. 1923: PROHYPTIASMUS (tod). 1928: HARRAHIUM. 1959: CYCLOCOELUM (HYPTIASMUS). 1938: OPHTHALMOPHAGUS.

robustum Stunkard, H. W., 1928c, 304, 312-317, figs. 7-9. 1928: VASOTREMA.

robustum Travassos, L. P., 1920d, 20-21, fig. 9. 1920: EURITREMA. [1953]: EURYTREMA (LUBENS). [1953]: LUBENS.

robustum Yamaguti, S., 1935c, 159, 166-168, fig. 7. 1935: ECHINOSTOMA.

robustus Caballero y C., E.; & Sokoloff, D., 1936a, 121, 145-149, 150, figs. 13-14. 1936: CEPHALOGONIMUS.

robustus Goldberger, J., 1911b, 44-47, fig. 20. 1911: TELORCHIS (CERCORCHIS). 1928: CERCORCHIS.

robustus Looss, A., 1901 l, 621-622. 1901: CHARAXICEPHALUS (tod).

robustus MacCallum, G. A., 1917b, 67-68, fig. 32. 1917: STEPHANOCHASMUS. 1952: STEPHANOSTOMUM.

robustus Malevits'ka, M. O., 1941a, 270, 271, fig. 4. 1941: DACTYLOGYRUS.

robustus Malmberg, G., (1957a), 29, 34, 62, 63, 64, fig. 3D. (1957): GYRODACTYLUS.

robustus Manter, H. W., 1934c, 258, 310-311, 312, 314, 315, 330, 337, 339, 340, pl. 12, figs. 75-78. 1934: STERRHURUS. [1938: DINOSOMA]. 1947: ADINOSOMA. [1954]: DINOSOMA.

robustus Manter, H. W., 1947a, 320-321, 373, 385, figs. 81-82. 1947: MEGALOMYZON (tod).

robustus Mueller, J. F., 1934c, 364-365, 366, 367, pl. 47, figs. 1-4. 1934: CLEIDODISCUS (tod).

robustus Sinha, B. B., 1949a, 71-77, figs. 1-3. 1949: ENCYCLOBREPHUS (tod).

rochalimai Pereira, C.; & Cuocolo, R., 1940c, 414-418, fig. 1. 1940: GORGODERINA (GORGODERINA). 1958: GORGODERINA (METAGORGODERINA).

rochebruni Poirier, J., 1886a, 36-37, pl.IV, figs. 4-5. 1886: DISTOMA. 1892: CLADOCOELIUM. 1899: BRACHYCLADIUM. 1928: CAMPULA. 1938: CAMPYLA.

rochebrunni Braun, M. G. C. C., 1892a, 673, for rochebruni. 1892: DISTOMA.

rodentini Agapova, A. I., 1955a, 118-120, fig. 1. 1955: BRACHYLECITHUM.

rodentorum Schwetz, J., 1953d, 183, 184, 185, 186, pl. XIII-XIV, figs. 1-12. 1953: SCHISTOSOMA mansoni.

rodhaini Brumpt, E. J. A., 1931c, 332-336, 337, 338, fig. 7. 1931: SCHISTOSOMA. 1958: AFROBILHARZIA.

rodhaini Fain, A., 1953e, 21, 25, 42, 161, 198, 200, 294, 295, pl. XXVIII, figs. 1-3. 1953: CERCARIA.

rodhaini Fain, A., 1955g, 381-382, 387. 1955: TRICHOBILHARZIA.

rodhaini Vercammen-Grandjean, P. H., 1960d, 18, 21, 27-28, 48, 83-87, pl. 19, figs. 124-133, pl. 20, figs. 134-141. 1960: DOLLFUSCHELLA (tod).

rodriguezi Caballero y C., E., 1955b, 23-26, figs. 1-2. 1955: CATADISCUS.

rogersi Mizelle, J. D.; & Kritsky, D. C., 1967, 263, 268-269, figs. 29-33 (J. Parasitol., v. 53 (2)) (Microgadus proximus; external surface; Pacific Coast near Bodega Bay & San Francisco). 1967: GYRODACTYLUS.

romanica Ciurea, I., 1915c, 446-453, 454, 456, 457, figs. 1-3, pl. 1, figs. 1-3. 1915: LOOSSIA (tod). 1924: METAGONIMUS.

romanicum Dinulescu, G., 1942a, 9-10, 18, 20, pl. 1, fig. 1. 1942: SPHAEROSTOMUM.

rombi-laevis Monticelli, F. S., 1892e, 717, for rhombilaevis. 1892: MONOSTOMA.

rombipharynx Oshmarin, P. G., 1963b, 62-64, fig. 24 (Circus melanoleucus; kidney; Amursko-Ussuriiskii Okrug). 1963: RENICOLA.

romulosus Agapova, A. I., 1960a, 197, 201 (? for ramulosus Malevits'ka). 1960: DACTYLOGYRUS.

ropaloides Leblond, C., 1836e, 290, pl. 16, figs. 1-3. 1836: AMPHISTOMA. [1850: Tetrabothriorhynchus migratorius].

rosaceum von Nordmann, A., 1832a, 82-88, pl. 8, figs. 1-5, 11. 1832: DISTOMA. 1850: DISTOMA tereticolle.

rosarum Cobbold, T. S., 1860a, 21, for rosaceum. 1860: DISTOMA.

roscovita Stunkard, H. W., 1932c, 321, 333-334, 335, 336, fig. 5. 1932: CERCARIA.

rosea van Beneden, P. J., 1871a, 90, pl. 4, fig. 10. 1871: DISTOMA.

rosea Linton, E., 1910b, 18, 22, 52, 54, 92, pls. 13-14, figs. 112-117. 1910: HYSTEROLECITHA (tod).

rosea Mueller, O. F., 1774a, 58. 1774: FASCIOLA. 1787: PLANARIA. 1892: AMPHIPORUS. [Turbellaria].

roseonigra Vergun, G. I., 1957a, 155-156, pl., fig. 3. 1957: CERCARIA.

rosettensis Meluok, M. A., 1940a, 113-123, fig. 1-2, pl. 1. 1940: NAGMIA.

rosorum Dubois, G., 1960a, 42, 46. 1960: PROSTHODENDRIUM.

rossica Skrjabin, K. I., 1915g, 1058-1064, fig. 1915: ODHNERIELLA (tod).

ROSSICOTREMA Skrjabin, K. I.; & Lindtrop, G. T., 1919a, 13-14.

rossicum Skrjabin, K. I.; & Isaichikov, I. M., 1927a, 303-304, pl. 21, fig. 1. 1927: DICROCOELIUM. 1940: LYPEROSOMUM. [1954: DICROCOELIOIDES].

rossicus Isaichikov, I. M.; & Zakharov, N., (1926). (1926): HALIPEGUS.

rossittensis Korkhaus, R., 1930b, 293-294. 1930: PROSHYSTERA (mt). 1935: TANAISIA.

rossittensis Muehling, P., 1898a, 16-17. 1898: UROGONIMUS. 1899: UROTOCUS.

rosstalensis Odening, K., 1959a, 458-460, 468, 469, fig. 4. 1959: METACERCARIA.

rostellatum Diesing, K. M., 1850a, 603. 1850: OCTOBOTHRIUM [Cestoda].

rostellum Isaichikov, I. M., 1933a, 29, for rastellum. 1933: DISTOMA.

rostrata Ercolani, G. B., 1882c, 51, 52-53, 107, pl. 1, figs. 15-18. 1882: CERCARIA.

rostrata Müller, O. F., 1774a, 65-66. 1774: FASCIOLA. 1787: PLANARIA.

rostratus Nagaty, H. P.; & Abdel Aal, T. M., 1961, 233-235, fig. 1(Lethrinus rostratus; alimentary tract; Marine Biological Station, Ghardaga, Red Sea). 1961: PARACRYPTOGONIMUS.

rostro-aculeata Ercolani, G. B., 1882c, 51, 53, 107, pl. 1, figs. 19-22. 1882: CERCARIA.

rostrum Gusev, A. V., 1955b, 202, 203, 204, 355, 393, 397, pl., figs. 9 (2-3). 1955: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 42).

rothschildi Palombi, A., 1940a, 7-8, 18-21, 29, figs. 7-8. 1940: CERCARIA.

rotunda Tubangui, M. A., 1928b, 364-365, pl. 4, fig. 4. 1928: STOMYLOTREMA.

rotundatum Johnston, T. H., 1934a, 28-29, 30, figs. 4-5. 1934: PROBOLITREMA. [1953]: PROBOLITREMA (REDUXOTREMA).

rotundatum von Linstow, O. F. B., 1877b, 187-188. 1877: HOLOSTOMUM.

rotundum Goto, S., 1894a, 245-248, pl. 24, figs. 6-9. 1894: TRISTOMA.

rotundum Manter, H. W., 1954b, 476, 527-528, 529, 563, figs. 56-58. 1954: STERINGOTREMA.

rotundum Shtrom, Z. K., 1935a, 228-230, 252, 253-254, fig. 3. 1935: LECITHODENDRIUM. 1948: LECITHODENDRIUM (LECITHODENDRIUM).

rotundus Manter, H. W., 1940a, 325, 340-342, 450, 462, 463, pl. 33, fig. 15. 1940: PROSORHYNCHUS.

rotundus Siddiqi, A. H., 1965b, 278-280, figs. 4-5 (Cyclemys dentata; small intestine; Aligarh, U. P.). 1965: NEOPRONOCEPHALUS.

rotundus Sparks, A. K., 1954a, 36-38, fig. 1. 1954: MULTITESTIS.

rousseloti Dollfus, R. P. F., 1956b, 379, figs. 1-2. 1956: ECHINOSTOMA.

rousseloti Dubois, G., 1958a, 55, 60-61, fig. 4. 1958: NEODIPLOSTOMUM.

rovirosai Caballero y C., E., 1942g, 81, 82, 83-86, figs. 1-2. 1942: CHOANOPHORUS (tod).

roytmani Strelkov, I. A., 1963a, 131, 132, 135, fig. 1 (Brachymystax lenok; gills; Amur River, Lake Khivanda). 1963: TETRAONCHUS (SALMONCHUS).

rubellum Olsson, P., 1867-68a, 40, pl. 4, fig. 89. 1867-68: DISTOMA. 1899: LECITHODENDRIUM. 1902: ZOOGONUS.

rubellus Mueller, J. F., 1938b, 226, 230, 235, pl. 5, figs. 6-12. 1938: DACTYLOGYRUS. 1938: NEODACTYLOGYRUS.

rubens Dujardin, F., 1845a, 411. 1845: DISTOMA (BRACHYLAIMUS).

ıber Luehe, M. F. L., 1900w, 507-509. 1900: DEROGENES.

ıbeus Linton, E., 1910b, 17, 22, 64-65, 94, pl. 18, figs. 149-154. 1910: DINURUS. 1947: STOMACHICOLA. 1954: PSEUDOSTOMACHICOLA (tod).

ıbra Cort, W. W., 1914a, 74, 75, fig. 7. 1914: CERCARIA.

ıbra Müller, O. F., 1774a, 59. 1774: FASCIOLA. 1787: PLANARIA.

ıbrum Kuhl, H.; & van Hasselt, T. S., 1822a, 82. 1822: MONOSTOMA. 1899: CRICO CEPHALUS.

ıbrum Manter, H. W., 1934c, 258, 313-315, 330, 337, 341, pl. 12, figs. 79-81. 1934: DINOSOMA (tod).

uddi Dunagan, T. T., 1957c, 89, 90, 91, 93, pl. I, figs. 4-5. 1957: CERCARIA.

ude Diesing, K. M., 1850a, 360-361. 1850: DISTOMA. [1900: PARAGONIMUS].

udectum Braun, M. G. C. C., 1901, 946. 1901: LYPEROSOMUM. 1920: LYPERO-TREMA (tod). 1941: ATHESMIA.

udis Gupta, R., 1963c, 75-77, 81, 82, 83, pl., figs. 1-2 (Ceryle rudis; small intestine; Lucknow). 1963: CERCOCOTYLA.

udis Lebour, M. V., 1912a, 410, 435-436, pl. 27, figs. 3-7. 1912: CERCARIA littorinae.

udolphi Massino (?). (?): PLAGIORCHIS.

udolphi Travassos, L. P., 1924b, 622-623, fig. 8. 1924: RUDOLPHIELLA. 1926: RUDOLPHITREMA.

udolphianum Diesing, K. M., 1850a, 429 (n. n. for Tristoma coccineum of Rudolphi, Phylline coccinea Schweigger, Capsala sanguinea Blainville, T. molae Blanchard). 1850: TRISTOMA. 1865: CAPSALA.

:UDOLPHIELLA Travassos, L. P., 1924b, 623-624 (tod: R. rudolphi).

udolphii Skrjabin, K. I., 1919, 16, 17, 24-26, pl., fig. (Trudy Obsh. Vet. Vrach. Vsevelik. Voiska Donsk., Novocherkassk (1)) (Anas boschas dom.; bursa Fabricii; Don). 1919: PROSTHOGONIMUS.

udolphii Tubangui, M. A.; & Masiluñgan, V. A., 1936d, 259-261, 265, pl. 3, fig. 2. 1936: HARMOTREMA.

RUDOLPHITREMA Travassos, L., 1926 1, 89.

ufeni Chatterji, P. N., 1942b, 23-26, 30, figs. 1-2. 1942: NEODIPLOSTOMUM.

ufi Rudolphi, C. A., 1819a, 119. 1819: DISTOMA falconis.

uficapensis Verma, S. C., 1935b, 837, 843-846, 847, 854, figs. 5-6. 1935: ECHINO-CHASMUS.

uficollis Ishii, N., 1935b, 467, 468, 474-475, 479, pl. 2, figs. 6-7. 1935: ECHINO-CHASMUS. 1943: MICROPARYPHIUM.

ufinae Kurova, O. A., 1927a, 114, 119-120, 121, 128, pl. 9, figs. 3-4. 1927: ECHINO-STOMA.

ufoviride Rudolphi, C. A., 1819a, 110, 406-407. 1819: DISTOMA. 1889: APOBLEMA. 1889: HEMIURUS. 1901: LECITHOCHIRIUM.

rufula Fain, A., 1953e, 18, 42, 161, 200-201, 302, 303, pl. XXXII, figs. 4-5. 1953: CERCARIA.

rugocaudatum Yoshida, S., 1915b, 58-65, pl., figs. 1-9. 1915: ENODIOTREMA. 1934: GLYPTHELMINS. 1959: MARGEANA.

rugosa MacCallum, G. A., [1919c], 118-120, fig. 60. [1919]: POLYSTOMA. 1939: NEOPOLYSTOMA.

rugosus Linton, E., 1928b, 17-18, pl. 6, figs. 43-45, pl. 7, figs. 46-49. 1928: APORCHIS.

rugosus Looss, A., 1907e, 591. 1907: HEMIURUS. 1954: HEMIURUS (METAHEMIURUS).

rugosus Odhner, T., 1902e, 32-45, fig. 2. 1902: COTYLOTRETUS.

rugosus Yamaguti, S., 1933b, 2, 112-119, 120, figs. 45-48. 1933: ECHINOCHASMUS. 1947: ECHINOCHASMUS (ECHINOCHASMUS).

RUICEPHALUS Skrjabin, K. I., 1955d, 14, 116, 121 (tod: R. minutus).

rupestris Olsson, P., 1876b, 20-21. 1876: DISTOMA labri. 1891: APOBLEMA labri.

russii Mehra, H. R., 1937a, 436, 437, 438. 1937: LEPODERMA (MULTIGLANDULARIS). [1959]: PLAGIORCHIS (PLAGIORCHIS).

ruszkowskii Stunkard, H. W., 1925b, 317. 1925: UNICAECUM (mt).

ruszkowskii Yamaguti, S., 1933b, 79, for gabesensis Ruszkowski, 1926. 1933: TELORCHIS.

ruthenica Bidulina, M. I., 1956a, 25. 1956: CERCARIA.

rutili Gläser, H. J., 1965a, 459, 475, 476-478, figs. 9-10 (Rutilus rutilus; Kiemenblättchen; Oder, Biese-Aland, Deutschland). 1965: DACTYLOGYRUS.

rutshurensis Baer, J. G., 1959b, 8, 39, 40, 41, 160, fig. 20. 1959: PLATYNOSOMUM. 1964: ZONORCHIS (Odening, K., 1964i, 170).

RUTSHURUTREMA Baer, J. G., 1959b, 8, 44, 47 (tod: R. acanthodes).

ruvida Palombi, A., 1938b, 189, 194-196, 199, 201, 204, 205, fig. 4a-d. 1938: CERCARIA.

ryjikovi Belopol'skaia, M. M., 1963b, 173-175, 191, 194, fig. 8 (Numenius madagascariensis; caecum; Nizhnii Amur). 1963: LEVINSENIELLA.

ryjikovi Kozlov, D. P., 1963a, 59-60, 70, 73, 74, 387, fig. 1 (Vulpes vulpes, Nyctereutes procyonides; small intestine; both from Far East). 1963: ECHINOCHASMUS.

ryjikovi Oshmarin, P. G.; & Parukhin, A. M., 1960a, 1305, 1306, 1309, fig. 1. 1960: ACANTHOTREMA. 1963: PANDIONTREMA (Oshmarin, P. G., 1963b, 68).

ryjikowi Ablasov, N. A., 1955b, 137-140, pl., fig. 1. 1955: PROSTHOGONIMUS (PROSTHOGONIMUS).

ryptici Pérez Vigueras, I., 1958a, 29-30, fig. 68. 1958: STERRHURUS.

rysavyi Dubois, G., 1960a, 57, 59, 61. 1960: LECITHODENDRIUM (LECITHODENDRIUM).

SAAKOTREMA Skrjabin, K. I.; & Bashkirova, E. I., 1956a, 735.

sabae Ishii, N., 1935e, 298, 304, 307-309, figs. 15-17. 1935: NEMATOBOTHRIUM (BENEDENOZOUM). 1955: NEMATOBOTHRIUM (NEMATOBOTHRIUM).

cata Goeze, J. A. E., 1782a, 221, based on Sack-Egel of Merrem, 1781a, 169, pl. 1, figs. 3-7. 1782: FASCIOLA. [1803: Cysticercus taeniaeformis].

catus Manter, H. W., 1963b, 443, 446, 447, 448, pl. II, figs. 10-13 (redfish; probably Lutianidae or Lethrinidae; intestine; Fiji). 1963: PARACRYPTOGONIMUS.

CCOCOELIOIDES Szidat, L., 1954a, 6, 37-38 (tod: S. nanii).

CCOCOELIUM Looss, A., 1902h, 134, 135 (tod: S. obesum).

culata Van Cleave, H. J.; & Mueller, J. F., 1932a, 39-43, pl. 7, figs. 1-3. 1932: BUNODERA. 1958: BUNODERINA.

culatus Pritchard, M. H., 1966b, 180, 181, 182, 183-184, 185, 187, 200, figs. 8-9 (Parupeneus multifasciatus, P. chrysonemus; intestine; Hawaii). 1966: PAROPECOELUS.

culosus Yuen, P. H., 1962b, 532, 535, figs. A-B (Rana erythraea; rectum ?; Kuala Lumpur, Selangor, Malaya). 1962: DIPLODISCUS.

culouterus Oshmarin, P. G., 1963b, 56-57, fig. 22 (Strix uralensis; cloaca; Amursko-Sikhote-Alin'skii Okrug). 1963: EUMEGACETES (SACCULOUTERUS).

cus Cobbold, T. S., 1860a, 8 for soccus Molin. 1860: DISTOMA.

halinicum Shumakovich, E. E., 1932a, 154-158, fig. 1. 1932: MARITREMA.

idiornicola Stossich, M., 1902g, 34, for sarcidiornicola. 1902: MONOSTOMA.

gitarius Sinitsin, D. F., 1911a, 15-19, 21, 37, 65, 71, 88, 89, 109, pl. 1, figs. 22-25, pl. 2, figs. 26-36. 1911: CERCARIA. 1911: ADOLESCARIA. 1911: PARTHENITA.

inatum von Ratz, I., 1897h, 209. 1897: DISTOMA. 1903: PEGOSOMUM (type). 1909: ECHINOSTOMA.

itta Lespès, P. G. C., 1857b, 114, pl. 1, fig. 12. 1857: CERCARIA.

itta Looss, A., 1899b, 668, 770, 772-773, fig. 88. 1899: MICROSCAPHA. 1901: MICROSCAPHIDIUM. 1902: OCTANGIUM (type).

ittalis Vaney, L.; & Conte, A., 1899a, 196. 1899: CERCARIA.

ittaria Dickerman, E. E., 1937a, 566. 1937: CERCARIA. 1937: PROTEROMETRA.

ittata Diesing, K. M., 1858d, 249. 1858: CERCARIA.(GYMNOCEPHALA).

ittatum Leuckart, F. S., 1842a, 49-57, pl. 2, fig. 5a-k. 1842: OCTOBOTHRIUM. 1850: DISCOCOTYLE (type). 1858: PLACOPLECTANUM. 1937: MAZOCRAES.

ittatus Diesing, K. M., 1836c, 313, pl. 17, figs. 10-12. 1836: HETERACANTHUS. [1850: Axine bellones].

ittifera von Siebold, C. T., 1854, 18, fig. 3. 1854: CERCARIA. [1858: Cercariaeum helicis pomatiae].

aranpurensis Gupta, S. P., [1955a], 87-91, figs. 1-3. [1955]: NEOPECOELINA.

leri Olivier, L. J., 1942b, 168, 169-172, 178, pl. 1, figs. 3, 6, 11, 14, 16-17. 1942: CERCARIA.

rei Bhalerao, G. D., 1937f, 114, 115, 116-118, 121, fig. 11. 1937: HELOSTOMATIS.

amandra Holl, F. J., 1928b, 181-182, pl. 27, figs. 1-4. 1928: PLAGITURA. 1958: MANODISTOMUM (Yamaguti, S., 1958a, 406).

salamandrae von Frölich, J. A., 1789a, 119-121, pl. 4, figs. 8-10. 1789: FASCIOLA. 1803: DISTOMA. 1909: BRACHYCOELIUM. 1916: BRACHILAIMUS.

salamandrinae perspicillatae Sonsino, P., 1896g, 116. 1896: DISTOMA.

salaris Malmberg, G., (1957a), 29, 34, 54, 55, fig. 3A. (1957): GYRODACTYLUS.

salebrasum Skrjabin, K. I.; & Udintsev, A. N., 1930a, 21, for salebrosum. 1930: LYPEROSUM.

salebresum Layman, E. M., 1926d, 69, for salebrosum. 1926: LYPEROSUM [for Lyperosomum].

salebrosum Braun, M. G. C. C., 1901g, 946. 1901: LYPEROSOMUM. 1922: DISTOMA. 1940: BRACHYLECITHUM. 1944: BRACHYDISTOMUM.

salebrosum luscinii Oshmarin, P. G. in Skrjabin, K. I.; & Evranova, V. G., [1953a], 114, fig. 34. [1953]: BRACHYDISTOMUM. 1964: LYPEROSOMUM (BRACHYDISTOMUM) (Jaiswal, G. P., 1964a).

salinus Paperna, I., 1964e, 1, 3-4, 16, figs. 6-8 (Aphanius dispar; gills; salt pans of Atlith (coastal plane) & spring of Ein Hakikar, south of Dead Sea, Israel). 1964: ANCYROCEPHALUS.

SALLACOTYLE Petrov, A. M., 1940a, 225, for Sellacotyle.

salmincola Chapin, E. A., 1926d, 36-37, 1 fig. 1926: NANOPHYES (tod). 1927: NANOPHYETUS (tod). 1932: TROGLOTREMA.

salmineola Shope, R. E., 1948a, 586, for salmincola. 1948: TROGLOTREMA.

salmini Yamaguti, S., 1958a, 285, 1551 (n. n. for H. dubius of Travassos, Artigas & Pereira, 1928). 1958: HALIPEGUS.

SALMONCHUS Spasskii, A. A.; & Roitman, V. A., [1959a], 354, 356, 357, 359 (tod: S. huchonis).

SALMONCUS Yamaguti, S., 1963a, 86, for Salmonchus Spasskii & Roitman, 1958.

salmonicola Dollfus, R. P. F., 1951a, 104, 123-126, pl., figs. 9-10. 1951: OCHETOSOMA. 1952: PSEUDOCHETOSOMA (mt).

salmonicola Philip, C. B.; Hadlow, W. J.; & Hughes, L. E., 1953a, 256, for salmincola. 1953: TROGLOTREMA.

salmonis Fujita, T., 1921b, 137-141, figs. 1-3. 1921: CREPIDOSTOMUM.

salmonis Layman, E. M., 1933b, 77, pl. 1, figs. 7, 11, pl. 2, fig. 13. 1933: CREPIDOSTOMUM baicalensis.

salmonis Müller, O. F., 1780a, 4, pl. 72. 1780: FASCIOLA. [1901: ?Hemiurus crenatus (Rudolphi) Luehe].

salmonis Shaffer, E., 1916a, 257-271, figs. 1-10. 1916: DISCOCOTYLE. 1952: OCTOBOTHRIUM.

salmonis Ślusarski, W., 1958a, 310, 318-325, 488, figs. 37-38, 51-54, 55d. 1958: SPHAEROSTOMUM.

salmonis Yamaguti, S., 1934a, 252, 486-488, fig. 123. 1934: LECITHASTER.

salmonis Yin, W. Y.; & Sproston, N. G., [1959a], 60. [1959]: GYRODACTYLUS elegans.

salobrensis Teixeira de Freitas, J. F., 1947a, 461-463, figs. 1-3. 1947: CHALCINOTREMA (tod).

lpae Parona, C.; & Perugia, A., 1890g, 207, pl. 5, fig. 34. 1890: MICROCOTYLE.

lpinggoides MacCallum, G. A., 1917b, 54-55, figs. 24-24c. 1917: LOIMOS (mt).

marae Deblock, S.; & Rosé, F., 1964b, 225-232, figs. 1-4 (Anas platyrhynchos; intestin grêle; étangs de Boves (Somme), France). 1964: ATRIOPHALLOPHORUS (tod).

marae Deblock, S.; & Rosé, F., 1965a, 433-436, 438, figs. 4-7 (Nyroca (=Aythya) ferina; intestin grêle; Marais de la Somme, Boves (Somme), France). 1965: ANACETABULITREMA.

mbalus Chatterji, P. N.; & Kruidenier, F. J., 1961a, 417, 419-420, 422, figs. 4-6 (Naja naja; gall bladder; Sambalpur, Orissa, India). 1961: XENOPHARYNX.

mburgi Goodman, J. D., 1951c, 57, 58, 59, 62-63, fig. 5. 1951: CERCARIA.

moensis Byrd, E. E., 1949b, 114-117, figs 1-3. 1949: PARADISTOMUM.

mpaioi Travassos, L. P.; Kohn, A.; & da Silva Motta, C., 1963a, 5, 6-9, figs. 1-3 (Cynoscion leiarchus; intestine; Ilha de Marambaia, Estado do Rio de Janeiro, Brasil). 1963: PHYLLODISTOMUM.

naensis Kobayashi, H., 1941c, 2296, 2299 [nomen nudum]; 1942a, 188-190, 221, figs. 1-2. 1942: GALACTOSOMUM.

ndgroundi Baer, J. G., 1932a, 386-387. 1932: HARVARDIA (tod).

ANDONIA McClelland, W. F. J., 1957a, 247, 250-251, 252, 256 (tod: S. sudanensis).

ndoshami Rohde, K., 1964b, 16-19, 22, figs. 4-5 (Tylonycteris sp., Kerivoula sp.; Darm; all from Kuala Senyul, Kelantan, Malaya). 1964: RENSCHETREMA

nguicola delle Chiaje, S., 1825a, 15. 1825: HEXATHYRIDIUM.

nguicola delle Chiaje, S., 1825a, 112-113. 1825: POLYSTOMA.

nguina Sinha, B. B., 1934c, 147-151, figs. 1-2. 1934: GOMTIOTREMA (mt). 1939: SPIRORCHIS. 1939: PLASMIORCHIS.

nguinea Blainville, see Diesing, K. M., 1850a, 429. 1850: CAPSALA. [1850: Tristoma rudolphianum].

nguineum delle Chiaje, S., 1837b, 245, based on 1837a. 1837: POLYSTOMA.

nguineum Sonsino, P., 1894e, 111. 1894: DISTOMA. 1899: ANCHITREMA (type).

nguineus Linton, E., 1928b, 24-25, pl. 8, figs. 53-56. 1928: MINUTHORCHIS (tod). (Larus atricilla; intestine). 1937: PACHYTREMA.

ANGUINICOLA Plehn, M., 1905c, 244-252.

nguinicolae Ejsmont, L., 1926a, 931, 932, 933, 934, text figs. O, P, R., pl. 51, fig. 19, pl. 52, figs. 20-23. 1926: CERCARIA.

nguinicolae inermis Scheuring, L., 1922a, 297, 298, pl. 23, fig. 12. 1922: CERCARIA.

nguinicoloides McIntosh, A., 1934c, 463-466, 467, fig. 1. 1934: PARADEONTACYLIX (tod).

nguinolentum Werby, H. J., 1928a, 183-187, pl. 8, figs. 1-4. 1928: GLAPHYROSTOMUM.

nguivora Sinitsin, D. F., 1911a, 40-41, 90, pl. 6, figs. 85-86. 1911: ADOLESCARIA.

sanjuanense Royce, B. M., 1937a, 724 [nomen solum]. 1937: CRYPTOCOTYLE.

sanjuanensis Miller, H. M., 1925a, 14, 15 [nomen nudum]; 1927a, 64, 74-75, 79, pl. 3, fig. 6, pl. 4, figs. 8, 15. 1927: CERCARIA.

sanlorenzensis Nasir, P.; & Acuña Cedeño, A., 1964a, 267-269, pl., figs. 1-4 (Pomacea glauca; San Lorenzo, east of Cumaná, Venezuela). 1964: CERCARIA.

sanneri Deblock, S.; Capron, A.; & Brygoo, E. R., 1962a, 83, 88-91, fig. 2 (Chamaeleo brevicornis; poumons; Madagascar). 1962: PNEUMATOPHILUS.

sansoucia Porter, A., 1938a, 6, 9, 316, 317-318, 467, pl. 47, figs. 5-7. 1938: CERCARIA.

santense Ruiz, J. M., 1952a, 18, 19, 24-25, 28, 34, pl., figs. 4 (24-30). 1952: CERCARIA.

sapae Reichenbach-Klinke, H. H., 1961c, 541, 542, 543, 548, 549, 552, 555, fig. 5i. 1961: DIPLOZOON paradoxum.

SAPHEDERA Looss, A., 1902m, 732, 839 (Macrodera Looss, 1899 renamed) (tod: S. naja).

SAPHEDRA Fuhrmann, O., 1928b, 112, for Saphedera).

saqae Manter, H. W.; & Prince, D. F., 1953a, 106, 108, 109, 112, pl. I, figs. 7-11. 1953: CEMOCOTYLE. 1962: CEMOCOTYLELLA (Price, E. W., 1962c, 412).

sarai Saksena, J. N., 1957a, 265-268, pl., figs. 1-2. 1957: PATAGIFER.

sarani Tripathi, Y. R., [1959a], 11, 16-17, fig. 6. [1959]: DACTYLOGYRUS.

sarcidiornicola Mégnin, J. P., 1890c, 87-90, fig. 2. 1890: MONOSTOMA. 1902: TYPHLOCOELUM, 1913: TRACHEOPHILUS. 1923: TYPHLULTIMUM (mt).

sarcinum Dietz, E., 1909b, 11. 1909: ECHINOSTOMA.

sarcogyponis Vidyarthi, R. D., 1937a, 318-321, fig. 3. 1937: PSEUDOSTRIGEA. 1942: APATEMON. 1953: APATEMON (PSEUDOSTRIGEA). 1966: STRIGEA (Dubois, G., 1966a, 19).

sarcophila Sandars, D. F., 1957e, 257-260, 263, fig. 1. 1957: FIBRICOLA. 1961: NEODIPLOSTOMUM (FIBRICOLA) (Pearson, J. C., 1961a, 167).

sarcorhamphi Dubois, G., 1937c, 395. 1937: NEODIPLOSTOMUM.

sardae MacCallum, G. A., 1915b, 405-409, figs. 137, 138. 1915: ATALOSTROPHION. 1935: ATALOSTROPHIUM (ATALOSPARGANUM) (tod of subg.).

sardae MacCallum, G. A.; & MacCallum, W. G., 1916a, 155, 158, 161-166, pl. 2, fig. 11, pl. 3, figs. 12-16. 1916: NEMATOBOTHRIUM. 1940: KOELLIKERIA ? [lapsus]. 1940: DIDYMOZOON. 1958: UNITUBULOTESTIS.

sardinellae Nahhas, F. M.; & Cable, R. M., 1964a, 188, 191, pl., fig. 19 (Sardinella macrophthalmus; intestine; Jamaica). 1964: OPECHONA.

sardiniae Yamaguti, S., 1934a, 251, 434-436, figs. 92-93. 1934: PARAHEMIURUS.

sargi Parona, C.; & Perugia, A., 1889a, 744. 1889: MICROCOTYLE.

sargus annularis Vlasenko, P. V., 1931a, 91, 93, 103-104, 128-129, fig. 9. 1931: DIPHTEROSTOMUM.

sargusi Nagaty, H. F.; & Abdel Aal, T. M., 1961a, 234-235, fig. 2 (Sargus noct; alimentary tract; Marine Biological Station, Ghardaga, Red Sea). 1961: MAHROSA (mt).

sarothrurae Baer, J. G., 1959b, 8, 34, 35, 36, 160, fig. 17 (Sarothrura pulchra; cholédoque; Parcs Nationaux du Congo Belge). 1959: LYPEROSOMUM.

SARUMITREMA Beverley-Burton, M., 1963a, 49, 50 (tod: S. hystatorchis).

sasikala Unnithan, R. V., 1957a, 105-112, 118, fig. 11 a-m. 1957: LOXURA. 1962: LOXUROIDES (Price, E. W., 1962a, 17). 1963: AXINE (Yamaguti, S., 1963a, 256).

satjivani Verma, S. C., 1936c, 168-169. 1936: PSEUDOECHINOCHASMUS.

satoi Kobayashi, H., 1915c, 1, 3-4, 258, pl., figs. 3-4. 1915: EURYTREMA.

saturnium Dubois, G., 1936a, 513. 1936: LOPHOSICYADIPLOSTOMUM (tod).

saundersi Rao, M. A. N., 1932a, 255-258, pl. 21, figs. 1-2. 1932: CERCARIA.

sauridae Fischthal, J. H.; & Kuntz, R. E., 1963f, 81, 86-88, pl., figs. 6-7 (Saurida undosquamis; small & large intestines; Giza Province, Egypt). 1963: PARAPLERURUS (mt).

sauromates Poirier, J., 1886a, 24-26, pl. II, figs. 4-6. 1886: DISTOMA. 1904: PLAGIORCHIS. 1910: RENIFER. 1938: NEORENIFER. 1957: OCHETOSOMA.

sauromatis Braun, M. G. C. C., 1893a, 876, for sauromates. 1893: DISTOMA.

saviniense Dyk, V.; & Dyková, S., 1964a, 400, 401, 402, 405, 407, 408, figs. 2-3 (Trutta trutta morf. fario, Thymallus thymallus; gall bladder; river Savinja (SFRJ). 1964: FELLODISTOMUM.

sawakinensis Looss, A., 1899b, 672, 754-755, fig. 90. 1899: STICTODORA.

sawanensis Gupta, N. K., 1954g, 143-148, fig. 1. 1954: PLEUROGENES (TELOGONELLA).

sawara Ishii, N., 1936a, 781, 788-789, figs. 11-12. 1936: GOTOCOTYLA (tod).

sayeedi Jaiswal, G. P., 1957a, 19-20, fig. 1. 1957: LYPEROSOMUM (BRACHYLECITHUM).

sayori Yamaguti, S., 1938c, 3, 136-137, fig. 83. 1938: LECITHASTER.

sayori Yamaguti, S., 1942c, 330, 367-369, fig. 19. 1942: ORIENTOPHORUS. 1958: FAUSTULA.

scaber Rudolphi, C. A., 1819a, of Odhner, T., 1905, 353, perhaps a Stephanochasmus. 1905: DISTOMA. [1905: STEPHANOCHASMUS] See D. scabrum.

scabra Mueller, O. F., 1784a, 31-32, pl. 51, figs. 1-8. 1784: FASCIOLA. 1803: DISTOMA. 1860: ECHINOSTOMA. 1889: APOBLEMA. 1899: ANOIKTOSTOMA.

scabridum Braun, M. G. C. C., 1900f, 390-391. 1900: UROTREMA.

scabrum Caballero y C., E., 1940a, 220-221, 223, fig. 4. 1940: LIMATULUM. 1943: PROSTHODENDRIUM.

scalpelliformis Gusev, A. V., 1955b, 250, 251, 394, 397, pl., fig. 27(2). 1955: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 42).

scalpellus McFarlane, S. H., 1936a, 335, 336, 337, 338, fig. 1b, d, h, i, k. 1936: PROSORHYNCHUS.

SCAPANOSOMA Luehe, M. F. L., 1910b, 43, 83.

SCAPHANOCEPHALUS Jägerskiöld, L. A. K. E., 1903a, 1-16 (mt: S. expansus).

scaphiopi Rodgers, L. O., 1941a, 153-157, figs. 1-5. 1941: DIPLORCHIS. 1963: NEODIPLORCHIS (Yamaguti, S., 1963a, 294).

SCAPHIOSTOMUM Braun, M. G. C. C., 1901g, 897 (mt: S. illatabile).

scaphosomum Manter, H. W., 1940a, 325, 356-359, 360, 446, 467, pl. 35, figs. 28-29. 1940: PSEUDOCREADIUM. [1942: HYPOCREADIUM]. [1954]: HYPOCREADIUM (Yamaguti, S., [1954a], 105).

scapularis Mizelle, J. D.; & Donahue, M. A., 1944a, 606-607, 620, 621, pl. 1, figs. 1-8. 1944: ACTINOCLEIDUS.

scardinii Malmberg, G., (1957), 29, 34, 51, 52, fig. 3A, 5A-B. (1957): GYRODACTYLUS wageneri (Malmberg, G., 1964a).

scardinii Shul'man in Dubinin, V. B., 1952e, 230-232, fig. 4. 1952: NEODIPLOSTOMULUM. 1958: NEASCUS. [1959]: NEODIPLOSTOMUM. 1958: POSTHODIPLOSTOMUM.

scari Yamaguti, S., 1952a, 146, 159-160, 197, pl. III, fig. 15. 1952: DIPLOBULBUS.

scari Yamaguti, S., 1968, 14, 23-24, fig. 4 (Yamaguti, S., Monogenetic trematodes of Hawaiian fishes) (Scarus sordidus; gills; Hawaii). 1968: BENEDENIA.

scatophagi Fischthal, J. H.; & Kuntz, R. E., 1965a, 66, 67, 68, figs. 3-4 (Scatophagus argus; small intestine; Jesselton, North Borneo). 1965: MESOCOELIUM.

scatophagi Yamaguti, S., 1952a, 146, 178-181, 197, pl. IV, fig. 17. 1952: PSEUDOHAPLADENA.

scatophagi Yamaguti, S., 1953b, 203, 215-217, 255, pl. II, fig. 6. 1953: METAHALIOTREMA (tod).

schachtachtinskoi Petrov, A. M.; & Sailov, D. I., (1961), Trudy Azerbaidzh. Ped. Inst., v. 17, 39-42 (Larus ridibundus; Azerbaidzhan). (1961): HIMASTHLA.

schamurati Gagarin, V. G.; Ablasov, N. A.; & Chibichenko, N. T., 1957a, 113, fig. 1. 1957: BRACHYLECITHUM.

scheerpoortia Porter, A., 1938a, 7, 9, 414-416, 469, 470, pl. 72, figs. 1-11. 1938: CERCARIA.

schelkownikowi Skrjabin, K. I.; & Popov, N. P., 1927a, 136. 1927: CERCORCHIS (for chelnownikowi).

scheuringi Hughes, R. C., 1929a, 267-269, 270, fig. 1929: DIPLOSTOMULUM. 1938: TYLODELPHYS. 1939: DIPLOSTOMUM.

schigini Bykhovskaia, I. E. (Pavlovskaia), 1962b, 32 (n. n. for Echinochasmus (Episthmium) colymbi Schigin, 1956 in Skrjabin et Baschkirowa, 1956). 1962: ECHINOCHASMUS (EPISTHMIUM).

SCHIKHOBALOTREMA Skrjabin, K. I.; & Gushanskaia, L. K., 1955a, 581, 592-607 (tod: S. acuta).

schikhobalovi Kasimov, G. B. in Skrjabin, K. I.; & Evranova, V. G., [1953a], 420, fig. 155a. [1953]: LYPEROSOMUM.

schikhobalovi Sultanov, M. A., 1962a, 64-65, 67, fig. 1 (Fulica atra atra; bile duct of liver; Tashkent Oblast). 1962: OPISTHORCHIS.

schikhobalowi Skrjabin, K. I.; & Pod'iapol'skaia, V. P., 1931a, 294-297, figs. 1-3. 1931: NANOPHYETUS.

schirocerca Dadai, J., 1910b, 291, for schizocerca. 1910: CERCARIA.

SCHISTOCERCARIA Soparker, M. B., 1921b, 19.

schistocotyle Fischoeder, F., 1901a, 373. 1901: CLADORCHIS (TAXORCHIS). 1910: TAXORCHIS.

SCHISTOFURCOCERCARIA Odening, K., 1962e, 384 (Strigeidae).

SCHISTOGONIMUS Luehe, M. F. L., 1909b, 112, 114 (mt: S. rarus).

SCHISTORCHIS Luehe, M F. L., 1906b, 101-102 (tod: S. carneus).

schistorchis Dollfus, R. P. F., 1951g, 368, for subclavatus schistorchis. 1951: DIPLODISCUS. 1959: OPISTHODISCUS.

schistorchis Steelman, G. M., 1938b, 383-386, pl., figs. 1-2. 1938: GORGODERINA. [1943: PHYLLODISTOMUM]. [1953]: GORGODERINA (GORGORIMMA).

SCHISTOSOMA Weinland, D. F., 1858a, [prior to Sept. 30], 58, 87 (mt: S. haematobium).

schistosomatii pathlocoptici Simroth, J.; & Hoffmann, H., 1928a, 1335. 1928: CERCARIA.

schistosomatis japonici Sewell, R. B. S., 1922a, 255. 1922: CERCARIA.

SCHISTOSOMATIUM Tanabe, B., 1923a, 230-233.

schistosomatoides Price, E. W., 1934b, 132-133, 134, figs. 1-2. 1934: NEOSPIRORCHIS (tod).

SCHISTURUS Rudolphi, C. A., 1809a, 31 (mt: S. paradoxus).

SCHIZAMPHISTOMOIDES Stunkard, H. W., 1925c, 146.

SCHIZAMPHISTOMUM Looss, A., 1912c, 351.

schizocerca Dadai, J., 1910f, 1 Leif, pl. 1, fig. 20; 5 Lief, 288, 291. 1910: CERCARIA.

schizocotyle Fernando, W., 1952a, 20, 21, 22, pl. 8, fig. 1, pl. 10, fig. 3D, pl. 11, figs. 6-9, pl. 12, figs. 11, 12B. 1952: CARIDINICOLA platei.

schizothoracis Faust, E. C., 1927a, 218-300, pl. 16, fig. 5, pl. 17, fig. 6, pl. 19, fig. 9. 1927: DIPLOSTOMUM.

schizothoracis Pande, B. P., 1938d, 110-112, 113, 114, fig. 1. 1938: ALLOCREADIUM.

schizothoraxi Iksanov, K. I., [1966], 88-91, figs. 1a-b (Mater. Nauch. Konf. Vsesoiuz, Obschch. Gel'mint., Dec., 1965 (4)) (Schizothorax issykkuli; gills; Lake Issyk-Kul). [1966]: DIPLOZOON.

schizothoraxi Kaw, B. L., 1950a, 111-113, 114, figs. 19 A-B. 1950: CLINOSTOMUM

schoetteri Fain, A., 1953e, 22, 27, 42, 121, 145-146, 276, 277, 282, 283, pl. XIX, fig. 2, pl. XXII, fig. 9. 1953: CERCARIA.

schoutedeni Fain, A., 1953e, 22, 42, 162, 214-215, 304, 305, pl. XXXIII, figs. 1-2. 1953: CERCARIA.

schoutedeni Fain, A., 1955g, 377-378, 387. 1955: TRICHOBILHARZIA.

schoutedeni Grétillat, S., 1964a, 355, 356, 357-362, 363, 366, pl., fig. 1, figs. 2-8. (Boocercus euryceros; estomac; Uélé. 1964: CARMYERIUS.

schoutedeni Vercammen-Grandjean, P. H., 1960d, 49, 101-102, pl. 32, figs. 212-217. 1960: BRACHYLECITHUM.

schrjabini Travassos, L. P., 1918c, 6, for skrjabini. 1918: DICROCOELIUM.

schubarti Kohn, A., 1963a, 259-261, figs. 1-2 (Salminus maxillosus; liver; Estado de São Paulo, Brasil). 1963: PAURORHYNCHUS.

schuchovi Isaichikov, I. M., 1929d, 285-288. 1929: PLAGIORCHIS. 1931: PLAGIORCHIS (MULTIGLANDULARIS).

schulzei Wundsch, H. H., 1911a, 51-52, 53, 54, 56, 57, 74, pl. 4, figs. 13-16. 1911: PNEUMONOECES. 1933: HAEMATOLOECHUS. 1939: HAEMATOLOECHUS (HAEMATOLOECHUS).

schulzi Gnedina, M. P., (1938). (1938): CHAUNOCEPHALUS.

schulzi Matevosian, E. M., 1938b, 379-381, 391, figs. 5-6. 1938: ECHINOPARYPHIUM.

schwartzi Pérez Vigueras, I., 1940b, 220-222, pls., fig. 2, fotomicr. 2. 1940: SCHWARTZIELLA (tod). 1941: SCHWARTZITREMA (tod).

schwartzi Price, E. W., 1931a, 3-7, 11, fig. 2. 1931: ECHINOCHASMUS. 1947: ECHINOCHASMUS (ECHINOCHASMUS).

SCHWARTZIELLA Pérez Vigueras, I., 1940b, 220, 221-222 (tod: S. schwartzi).

SCHWARTZITREMA Pérez Vigueras, I., 1941d, 263 (tod: S. schwartzi).

schwetzi Dollfus, R. P. F., 1950a, 8, 52-54, figs. 33-35. 1950: MESOCOELIUM.

schwetzi Fain, A., 1953e, 18, 42, 158, 183-186, 288, 289, pl. XXV, figs. 1-2. 1953: CERCARIA.

schyrna Serov, N. P., 1956a, 287, ? for sphyrna Linstow. 1956: DACTYLOGYRUS.

sciaenae van Beneden, P. J., 1856d, 502-508, pl., figs. 1-4. 1856: EPIBDELLA. 1878: TRISTOMA. [1891]: PHYLLINE. 1903: EPIBDELLA (BENEDENIA). [1858: Benedenia elegans, type]. 1927: BENEDENIA.

sciaenae van Beneden, P. J.; & Hesse, C. E., 1863a, 123-124, pl. 13, figs. 23-31. 1863: DIPLECTANUM. [1895]: GYRODACTYLE [lapsus?]. 1922: ANCYROCEPHALUS.

sciaenae van Beneden, P. J.; & Hesse, C. E., 1863a, 93, pl. 8, figs. 15-16. 1863: UDONELLA.

sciaenae Goto, S., 1894a, 194-196. 1894: MICROCOTYLE.

sciaenae Murray, F. V., 1931a, 505, pl. 21, fig. 9, pl. 22, fig. 14 (renamed sciaenicola). 1931: MICROCOTYLE.

sciaenae Yamaguti, S., 1938c, 2, 55-57, fig. 33. 1938: PLEORCHIS.

sciaenae Yamaguti, S., 1940b, 35, 44-46, figs. 6-7. 1940: CALCEOSTOMA. 1963: PSEUDOCALCEOSTOMA (Yamaguti, S., 1963a, 84).

sciaenicola Murray, F. V., 1932a, 448 (M. sciaenae Murray, 1931 renamed). 1932: MICROCOTYLE.

scianae Taschenberg, O., 1878b, 568, for sciaenae van Beneden, 1856. 1878: TRISTOMA.

scienae Fraipont, J., 1880c, 442, for sciaenae. 1880: EPIBDELLA.

scienae Monticelli, F. S., 1889q, 128, for sciaenae. 1889: UDONELLA.

scimna Risso, A., 1826a, 262. 1826: DISTOMA. [1850: D. insigne]. 1938: OTODISTOMA [spelled scymni].

scineti Gower, W. C., 1938c, 69, 72, 75. 1938: NOTOCOTYLUS.

scioenae van Beneden, P. J.; & Hesse, C., 1864a, 123, for sciaenae. 1865: DIPLECTANUM.

scioenae van Beneden, P. J.; & Hesse, C. E., 1864a, 69-70, for sciaenae. 1864: EPIBDELLA.

scioneae Saint-Loup, R., [1895a], 166, fig. 130B, D. [1895]: GYRODACTYLE.

scioti Woodhead, A. E., 1936b, 468, 472, 473, 474, 475, pl. 59, figs. 1-3. 1936: CERCARIA.

scitulum Nicoll, W., 1914f, 146, 152, pl. 3, fig. 6. 1914: LYPEROSOMUM. 1944: ORTHORCHIS.

sciuri Artiuk, E. S., in Skrjabin, K. I.; & Evranova, V. G., [1953a], 70, 71, fig. 13. [1953]: DICROCOELIUM lanceatum.

SCLERODISTOMUM Looss, A., 1912c, 332, 343 (mt: S. italicum).

sclerogonocotyle Paperna, I., 1964e, 1, 13-14, 23, figs. 35-38 (Tilapia galilaea; muscles; Daliyya stream, coastal plain & Lake Tiberias, Israel, Ardea purpurea; intestine (exper.)). 1964: STICTODORA.

scleroporum Creplin, F. C. H., 1844a, 112-115, pl. 3, fig. A. 1844: AMPHISTOMA. 1912: SCHIZAMPHISTOMUM (type).

sclerops Travassos, L. P., 1922f, 188. 1922: GASTRIS. 1928: PACHYPSOLUS. 1928: PLESIOCHORUS [lapsus?].

scolectroma Deblock, S.; & Tran Van Ky, P., 1966, 313, 325-331, figs. 5-8 (Ann. Parasitol., v. 41 (4)) (Hydrobia (=Paludestrina) acuta; Golfe de Figari, Corse, France). 1966: MICROPHALLUS.

scoleiformis Skrjabin, K. I., 1955g, 76, 79, for soleiformis. 1955: DIDYMOCYSTIS.

scoliocoelium Fischoeder, F., 1904a, 459, 463-468, pl. 16, figs. 7-11, fig. C. 1904: PARAMPHISTOMUM. 1937: CEYLONOCOTYLE.

scoliocoelium benoiti Gretillat, S., 1966a, 177-179, 182, 184, figs. 6-7 (Bos caffer; intestine; Kasai, Lula, Central Africa). 1966: CEYLONOCOTYLE.

scoliodoni Manter, H. W., 1938b, 295-297, pl. 2, figs. 1-4. 1938: TRICOTYLE (tod). 1944: LOIMOS.

scoliodonii Mehra, H. R., 1960a, 143, 144-148, fig. 1 (Scoliodon sorrakowah; body cavity; Indian Ocean, South Indian Waters). 1960: STAPHYLORCHIS.

scolopacis Yamaguti, S., 1935c, 159, 178-180, fig. 16. 1935: ALLODIPLOSTOMUM (tod).

SCOLOPACITREMA Sudarikov, V. E.; & Bykovskii, A. S., [1959a], 360-363 (tod: S. cubrensis).

SCOMBEROCOLA Unnithan, R. V., 1964b, 173, 176 (tod: S. eyela).

SCOMBEROCOTYLE Hargis, W. J., 1954b, 1115 (nomen solum); 1956d, 31 (tod: S. scomberomori).

scomberomori Koratha, K. J., 1955a, 244, 245, 246, 266, 274, 275, 276, 278, figs. 3, 5, 8, 47. 1955: HETERAXINE. 1956: SCOMBEROCOTYLE (tod).

scomberomori Koratha, K. J., 1955a, 244, 245, 246, 264-265, 274, 275, 276, 278, figs. 7, 11, 48. 1955: MICROCOTYLE.

scomberomori MacCallum, G. A.; & MacCallum, W. G., 1916a, 153-154, pl. 1, fig. 6. 1916: KOELLIKERIA. 1926: DIDYMOCYSTIS.

scombri Grube, A. E., 1855a, 140. 1855: TETRACOTYLE. [1858: Grubea cochlear, type]. [1859: PLEUROCOTYLUS, type]. 1964: GRUBEA.

scombri Kuhn, J., 1829b, 361-362, pl. 17, figs. 4-5. 1829: OCTOSTOMA. 1832: OCTOBOTHRIUM. 1863: OCTOCOTYLE. 1933: MAZOCRAES. 1945: KUHNIA (tod).

scombri Taschenberg, O., 1879a, 612, 615, 616, pl. 6, fig. iv. 1879: DIDYMOZOON. 1916: KOELLIKERIA (DIDYMOZOON). [1934: NEMATOBOTHRIUM]. 1935: NEMATOBOTHRIUM. 1935: DIDYMOZOUM.

scombri Yamaguti, S., 1934a, 252, 454-456, fig. 104. 1934: DINURUS.

scombri Yamaguti, S., 1938c, 2, 44-46, fig. 26. 1938: OPECHONA. 1960: LEPOCREADIUM.

scombri Yamaguti, S., 1953c, 258, 283-284, 294, pl. I, fig. 1. 1953: LECITHOCLADIUM.

scombri pelamidis Tilesius in Rudolphi, C. A., 1809a, 437. 1809: FASCIOLA. [1909: Distoma clavatum]. 1938: DISTOMA.

scombrinum von Linstow, O. F. W., 1899a, 80 for sobrinum. 1899: DISTOMA.

scombropis Yamaguti, S., 1938c, 1, 4-5, fig. I. 1938: BUCEPHALOPSIS. [1961]: RHIPIDOCOTYLE (Zhukov, E. V., [1961a], 10, 11, fig. 2).

scorpaenae Manter, H. W., 1934c, 258, 301-302, 303, 341, pl. 9, figs. 55-58. 1934: OPECOELINA (tod).

scorpaenae Manter, H. W., 1940c, 5-6, 17, figs. 3-5. 1940: BUCEPHALUS.

scorpaenae Manter, H. W., 1947a, 293-294, 375, 386, figs. 41-42. 1947: NEOPECOELUS.

scorpaenae Rudolphi, C. A., 1819a, 122. 1819: DISTOMA. 1899: DICROCOELIUM.

scorpaenae Siddiqi, A. H.; & Cable, R. M., 1960a, 257, 265, 300, 350, fig. 85. 1960: NEOHELICOMETRA (tod).

SCORPIDICOLA Montgomery, W. R., 1957a, 24-26, 33 (tod: S. californiensis).

scorpii Mueller, O. F., 1776a, 223. 1776: FASCIOLA. 1803: DISTOMA. [1850: D. granulum].

scorpis Sandars, D. F., 1944a, 67, 71-72, 73, pl., figs. 8-10. 1944: MICROCOTYLE. 1962: HETERAXINOIDES (Price, E. W., 1962c, 407).

scorzai Nasir, P.; Acuna, C. A.; & Guevarra, C. S., 1966a, 133, 135-137, figs. 2-4. (Pachychilus laevissimus; Los Riitos, Parque Nacional Henry Pittier, Edo. Aragua). 1966: CERCARIA.

scotiae Willmott, S., 1950c, 162-166, 168, 169, 170. 1950: PARAMPHISTOMUM.

scripta Faust, E. C., 1924e, 296. 1924: CERCARIA.

scripta Stunkard, H. W., 1923f, 176, 178, 185, 186, 188, 190-191, 193, 194, pl. 3, figs. 4-5. 1923: SPIRORCHIS.

scrivenensis Lebour, M. V., 1912a, 428, pl. 25, fig. 9. 1912: CERCARIA.

scrjabini Skrjabin, K. I., 1911d, 868, for skrjabini. 1911: DICROCOELIUM.

scudderi Olivier, L. J., 1941a, 45, 46, 47, 49-51, figs. 3-4, 8. 1941: CERCARIA. 1966: DIPLOSTOMUM (DIPLOSTOMUM) (Dubois, G., 1966a, 20).

sculpinus Crane, J. W.; & Mizelle, J. D., 1967, 270, 271, 272-273, figs. 21-28 (J. Parasitol., v. 53 (2)) (Leptocottus armatus; external surface; Bodega Bay, California). 1967: GYRODACTYLUS.

scutatus Mueller, J. F., 1938b, 227, 230, 235, pl. 5, fig. 13-17. 1938: DACTYLOGYRUS. 1938: NEODACTYLOGYRUS.

scymna Villot, F. C. A., 1878a, 3, for scimna. 1878: DISTOMA.

scymni (scimni of Risso, 1826 emend.) Monticelli, F. S., 1893i, 52, for scimna. 1893: DISTOMA. 1938: OTODISTOMUM.

scymni ainosi Diesing, K. M., 1858e, 371, based on Wagener, G. R., 1857a, 72 [1857: POLYSTOMA SP.]. 1858: POLYSTOMA. 1858: ONCHOCOTYLE.

scyphocephalum Braun, M. G. C. C., 1899, 630. 1899: DISTOMA. 1901: ACANTHOCHASMUS. 1941: ACANTHOSTOMUM.

scyphovagina Yamaguti, S., 1968, 15, 87-88, fig. 63 (Monogenetic trematodes of Hawaiian fishes) (Chaetodon miliaris, C. multicinctus; gills; Hawaii). 1968: HALIOTREMA.

seamsteri Chandler, A. C., 1951b, 186, 187-189, figs. 1-4. 1951: SCHWARTZITREMA.

searlesiae Miller, H. M., 1925b, 80-82, 83, pl. 4, figs. 8-10, 14. 1925: CERCARIA.

sebago Ward, H. B., 1910c, 1175, 1176, 1184, pl. 121, figs. 1-6. 1910: AZYGIA.

sebastichthydis Yamaguti, S., 1959b, 241, 242-243, 262, pl. 20, fig. 1. 1959: BUCEPHALUS.

sebastis Goto, S., 1899a, 187-188. 1899: MICROCOTYLE.

sebastisci Yamaguti, S., 1938c, 1, 38-39, fig. 21. 1938: LEPIDAPEDON. 1954: NEOLEPIDAPEDON.

sebastisci Yamaguti, S., 1958b, 54, 84-85, fig. 10. 1958: AXINE. 1962: AXINOIDES (Price, E. W., 1962a, 10).

sebastisci Yamaguti, S., 1958b, 53, 81-82, figs. 13. 1958: MICROCOTYLE.

sebastisci Yamaguti, S., 1958c, 369, 373-374, 384, pl. XV, fig. 11. 1958: OPECOELUS.

sebastodis Montgomery, W. R., 1957a, 20-22, 33, figs. 8-11. 1957: PELLAMYZON.

sebastodis Yamaguti, S., 1934a, 249, 262-264, figs. 5-6. 1934: EPIBDELLA. 1938: BENEDENIA.

sebastodis Yamaguti, S., 1934a, 250, 348-349, figs. 46-47. 1934: OPECOELUS.

sebastodis Yamaguti, S., 1934a, 250, 331-333, fig. 37. 1934: PHARYNGORA. [1954]: OPECHONA.

sebastodis Yamaguti, S., 1934a, 251, 399-400, fig. 77. 1934: STEGANODERMA. 1940: DERETREMA.

sebastodis Yamaguti, S.; & Matumura, H., 1942a, 120-122, fig. 3. 1942: FELLODISTOMUM. 1952: STERINGOPHORUS.

secobiana Cawston, F. G., 1917e, 133. 1917: CERCARIA.

secobii Cawston, F. G., [1918e], 91. [1918]: CERCARIA.

seculus Mizelle, J. D.; & Arcadi, J. A., 1945a, 293-296, pl., figs. 1-20. 1945: UROCLEIDUS.

secunda Dayal, J., 1949a, 109-111, figs. 14-15. 1949: NEOGANADA. 1958: ORIENTOCREADIUM.

secunda Sinitsin, D. F., 1905a, 153. 1905: CERCARIA.

secunda Skrjabin, K. I., 1924e, 87, 89, fig. 5. 1924: RENICOLA.

secundum Annereaux, R. F., 1947b, 172-173, 174, fig. 1. 1947: HEXANGIUM.

secundum Capron, A.; Deblock, S.; & Brygoo, E. R., 1961a, 38-39, 69, fig. 12. 1961: ACANTHATRIUM atriopapillatum.

secundum Faust, E. C.; Yokogawa, S.; & Nishigori, M., [1925a], 24. [1925]: MONORCHOTREMA.

secundum Nicoll, W., 1906b, 514, 515-518, pl. 12, figs. 1-3. 1906: ECHINOSTOMA. 1909: HIMASTHLA.

secundum Rees, W. J., 1935a, 309. 1935: CERCARIA echinostomum.

secundum Vidyarthi, R. D., 1948a, 24-25, fig. 1. 1948: PROHEMISTOMUM.

secundus Canavan, W. P. N., 1937a, 478-479, fig. 1. 1937: LECHRIORCHIS. 1957: PARALECHRIORCHIS.

secundus Chauhan, B. S.; & Bhalerao, 1945b, 98. 1945: TRICOTYLE. 1945: LOIMOS.

secundus Looss, A., 1907a, 134-136, figs. 3-4. 1907: GASTRODISCUS.

secundus Manter, H. W., 1940a, 326, 388-390, 450, 476, 477, pl. 40, fig. 70. 1940: LABRIFER.

secundus Pratt, H. S., 1914b, 423-426, pl. 4, fig. 4. 1914: RHYTIDODES.

secundus Srivastava, H. D., 1937m, 296; 1939o, 77-79, figs. 1 A-B. 1937: STOMACHICOLA. 1954: PSEUDOSTOMACHICOLA. 1958: ALLOSTOMACHICOLA (type).

secundus Stunkard, H. W., 1929d, 252-254, figs. 18-20. 1929: STEPHANOPHARYNX.

secundus Tripathi, Y. R., 1956b, 231, 234, 239, fig. 2 f-h. 1956: LITHIDIOCOTYLE. 1963: GOTOCOTYLE (Yamaguti, S., 1963a, 280).

secundus Tripathi, Y. R., 1957a, 5, 14-15, figs. 24-27. 1957: SQUAMODISCUS.

securiformis Gusev, A. V., 1955b, 199, 200-201, 204, 205, 355, 358, 393, 397, pl., figs. 7 (3). 1955: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 42).

sedelnikowi Gvozdev, E. V., 1950a, 214, 221, 224, fig. 4. 1950: GYRODACTYLUS.

seenghali Gupta, S. P., [1955b], 2, 49-52, 53, figs. 26-27. [1955]: HAPLORCHOIDES. [1957]: HAPLORCHIS.

seenghali Jain, S. L., 1959f, 39, 40. 1959: DACTYLOGYRUS. 1964: JAINIUS (Akhmerov, A. K., 1964a, 75).

seetali Wesley, W. K., 1943a, 328-332, fig. 1943: CATHAEMASIA.

segmentata Lutz, A., 1933b, 353-354, 376, 381-382, 402, pl. 80, fig. 2. 1933: DICRANOCERCARIA.

segmentatum Mueller, A.[1], 1894a, 125-127, pl. 7, fig. 10. 1894: DISTOMA (ECHINOSTOMA).

egmentatus Fuhrmann, O., 1915a, 211-226, pl. 9, figs. 1-16. 1915: APORCHIS.

egmentinae Faust, E. C., 1926b, 120-121, pl. 7, fig. 15. 1926: CERCARIA.

egregatum Dietz, E., 1909a, 186. 1909: PARYPHOSTOMUM. 1924: ECHINOPARYPHIUM. 1934: PETASIGER.

eineti Fuhrmann, O., 1919a, 353-357, 359, pl. 5, figs. 1-6. 1919: NOTOCOTYLUS. 1928: NOTOCOTYLE.

eiuri McIntosh, A., 1932d, 41-43, 53, fig. 6. 1932: LEUCOCHLORIDIUM. 1952: UROGONIMUS.

eiuricum Denton, J. F.; & Byrd, E. E., 1951a, 172-174, 175, 200, fig. 37 a-f. 1951: BRACHYLECITHUM.

ekii Yamaguti, S., 1937f, 13-15, 27, pl. 3, figs. 16-18, pl. 6, figs. 40-47. 1937: EPIBDELLA. 1938: BENEDENIA.

elachii MacCallum, G. A., 1916c, 18-20, figs. 6, 6A. 1916: MONOCOTYLE. 1922: CATHARIOTREMA (tod). 1934: PARAMONOCOTYLE (tod).

ELACHOHEMECUS Short, R. B., 1954a, 78-82 (tod: S. olsoni).

elene Hargis, W. J., 1957b, 7, 10-11, 12, pl., figs. 13-15. 1957: PSEUDOMAZOCRAES.

ELLACOTYLE Wallace, F. G., [1934a], 6-7; 1935a, 143-164 (tod: S. mustelae).

ellsi Leiper, R. T., 1910c, 246-248, fig. 33. 1910: PARAMPHISTOMUM. 1923: COTYLOPHORON. [1937]: NILOCOTYLE. 1958: NILOCOTYLE (SELLSITREMA).

emen Kirshenblat, I. D., 1941c, 551-552, 553, fig. 1. 1941: GLIROTREMA (tod). 1948: LECITHODENDRIUM (LECITHODENDRIUM).

emiarmatum Molin, R., 1858d, 131. 1858: DISTOMA.

emicarinatae Cable, R. M.; & Wheeler, N. C., 1939a, 36, 37-38, 40, 41, 42, pl., figs. 2-6. 1939: CERCARIA.

emicircumcisus Dubois, G.; & Rausch, R. L., 1950a, 1, 24-26, figs. 14-15. 1950: UVULIFER.

emicossyphi Yamaguti, S., 1936g, 3-5, fig. 2. 1936: LABRIFER (tod).

emicossyphi Yamaguti, S., 1938f, 15, 28-29, 72, pl. 4, fig. 18. 1938: CYCLOBOTHRIUM.

emiflavum von Linstow, O. F. B., 1880a, 50-51. 1880: DISTOMA.

emifuscum Looss, A., 1907d, 607-608, fig. 3. 1907: PLATYNOSOMUM.

emifuscum Olsson, P., 1876b, 28. 1876: MONOSTOMA. [1917: M. hemifurcum (lapsus)]. 1929: MICROLISTRUM. 1934: GALACTOSOMUM.

emiglobularis Ishii, N., 1935e, 302, 306, 320-321, figs. 37-40. 1935: DIDYMOCYSTIS.

emilunata Zdun, V. I., (1952). (1952): CERCARIA.

eminis Owen, R., 1835 1, 394. 1835: CERCARIA.

eminolensis Rogers, W. A., 1967, 15, 18, figs. 16-22 (J. Parasitol., v. 53 (1)) (Lepomis macrochirus; Seminola Co., Georgia). 1967: LYRODISCUS.

emi-robusta Faust, E. C., 1924e, 246-247, 290, pl. 1, fig. 4. 1924: CERCARIA.

semisquamosum Braun, M. G. C. C., 1900b, 228-229, pl. 10, figs. 6-7. 1900: DISTOMA. 1921: PARABASCUS. 1938: LIMATULUM.

semotili Dechtiar, A. O., 1966a, 821-824, pl. 1, figs. 1-2, figs. 3-7 (Semotilus atromaculatus; gills; Algonquin Park, Ontario). 1966: OCTOMACRUM.

semotili Fischthal, J. H., 1942d, 269-271, 275, pl. 1, fig. 1. 1942: PHYLLODISTOMUM.

semotilus Kimpel, H. G., 1939a, 3 [nomen nudum]. 1939: NEODACTYLOGYRUS. 1955: DACTYLOGYRUS.

semotilus Wood, R. A.; & Mizelle, J. D., 1957a, 193, 195-196, 200, pl. II, figs. 37-47. 1957: DACTYLOGYRUS.

senegalensis Dollfus, R. P. F.; & Capron, A., 1958b, 311-319, pl., figs. 1-2. 1958: AEPHNIDIOGENES.

senegalensis Stunkard, H. W.; & Gandal, C. P., 1965a, 67-73, fig. 1 (Ephippiorhynchus senegalensis; throat & oesophagus; Nigeria (3 weeks before arriving N. York Zool. Park). 1965: CATHAEMASIA.

senoi Faust, E. C., 1924e, 296. 1924: CERCARIA.

sensa Komiya, Y., 1952b, 457-460, fig. 2 a-d. 1952: CERCARIA.

sensifera Stunkard, H. W.; & Shaw, C., 1931a, 259, 265-269, pl. 1, figs. 1-4. 1931: CERCARIA.

sentum Manter, H. W., 1940a, 398. 1940: STEPHANOSTOMUM.

sentus Linton, E., 1910b, 18, 21, 45, 90, pl. 10, figs. 84-86. 1910: STEPHANOCHASMUS. 1940: STEPHANOSTOMUM.

sentus Looss, A., 1902n, 891. 1902: HETEROPHYES heterophyes. 1928: HETEROPHYES.

septemlobus Teixeira de Freitas, J. F.; & Kohn, A., 1966, 224-233, figs. 1-6 (Mem. Inst. Oslawdo Cruz, v. 63) (Trichiurus lepturus; intestino; Estado da Guanabara, Brasil). 1966: GLOMERICIRRUS.

separatiorchis Oshmarin, P. G. in Skrjabin, K. I.; & Evranova, V. G., [1953a], 263, fig. 99. [1953]: CORRIGIA. 1964: LYPEROSOMUM (CORRIGIA). (Jaiswal, G. P., 1964a).

SEPAROGERMIDUCTUS Skrjabin, K. I.; & Gushanskaia, L. K., 1955a, 351, 352, 359, 361, 452, 455 (tod: S. inimici).

sepiolae delle Chiaje, S., 1822a, pl. 71, fig. 16 [Atlas plate dated 1830]. 1822: MONOSTOMA. 1936: CYSTICERCUS [Cestoda].

septicus MacCallum, B. A., 1921c, 156-157, fig. 76. 1921: RENIFER. 1938: NEORENIFER. 1957: OCHETOSOMA.

septimae Anderson, M. G.; & Anderson, F. M., 1967, 31, 32, 33, 34, figs. 5-7 (J. Parasitol., v. 53 (1)) (Lepomis gibbosus (exper.), Goniobasis catenaria; Jackson Co., Florida). 1967: PROTEROMETRA.

septorchis Srivastava, H. D., 1936a, 179, 180-182, 185, fig. 1. 1936: HELICOMETRINA.

septpapillata Krull, W. H., 1934l, 408-415, pl. 40, figs. 1-9. 1934: RHIPIDOCOTYLE.

sera Cordero, E. H., 1944a, 5-8, pl., fig. 3. 1944: GLYPTHELMINS. 1959: MARGEANA. 1963: REPANDUM (Byrd, E. E.; & Maples, W. P., 1963a, 534).

seriale Rudolphi, C. A., 1808a, 351. 1808: DISTOMA. 1820: FASCIOLA.

erialis Benham, W. B. S., 1901a, 64, fig. X_5, for triseriale?. 1901: NOTOCOTYLE.

erialis Looss, A., 1901 l, 620-621. 1901: ADENOGASTER (type).

eriola Ishii, N., 1936a, 781, 784, 785-786, figs. 5-6. 1936:AXINE. 1938: AXINE (HETERAXINE). 1946: HETERAXINE.

eriolae Meserve, F. G., 1938a, 29, 59-61, 84, 85, pl. 8, figs. 48-52. 1938: AXINE. [Renamed Heteraxine meservei]. 1962: ZEUXAPTA (Price, E. W., 1962c, 402).

eriolae Yamaguti, S., 1934a, 249, 259-262, figs. 3-4. 1934: EPIBDELLA. 1938: BENEDENIA.

eriolae Yamaguti, S., 1934a, 251, 437-440, fig. 94. 1934: PARAHEMIURUS.

eriolae Yamaguti, S., 1940b, 35, 51-53, figs. 14-16. 1940: MICROCOTYLE.

eriolellae Manter, H. W., 1954b, 476, 543-545, 547, 563, figs. 76-77. 1954: LECITHOCLADIUM.

erospinosum Nicoll, W., 1909b, 397, 458 (sp. inq.). 1909: LEPOCREADIUM.

erotinus Stafford, J., 1904b, 493-494. 1904: PLAGIOPORUS. 1958: PLAGIOPORUS (PLAGIOPORUS).

erpens Faust, E. C., 1922c, 253, 267, pl. 21, fig. 4. 1922: CERCARIA.

erpens Nitzsch, C. L., in Rudolphi, 1819a, 400-491, figs. 17-22. 1819: HOLOSTOMUM. 1819: AMPHISTOMA. 1909: STRIGEA. 1934: NEMATOSTRIGEA (mt, tod).

erpens annulata Dubois, G.; & Rausch, R. L., 1948a, 29, 39-41, 59, figs. 7-8. 1948: NEMATOSTRIGEA.

erpentatum Molin, R., 1859f, 830-831. 1859: DISTOMA. 1896: DISTOMA (BRACHYLAIMUS).

erpenticirrus Yamaguti, S., 1968, 15, 88-89, fig. 64 (Monogenetic trematodes of Hawaiian fishes) (Acanthurus dussumieri; gills; Hawaii). 1968: HALIOTREMA.

erpenticola Massino, B. G., (1927). (1927): PLAGIORCHIS. 1931: PLAGIORCHIS (PLAGIORCHIS).

erpentina Unnithan, R. V., 1957a, 35, 68-73, 118, fig. 4 a-e. 1957: CROTALAXINE (tod).

erpentinum Talbot, S. B.; & Hutton, E. E., 1935a, 46-49, figs. 1-2. 1935: CREPIDOSTOMUM.

erpentinus Rogers, W. A., 1967, 15, 19, figs. 23-30 (J. Parasitol., v. 53 (1)) (Lepomis microlophus; Marengo Co., Alabama). 1967: ANCHORADISCOIDES (tod).

erpentis Artigas, P. T.; Ruiz, J. M.; & Leao, A. T., [1943a], 48, 49, 50, 51, 52, 53, 54-57, 58, 59, figs. 1-4. [1943]: OPISTHOGONIMUS (WESTELLA).

erpentis Hughes, R. C., 1929c, 12-19, pl. 3, figs. 1-2. 1929: TETRACOTYLE.

erpentis Prudhoe, S., 1949b, 415-418, figs. 1-2. 1949: STICHOLECITHA (tod).

erpentis Schmidt, F. L.; & Hubbard, W. E., 1940a, 729-730, fig. 1. 1940: NEORENIFER. 1947: RENIFER. 1957: OCHETOSOMA.

erpentis Yamaguti, S., 1933b, 2, 91-96, 97, figs. 36-40. 1933: PROALARIOIDES (tod).

ERPENTOSTEPHANUS Sudarikov, V. E., [1962b], 397-398 (tod: S. natricis).

serpentulum Carus, J. V., 1885a, 131, for serpentatum. 1885: DISTOMA.

serpentulus Odhner, T., 1928b, 167, 173, fig. 3. 1928: ACCACLADIUM (mt).

serpentum Gogate, B. S., 1932z, 318-320, figs. 1-2. 1932: PROHEMISTOMUM. 1936: GOGATEA (spelled serpentium).

serpentum indicum Mehra, H. R., 1947a, 1, 8-12, 20, fig. 2. 1947: GOGATEA.

serranelli Euzet, L.; & Oliver, G., 1965b, 261-264, figs. 1-4 (Serranus cabrilla, S. scribe; branchies; both from Sète (Hérault)). 1965: LAMELLODISCUS.

serrani Monticelli, F. S., 1889o, 322-323, pl. 33, fig. 6. 1889: DIDYMOZOON. 1916: KÖLLIKERIA (DIDYMOZOON).

serrani Nagaty, H. F., 1956b, 525, 526, 527, pl. I, fig. 8. 1956: CAINOCREADOIDES (tod). 1963: CAINOCREADIUM (Manter, H. W., 1963a, 109).

serrani Nagaty, H. F.; & Abdel Aal, T. M., 1962b, 384, 385, fig. 2 (Serranus miniatus; Ghardaga, Red Sea). 1962: HAMACREADIUM.

serrani Nagaty, H. F., 1956a, 153, 154, 155, pl. I, fig. 5. 1956: TUBULOVESICULA.

serrani Nagaty, H. F.; & Abdel Aal, T. M., 1962c, 746, 747, fig. 1 (Serranus sp.; Ghardaga, Red Sea). 1962: PODOCOTYLE [homonym].

serrani Yamaguti, S., 1952a, 146, 157-159, 197, pl. II, fig. 7. 1952: PODOCOTYLE. 1966: ALLOPODOCOTYLE (Pritchard, M. H. 1966a, 1963).

serrani Yamaguti, S., 1953b, 203, 226-227, 255, pl. V, fig. 18. 1953: DIPLECTANUM.

serrasalmus Mizelle, J. D.; & Price, C. E., 1965a, 30, 32, 34, figs. 50-57 (Serrasalmus nattereri; gills; Amazon River (Steinhart Aquarium, San Francisco, California). 1965: CLEIDODISCUS.

serrata Bory de Saint-Vincent, G. J. B. M., 1825a, 84. 1825: FURCOCERCA.

serrata von Frölich, J. A., 1789a, 148 [an Arachnoid]. 1789: LINGUATULA (type). 1900: POLYSTOMA. 1809: POLYSTOMA (PENTASTOMA). 1819: PENTASTOMA.

serrata Gedoelst, L., 1913b, 256-259, figs. 1-3. 1913: BRODENIA.

serrata Looss, A., 1899b, 592, 707-708, 709, fig. 28. 1899: STYPHLODORA.

serrata Szidat, L., 1961c, 65, 67-70, figs. 3-5 (Fulica leucoptera; kidney; Río Quequén, Prov. Buenos Aires, Argentina). 1961: TANAISIA.

serratum Diesing, K. M., 1850a, 385. 1850: DISTOMA. 1860: ECHINOSTOMA. 1909: PRIONOSOMA (type).

serratus Miller, M. J., 1940c, 423, 424, 425, 426, fig. 1. 1940: PLAGIOPORUS

serrispatula Chin, T. H., 1963a, 398-399, 401, 402, figs. 3-4 (Fluta alba; Kweiyang, China). 1963: PHYLLODISTOMUM (CATOPTROIDES).

serrulata Müller, O. F., 1780a, p. [3], pl. 51. 1780: FASCIOLA.

sessilis Goto, S., 1894a, 212-213. 1894: DICLIDOPHORA. 1895: CYCLOBOTHRIUM (type

sessilis Odhner, T., 1926c, 27-29. 1926: NEOPHROCEPHALUS.

setaecauda Jones, T. W. T., 1951a, 314, pl., figs. 1-4. 1951: CERCARIA.

setifera Moulinié, J. J., 1856a, 214 & Diesing, K. M., 1858d, 250-251, based on Muller, 1850, 497. 1856: CERCARIA. 1858: CERCARIA (GYMNOCEPHALA).

tifera Mueller, O. F., 1786a, 127-128, pl. 19, figs. 14-16. 1786: CERCARIA. [1827: TRICHODA].

tiferoides Miller, H. M.; & Northup, F. E., 1926a, 493, 495, 496, 498-499, pl. 1, figs. 1-3, 6, 10. 1926: CERCARIA. 1938: LEPOCREADIUM.

tigera Giard, A., 1897c, 955, for setifera. 1897: CERCARIA.

tosicauda Dadai, J., 1888f, 84-86, pl. 3, figs. 11, 13. 1888: HISTRIONELLA.

tosicaudata Monticelli, F. S., 1888, 77, for setosicauda. 1888: HISTRIONELLA.

tsu Ito, J.; Papasarathorn, T.; & Tongkoom, B., 1962c, 251, 263-265, 266, fig. 11 (Digoniostoma funiculata; Mahasarakhan, Thailand). 1962: CERCARIA.

ttenii Numan, A., 1840a, 358. 1840: MONOSTOMA. 1892: MONOSTOMULUM. 1850: PENTASTOMUM.

;UCITHODENDRIUM Nishikawa, T., 1907a, 47, for Lecithodendrium.

vangi Skrjabin, K. I., 1924a, 10 [nomen nudum]. 1924: ECHINOPARYPHIUM.

watii Srivastava, O. N., 1958a, 410-415, pl., figs. 1-2. 1958: CERCARIA.

welli Faust, E. C., 1926, 102-103, pl. 6, fig. 1a-c. 1926: CERCARIA.

xconvolutum Miller, J. N., 1936a, 81-86, 1936: BRACHYLAIMA (POSTHARMOSTOMUM). 1958: POSTHARMOSTOMUM.

ymouri Price, E. W., 1932h, 18-19, 58, pl. 6, figs. 23-25. 1932: HADWENIUS (tod). 1935: ODHNERIELLA.

iandrai Bhalerao, G. D., 1937f, 104-106, 108, 114, 115, 121, fig. 5. 1937: PHYLLODISTOMUM. 1953: PHYLLODISTOMUM (MICROLECITHUS).

ianghaiensis Komiya, Y., 1941a, 109-119, figs. 1-15. 1941: CERCARIA. [1941: AZYGIA]. 1951: CREPIDOSTOMUM.

ianghaiensis Yeh, Y.; & Wu, S. C., 1955a, 37-42, pl. 1, figs. 1, 3 (Macrobrachium nipponensis; Shanghai, China). 1955: GENARCHOPSIS.

ianghaiensis Yin, W. Y.; & Sproston, N. G., [1949a], 62, 64, 65, 66-67, 68, figs. 7-8. [1949]: DACTYLOGYRUS intermedius.

iaradi Bhalerao, G. D., 1935f, 53-57, figs. 2-4. 1935: CYCLOCOELUM. 1950: CYCLOCOELUM (CYCLOCOELUM).

HARMAIA Yamaguti, S., 1958a, 662-663 (type: S. gatesi).

iarpei Jones, E. I., 1933b, 252-254, figs. 6-9. 1933: HEMIPERA.

iastai Ingles, L. G., 1936a, 74, 75, 81-82, pl., 16, fig. 1. 1936: GLYPHTHALMINS. 1959: MARGEANA.

iavadi Bhalerao, G. D., 1935k, 311, for sharadi. 1935: CYCLOCOELUM.

iawi McIntosh, A., 1939c, 379-381, fig. 1. 1939: PODOCOTYLE. [1954]: ALLOCREADIUM (PERACREADIUM). 1958: CAINOCREADIUM. [1959]: PERACREADIUM.

iebae Porter, A., 1938a, 7, 9, 425-427, pl. 75, figs. 1-5. 1938: CERCARIA.

ielkownikowi Skrjabin, K. I., 1924a, 11. 1924: CERCORCHIS (poirrieri of Stossich, 1904, not 1895, renamed. Renamed C. chelnownikowi).

ieldsi Tubangui, M. A., 1922a, 1-4, pl. 1. 1922: ECHINOCHASMUS perfoliatus.

shigini Gubanov, N. M. in Skrjabin, K. I.; & Bashkirova, E. I., 1956a, 879, figs. 299-300. 1956: MICROPARYPHIUM.

shikokuensis Ito, J.; Nakasa, M.; & Yokogawa, M., 1956a, 211-214, figs. 1-3. 1956: METACERCARIA.

shillingeri Price, E. W., 1931a, 7-9, fig. 3. 1931: UROTREMA.

shinchikuensis Faust, E. C., 1924e, 296. 1924: CERCARIA.

shinjoi Komiya, Y.; & Tajimi, T., 1942a, 183-192, figs. 1-14, pl., figs. 15-17. 1942: CERCARIA. 1952: METACERCARIA.

shipleyi Stiles, C. W.; & Goldberger, J., 1910a, 75, 82, 83, 131, 150-161, figs. 123-130. 1910: PARAMPHISTOMUM.

shorti Holliman, R. B., 1963a, 83-85, pl., figs. 1-4 (Syngnatus scovelli; brood pouch; Tampa Bay, Florida). 1963: GYRODACTYLUS.

shorti Nahhas, F. M.; & Powell, E. C., 1965a, 16, 18, 19, fig. 6 (Selene vomer; intestin Apalachee Bay, Gulf of Mexico). 1965: PSEUDOHURLEYTREMA.

shovellus Lal, M. B., 1936c, July, 45-51, figs. 1-3. 1936: TYPHLOPHILUS (tod). 1950: TYPHLOCOELUM.

shubhrai Agrawal, V., 1963a, 130, 131-133, 134, figs. 2-6 (Sus crista[tus]; intestine; Lucknow, India). 1963: NEOARTYFECHINOSTOMUM (tod).

sialidis von Linstow, O. F. B., 1892a, 334, pl. 15, fig. 20. 1892: DISTOMA.

siamense Poirier, J., 1886c, 327-333, 336, 340, 345, pl. 18, figs. 1-2, pl. 19, fig. 7, pl. 20, figs. 1-4. 1886: DIPLOSTOMUM. 1926: CROCODILICOLA. [1926: NEODIPLOSTOMUM]. 1932: NEODIPLOSTOMUM. 1936: PSEUDONEODIPLOSTOMUM.

siamense Stiles, C. W.; & Goldberger, J., 1910a, 75, 131, 153, 161-168, figs. 131-136. 1910: PARAMPHISTOMUM. [1937]: GIGANTOCOTYLE.

siamensis Ito, J.; Papasarathorn, T.; & Tongkoom, B., 1962c, 251, 262-263, 266, fig. 1 (Digoniostoma funiculata; Udon & Mahasarakhan, Thailand). 1962: CERCARIA.

siamensis Miyazaki, I.; & Wykoff, D. E., 1965a, 251-259, figs. 1-4, 6-22 (Felis domestica; lung, Parathelphusa (P.) germaini; both from Udorn City, Udorn Province, northeastern Thailand). 1965: PARAGONIMUS.

siamensis Oshmarin, P. G., 1965, 99-102, figs. 1-2 (Helminthologia, v. 6 (2)) (Arius sp.; swim bladder; Siam Gulf, South China Sea). 1965: TETRASTER.

siamensis Stiles, C. W.; & Goldberger, J., 1910a, 17, 28-39, figs. 1-22. 1910: FISCHOEDERIUS.

siamensis japonica Fukui, T., 1922f, 748-750, 754, figs. 1-3. 1922: FISCHOEDERIUS.

simonei Travassos, L. P.; Teixeira de Freitas, J. F.; & Bührheim, P. F., 1965, 38-40, fig. 1 (Atas Soc. Biol. Rio de Janeiro, v. 9 (4), Sept. 30) (Mugil platanus; intestino; Estado do Espirito Santo, Brasil). 1965: CHALCINOTREMA.

sibi Yamaguti, S., 1940b, 35, 56-58, figs. 21-22. 1940: BUCEPHALOPSIS. 1964: BUCEPHALOIDES (Fischthal, J. H.; & Kuntz, R. E., 1964d, 257).

sibi Yamaguti, S., 1965, 56, 89, 91, fig. 13 (Pacific Science, v. 19 (1), Jan.) (Parathunnus sibi, Neothunnus macropterus, Thunnus alalonga; gill; Hawaii). 1965: AREOTESTIS (tod).

pi Yamaguti, S., 1968, 17, 143-144, fig. 109 (Monogenetic trematodes of Hawaiian fishes) (Neothunnus macropterus, Parathunnus sibi, Thunnus alalonga; gills; Hawaii). 1968: HEXOSTOMA.

piricum Mirer, V. I., 1958a, 139. 1958: OPISTHORCHIS.

piricum Vinogradov, K. N., 1892a, 116-120, figs. 1-5. 1892: DISTOMA.

piricus Isaichikov, I. M., (1926g); 1927j, 107-110, fig. 1927: PNEUMONOECES. 1939: HAEMATOLOECHUS (HAEMATOLOECHUS). 1958: HAEMATOLOECHUS (HAEMATOLOECHUS) sibiricus.

biricus Kontrimavichus, V. L.; & Bakhmet'eva, T. L., 1960a, 126-128 (Gavia stellata; liver; Lena river). 1960: EUAMPHIMERUS.

piricus japonicus Yamaguti, S., 1936e, 551, 567-569, fig. 21. 1936: PNEUMONOECES. 1948: HAEMATOLOECHUS.

piricus jeholensis (Fukui, T.; & Ogata, T., 1938a, 2, 5-11, pl. 1, fig. 1). 1958: HAEMATOLOECHUS.

piricus sibiricus (Isaichikov, I. M., 1927j, 107-110, fig.). 1958: HAEMATOLOECHUS. 1962: PNEUMONOECES (Skrjabin, K. I.; & Antipin, D. N., 1962a, 104).

biricus tientsinensis (Hsiung, T. S., 1934a, 1-5, 8, 9, pl. 1, figs. 1-4). 1958: HAEMATOLOECHUS. 1962: PNEUMONOECES (Skrjabin, K. I.; & Antipin, D. N., 1962a, 109).

BITREMA Yamaguti, S., 1966, 419, 429, 431 (Pacific Science, v. 20 (4), Oct.) (tod: S. poonui).

bynomorphi Ruiz, J. M.; & Leão, A. T., 1943e, 145-148, figs. 1-2. 1943: MESOCOELIUM.

ddiqii Nahhas, F. M.; & Cable, R. M., 1964a, 171-172, 175, pl., fig. 3 (Caranx ruber; stomach; Puerto Rico). 1964: ALCICORNIS.

ermersii Buttel-Reepen, N. B., 1900a, 586, 589, 596-598, figs. 8-9. 1900: DISTOMUM. 1957: HIRUDINELLA.

galasi Bailenger, J.; & Chanseau, J., [1955a], 551, 555, 557, figs. 2, 5a, c. [1955]: PROSOTOCUS.

gani Fischthal, J. H.; & Kuntz, R. E., 1964b, 109, 110, 111, fig. 1 (Siganus striolatus; small intestine; Puerto Princesa, Palawan Island, Philippines). 1964: HEMIURUS.

gani Goto, S.; & Kikuchi, H., 1917a, 13-20, pl. 2, figs. 11-15. 1917: TETRANCISTRUM (mt).

gani Goto, S.; & Ozaki, Y., 1929b, 374-377, figs. 9-12. 1929: HEXANGIUM (tod).

gani Sproston, N. G., 1946a, 539. 1946: MICROCOTYLE [?lapsus].

gani Yamaguti, S., 1942c, 329, 362-364, fig. 16. 1942: SCHISTORCHIS.

gani Yamaguti, S., 1953b, 203, 220-221, 255, pl. III, fig. 12, pl. IV, figs. 13-14. 1953: PSEUDOHALIOTREMA (PSEUDOHALIOTREMA).

gillum Witenberg, G. G., 1923b, 85, 95, 99, 119, 125, 126-127. 1923: TRANSCOELUM. 1932: HYPTIASMUS.

GMAPERA Nicoll, W., 1918d, 371-372 (mt: S. cincta).

gmoida Fain, A., 1953e, 22, 25, 27, 40, 82, 83-86, 252, 253, pl. VII, figs. 1-5. 1953: CERCARIA.

sigmoideus Looss, A., 1899b, 608, 712-713, 714, fig. 31. 1899: PHANEROPSOLUS (tod).

sigmoideus Mizelle, J. D.; & Donahue, M. A., 1944a, 607-608, 620, 621, pl. 1, figs. 18-33. 1944: ACTINOCLEIDUS.

sigmoidocirrus Yamaguti, S., 1968, 15, 89-90, fig. 65 (Monogenetic trematodes of Hawaiian fishes) (Acanthurus mata, A. dussumieri; gills; Hawaii). 1968: HALIOTREMA.

sigmoidovagina Yamaguti, S., 1942a, 105, 110-112, 129, fig. 4, pl. 4, figs. 7-9. 1942: ANCYLODISCOIDES.

signatum Dujardin, F., 1845a, 415-416. 1845: DISTOMA (BRACHYLAIMUS). 1932: LEPTOPHALLUS. 1934: CAUDORCHIS.

signatum Dujardin of Ercolani, G. B., 1881e, 73, 74, 75, 76, 78, 79, 81, 82. 1881: DISTOMA. 1899: TELORCHIS. [1893: D. ercolanii].

sihamai Srivastava, H. D., 1937j, 295 [nomen nudum]. 1937: STERRHURUS.

sikae Yamaguti, S., 1933b, 2, 98-101, 102, fig. 41. 1933: CYMBIFORMA (tod). 1946: OGMOCOTYLE. 1954: OGMOGASTER [lapsus for Ogmocotyle].

siliculus Sinitsin, D. T., 1931d, 409-415, figs. 1-3. 1931: PLAGIOPORUS. 1958: PLAGIOPORUS (PLAGIOPORUS).

sillaginae Woolcock, V., 1936b, 79, 84-87, 91, fig. 2a, pl. 3, fig. 7. 1936: MICROCOTYLE. 1963: BIVAGINA (Yamaguti, S., 1963a, 247).

sillagonis Yamaguti, S., 1934a, 250, 317-319, fig. 32. 1934: DECEMTESTIS.

sillagonis Yamaguti, S., 1938c, 1, 17-18, fig. 8. 1938: PLAGIOPORUS. 1958: PLAGIOPORUS (PLAGIOPORUS).

sillagonum Tripathi, Y. R., 1957a, 5, 10-11, figs. 12-14. 1957: DIPLECTANUM.

SILONDITREMA Tripathi, Y. R., [1959a], 23, 30, 31-32, 61 (S. cauveryi).

silundii Srivastava, H. D., 1935g, 82-84, fig. 2. 1935: HAPLORCHIS. 1949: HAPLORCHOIDES.

siluri Braun, M. G. C. C., 1890a, 544, 549, 552, based on Dactylogyrus sp. Wagener, G. R., 1857b, 84, pl. 5, fig. 7. 1890: DACTYLOGYRUS.

siluri Dubinina, M. N.; & Bykhovskii, B. E. in Skrjabin, K. I., 1954a, 79. 1954: PARATORMOPSOLUS. 1958: ORIENTOCREADIUM.

siluri Zandt, F., 1924a, 231-233, 267, figs. 7-12. 1924: ANCYROCEPHALUS. 1937: HAPLOCLEIDUS. 1937: ANCYLODISCOIDES. 1946: UROCLEIDUS.

siluri glanidis Diesing, K. M., 1858e, 379, ? based on Dactylogyrus sp. Wagener, G. R., 1857b, 85, pl. 5, fig. 7. 1858: DACTYLOGYRUS.

silvai Travassos, L. P., 1928b, 190, 196-197, pl. 26, figs. 1-2, pl. 24, figs. 3-4. 1928: CASTROIA (tod).

simarai Nigam, V. V., 1944a, 9-12, 2 pls. 1944: PATAGIFER.

sime Yamaguti, S., 1935c, 159, 173-174, fig. 12. 1935: LEUCOCHLORIDIUM.

simeri Mueller, J. F.; & Van Cleave, H. J., 1932a, 79, 80, 86, 87, 89, 90-91, pl. 16, fig. 7. 1932: TRIGANODISTOMUM.

simiae Yamaguti, S., 1954h, 341-343, 351, pl., fig. 1. 1954: PHANEROPSOLUS.

simile Jägerskiöld, L. A. K. E., 1900c, 737. 1900: LEVINSENIA pygmaea. 1902: SPELOTREMA. 1905: DISTOMA. 1906: LEVINSENIA. 1921: LEVINSENIELLA. [1944]: MICROPHALLUS.

simile Johnston, S. J., 1913b, 731-732, pl. 75, fig. 2. 1913: HARMOSTOMUM. 1935: BRACHYLAEMUS. 1958: BRACHYLAEMA.

simile Johnston, T. H., 1934a, 30, 31-32, fig. 7. 1934: PROBOLITREMA.

simile Looss, A., 1899b, 602. 1899: DISTOMA. 1899: HAEMATOLOECHUS. 1902: PNEUMONOECES (See similigenus). 1939: HAEMATOLOECHUS (HAEMATOLOECHUS). 1950: SKRJABINOECES.

simile Nybelin, O., 1926a, 9-10, 21, 23, 25, fig. 3. 1926: PHYLLODISTOMUM. 1953: PHYLLODISTOMUM (PHYLLODISTOMUM).

simile Sonsino, P., 1890e, 105. 1890: DISTOMA. 1911: STYPHLODORA.

similiferox Verma, S. C., 1936c, 167-168. 1936: CHAUNOCEPHALUS.

similigenus Stiles, C. W.; & Hassall, A., 1902d, 20 (Distoma simile renamed). 1902: HAEMATOLOECHUS. 1928: PNEUMONOECES.

similiplexus Stafford, J., 1902c, 901, 907-908, pl. 33, fig. 4. 1902: HAEMATOLOECHUS. 1905: PNEUMONOECES. 1947: PNEUMOBITES [? lapsus for Pneumonoeces].

similis Allison, T. C., 1967, 1005, 1006, 1007, fig. 2 (J. Parasitol., v. 53 (5), Oct.) (Lepomis cyanellus; gills; Spring, Creek, Navasota, Texas). 1967: CLEIDODISCHUS.

similis Jaegerskiöld, L. A. K. E., 1900c, 737, figs. 1-3. 1900: LEVINSENIA pygmaea.

similis Lutz, A., 1928a, 109. 1928: HALIPEGUS.

similis Mueller, J. F., 1936f, 58, 59, 60, 61, 62, 63, 67, pl. 13, fig. 10, pl. 14, fig. 23, pl. 15, fig. 46. 1936: ONCHOCLEIDUS. 1938: UROCLEIDUS.

similis Price, E. W., 1934b, 134, 136-137, figs. 7-8. 1934: LEAREDIUS. 1939: MONTICELLIUS.

similis Price, E. W., 1937b, 119, 124, 125-127, figs. 10-13. 1937: ANCYROCEPHALUS.

similis Price, E. W., 1939b, 24, 25, fig. 1B. 1939: RHYTIDODOIDES.

similis Price, E. W., 1958a, 10. 1958: MAZOCRAEOIDES.

similis Ransom, B. H., 1920l, 555, 558-559, fig. 26. 1920: COTYLOPHALLUS. 1924: ROSSICOTREMA. [1931]: CRYPTOCOTYLE. [1956]: APOPHALLUS.

similis Shtrom, Z. K., 1940, 204-206, 214, 223, figs. 18-19. 1940: SKRJABINUS. 1964: CONSPICUUM (Odening, K., 1964i, 166).

similis Stossich, M., 1902g, 24, pl. 5, figs. 19-20, pl. 8, fig. 30. 1902: HAEMATOTREPHUS. 1927: CYCLOCOELUM. [1933: UVITELLINA].

similis Teixeira de Freitas, J. F., 1951b, 82-84, pl. 27, figs. 71-72, pl. 28, fig. 73. pl. 29, fig. 74, pl. 30, figs. 75-76, pl. 67, fig. 173, pl. 74, fig. 221. 1951: TANAISIA. 1958: TANAISIA (TAMERLANIA).

similis Travassos, L. P., 1916c, 257. 1916: INFIDUM.

similis Wegener, G., 1910a, 31, 32, 33, 48-49, 56. 1910: DACTYLOGYRUS.

similis Wiśniewski, L. W., 1933a, 188-195, figs. 1-2. 1933: ACROLICHANUS. 1958: CREPIDOSTOMUM.

similis similis (Looss, A., 1899b, 601, 602). 1957: HAEMATOLOECHUS (SKRJABINOECES)

similis volgensis (Sudarikov, V. E., 1950b, 139, 140, fig. 5). 1958: HAEMATOLOECHUS (SKRJABINOECES). 1958: SKRJABINOECES.

simillimum Muehling, P., 1898a, 18. 1898: DISTOMA. 1899: PSILOSTOMUM. 1913: PSILOTREMA (type).

simillimum swerinensis Gräfner, G., 1965a, 346-347, figs. 2-3 (Anas boschas dom., Anser anser dom., Gallus domesticus; all from Germany). 1965: PSILOTREMA.

simillimus Travassos, L. P., 1921e, 88-89, pl. 24 [author writes Ap. [? =Apophallus] simillimus on p. 88, the legend on pl. 24 gives Lev[inseniella] similimus]. 1921: LEVINSENIELLA. 1939: ?GYNAECOTYLA. 1939: CORNUCOPULA. 1953: MICROPHALLOIDES.

simmetrica Skrjabin, K. I.; & Antipin, D. N., [1959a], 97, for symmetrica. [1959]: PLAGIORCHIS.

simonei Travassos, L. P.; Teixeira de Freitas, J. F.; & Bührnheim, P. F., 1965, 69-72, fig. 1 (Atas Soc. Biol. Rio de Janeiro, v. 9 (5), Dec. 6) (Spheroides testudineus; intestine; Estado do Espirito Santo, Brasil). 1965: AMAROCOTYLE (tod).

simplex Bykhovskii, B. E., 1936b, 250, 260-261, 274, figs. 11-12. 1936: DACTYLOGYRUS.

simplex Faust, E. C., 1924e, 292. 1924: CERCARIA.

simplex Ishii, N., 1935e, 302, 306, 329-330, figs. 53-55. 1935: DIDYMOCYSTIS.

simplex Johnston, S. J., 1904a, 112, pl. 7, figs. 1-3. 1904: HOLOSTOMUM. 1925: STRIGEA. 1929: APHARYNGOSTRIGEA.

simplex Johnston, T. H.; & Tiegs, O. W., 1922a, 106-107, pl. 18, figs. 54-55, pl. 19, figs. 61-62 (Therapon fuliginosus; Thomson River, Longreach, Queensland). 1922: LEPIDOTREMA (FLABELLODISCUS).

simplex Kloss, G. R., 1966a, 192, 193, 194, figs. 2-4 (Astyanax bimaculatus; intestine; Rio Mogi-Guassu, Estado de S. Paulo). 1966: MAGNIVITELLINUM (tod).

simplex Looss, A., 1899b, 606, 607. 1899: GORGODERA. 1902: GORGODERINA (type). 1937: PHYLLODISTOMUM. 1940: GORGODERINA (NEOGORGODERINA (tod of subg.). [1953]: GORGODERINA (GORGODERINA) (tod of subg.).

simplex Mizelle, J. D., 1937a, 612, 616-617, 619, 621, figs. 12-17. 1937: DACTYLOGYRUS [renamed D. simplexus]. 1938: NEODACTYLOGYRUS.

simplex Odhner, T., 1900d, 62-66, fig. 1900: APOROCOTYLE.

simplex Polonio, 1859 teste Parona, C., 1894a, 147. 1894: DISTOMA.

simplex Rudolphi, C. A., 1809a, 370-371, 1809: DISTOMA. 1820: FASCIOLA. 1904: SINISTROPORUS (type).

simplexus Byrd, E. E.; Parker, M. V.; & Reiber, R. J., 1940a, 111-113, 114, 120, 121, 122, pl., figs. 1-2. 1940: PAUROPHYLLUM (tod). 1942: STYPHLODORA.

simplexus Monaco, L. H.; & Mizelle, J.D., 1955a, 467, 469, 1955: DACTYLOGYRUS [nov. nom. for D. simplex Mizelle, 1937].

simplicimalleata Bykhovskii, B. E., 1931a, 239-240, figs. 7-8. 1931: DACTYLOGYRUS. 1938: NEODACTYLOGYRUS.

simplicimalleata minor Bykhovskii, B. E., 1934a, 203, 207, fig. 5. 1934: DACTYLOGYRUS.

simulans Looss, A., 1896b, 52-54, pl. 4, figs. 28-30. 1896: DISTOMA. 1898: OPISTHORCHIS. 1935: OPISTHORCHIS longissimus.

simulans Teixeira de Freitas, J. F., 1941e, 31, 37, 38-39, 40, figs. 21-23. 1941: GLYPTHELMINS. 1959: MARGEANA.

simulans poturzycensis Kowalewski, M., 1898g, 71 or 1898h, 135. 1898: OPISTHORCHIS. 1898: CAMPULA.

simulata Byrd, E. E.; & Reiber, R. J., 1940a, 140, 144-145, 153, pl. 2, figs. 12-13. 1940: CERCARIA.

sinaloense Bravo Hollis, M., 1956a, 270-274, 275, figs. 22-24. 1956: LECITHOCHIRIUM.

sinaloense Bravo Hollis, M., 1956a, 248-252, 274, figs. 2-5. 1956: PSEUDOLEPIDAPEDON.

sinaloense Caballero y C., E.; & Bravo Hollis, M., 1955a, 89-95, 96, figs. 1-6. 1955: MACROVALVITREMA (tod).

sincera Olivier, L. J., 1941a, 45-49, figs. 5-6, 9-13. 1941: CERCARIA.

sindhii Mehra, R. K., 1939a, 99, 113-116, 123, 124, fig. 7. 1939: PLEUROGONIUS.

sinense Cobbold, T. S., 1875i, 423. 1875: DISTOMA. 1895: OPISTHORCHIS. 1896: DICROCOELIUM. 1898: CAMPULA. 1907: CLONORCHIS. 1910: CLONORCHIS. (OPISTHORCHIS).

sinense Dubois, G., 1966a, 20, 47-48, 51, 52, 53. 1966: PHARYNGOSTOMUM cordatum.

sinense Faust, E. C., 1930h, 154, pl. 28, figs. 11, 11a. 1930: CERCARIAEUM.

sinense Faust, E. C., 1966, 335, 337, 338, fig. 4 (J. Parasitol., v. 52 (2)) (Passer montanus saturatus, Turdus r. ruficollis, Carpodacus roseus, bile ducts; Peking, China, Alectoris graeca pubescens; bile ducts; Shansi Province, China). 1966: LUTZTREMA.

sinense Wu, K., 1937e, 209-211, 212, 213, fig. 1. 1937: PHYLLODISTOMUM. 1953: PHYLLODISTOMUM (CATOPTROIDES). 1958: PHYLLODISTOMUM (PHYLLODISTOMUM).

sinensis Bykhovskii, B. E.; & Nagibina, L. F., 1958b, 1, 6, 7, 8, 9, 10, 11, 13, 15, 18, figs. 1-6. 1958: ANCHOROPHORUS (tod).

sinensis Faust, E. C.; & Tang, C. C., 1936a, 487-489, 498, 500, fig. 1. 1936: COTYLASPIS.

sinensis Hsü, H. F.; & Chow, C. Y., 1938d, 441,446-448, 450, pl. 2, fig. 4. 1938: PHILOPHTHALMUS.

sinensis Hsü, Y. C., 1935c, 142, 147, 150, pl., fig. 6. 1935: HYPODERAEUM.

sinensis Ku, C. T., 1940b, 120, 123-124, 126, 128, fig. 1. 1940: PROSTHOGONIMUS.

sinensis Yamaguti, S., 1963a, 51 (n. n. for Ancyrocephalus thysanophrydis of Yin & Sproston, 1948). 1963: ANCYROCEPHALUS.

sinensis major Verdun, P.; & Bruyant, L. A., 1908d, 124. 1908: CLONORCHIS.

sinensis minor Verdun, P.; & Bruyant, L. A., 1908d, 124. 1908: CLONORCHIS.

sinensium Pao, T. -C., 1959a, 278. 1959: SCHISTOSOMA.

sinese Mosler, K. F.; & Peiper, E., 1894a, 177-178, fig. 70, for sinense. 1894: DISTOMA.

sineuse McConnell, J. F. P., 1876a, 343, for sinense. 1876: DISTOMA.

singaporensis Price, E. W., 1961, 136, 137, 138, figs. 20-23 ("ikan trubot"; gills; Singapore). 1961: KUHNIA.

singaporensis Yuen, P. H., 1962b, 532, 533, 534, 535, pl. II, figs. 1-3 (Rana cancrivora; lungs; Singapore). 1962: HAEMATOLOECHUS.

singhi Jaiswal, G. P., 1957a, 37-38, fig. 4. 1957: CLINOSTOMUM.

singhi Jaiswal, G. P., 1957a, 62-64, fig. 6. 1957: EUMEGACETES.

singhi Jaiswal, G. P., 1957a, 10-12, fig. 5. 1957: PROSTHOGONIMUS.

singhi Jaiswal, G. P., 1957a, 24-25, fig. 4. 1957: ZONORCHIS.

singhi Pande, B. P.; Bhatia, B. B.; & Rai, P., 1964a, 245-248, figs. 1-4 (Heteropneustus [for ---tes] fossilis; intestine; & body cavity; Mathura, India). 1964: DIPLOSTOMULUM.

singhi Rai, S. L., [1962c], 110-111 (Barbus tor; intestine; Katangi & Sihora, River Hiran, India). [1962]: ALLOCREADIUM.

SINGHIA Yamaguti, S., 1958a, 205-206 (type: S. thapari).

singhia Pershad, R. S., 1965a, 415-417, fig. 1 (Rhynchobdella aculeata; intestine; Hyderabad-A.P.). 1965: RHYNCHOCREADIUM.

singhia Sundar Sinha, C. H. Shyam, [1954a], 32. [1954]: SINGHIATREMA.

singhiai Gupta, S. P., 1951a, 21-28, figs. 1-4. 1951: PHYLLODISTOMUM. 1953: PHYLLODISTOMUM (CATOPTROIDES).

SINGHIATREMA Sundar Sinha, C. H. S., [1954a], 32 (mt: S. singhia).

singulare Lynch, J. E., 1936b, 42-44, 45, 46, pl. 1, figs. 1-2. 1936: PHYLLODISTOMUM. 1953: PHYLLODISTOMUM (CATOPTROIDES).

singulare Molin, R., 1859e, 288. 1859: DISTOMA. 1899: of Looss, STOMYLUS (type). [1900: (of Looss) STOMYLOTREMA (type)].

singulare Molin of Looss, A., 1899b, 723. 1899: DISTOMA. [1902: STOMYLOTREMA perpastum].

singulare Stunkard, H. W., 1938d, 43, 45-46, 48, fig. 5. 1938: ANENTEROTREMA.

singularis Bennett, H. J., 1935a, 84-85, 89, 90, pls., figs. 3, 12-13. 1935: CERCORCHIS. 1940: TELORCHIS.

singularis Byrd, E. E.; Bogitsh, B. J.; & Maples, W. P., 1961a, 783-786, pl. 1, figs. 1-5 (Procyon lotor; small intestine; Statesboro, Bulloch County, Georgia). 1961: GRYSOMA (tod).

singularis Gusev, A. V., 1955b, 214, 215-216, 350, 356, 368, 369, 370, 394, 397, fig. 13 (2). 1955: DACTYLOGYRUS.

singularis Job, S. V., 1966a, 316-318, figs. 1-2 (Sphyraena jello; tissue surrounding heart in gular or sublingual region; South India). 1966: DIDYMOCYSTIS.

ingularis Lutz, A., 1924a, 68, 88-89, pl. 9, fig. 19. 1924: MESORCHIS. [1937]: STEPHANOPRORA.

ingularis Nicoll, W., 1914f, 141-142, pl. 1, fig. 2. 1914: OMMATOBREPHUS (mt).

ingularis Parker, M. V., 1941a, 27, 29-30, 40, 41, 44, 45, pl. 1, fig. 1. 1941: OPHIOXENOS.

ingularis Srivastava, H. D., 1933a, 57-58, fig. 7. 1933: OPHIOCORCHIS. [1954]: GENARCHOPSIS.

ingularis Stossich, M., 1902g, 29, pl. 7, fig. 27. 1902: OPHTHALMOPHAGUS (type). 1927: SPANIOMETRA. 1932: HYPTIASMUS.

ingularis Yamaguti, S., 1933b, 1, 23-27, fig. 11. 1933: PULVINIFER (tod).

ingularium Byrd, E. E.; & Macy, R. W., 1942a, 152-153, 154, 155, pl., fig. 4. 1942: PROSTHODENDRIUM. 1955: PROSTHODENDRIUM (PROSTHODENDRIUM). 1960: ACANTHATRIUM (PROSTHODENDRIUM) (Etges, F. J., 1960c, 527).

inhai Dayal, J., 1948a, 53-56, figs. 7-8. 1948: BUCEPHALOPSIS.

inhaldripa Fernando, W., 1950a, 127-129, pls. XI-XII, figs. 1-7. 1950: CYCLOCOELUM (PSEUDHYPTIASMUS). 1958: MORISHITIUM.

inicus Li, L. Y., 1937b, 61-63, 66, 67, 69, 70, figs. 1-2, 4. 1937: DIPLODISCUS.

inicus Yin, W. Y.; & Sproston, N. G., [1949a], 58, 59, 60, 61, 62, 63, figs. 2-6. [1949]: GYRODACTYLUS elegans.

inipercae Long, S.; & Wai, M. T., 1958a, 349-351, 364-365, figs. 1-2. 1958: PHYLLODISTOMUM (PHYLLODISTOMUM).

INISTORCHIS Luehe, M. F. L., 1906b, 102, 103, for Schistorchis.

INISTROPORUS Stafford, J., 1904b, 484-485 (tld: S. simplex).

initsini Mueller, J. F., 1934d, 231-232, 234, 235, 236, pl. 23, fig. 1. 1934: PLAGIOPORUS. 1958: PLAGIOPORUS (PLAGIOPORUS).

initsini huroni Dobrovolny, C. G., 1939a, 462, 463, 464. 1939: PLAGIOPORUS.

initsini sinitsini Dobrovolny, C. G., 1939a, 462, 463. 1939: PLAGIOPORUS.

initzini Rothschild, M., 1938a, 42-57, figs. 1-29. 1938: CERCARIA.

INOBILHARZIA Dutt, S. C.; & Srivastava, H. D., 1955b, 283 (tod: S. odhneri).

inoecum Ciurea, I., 1933b, 55, 76-79, 80, 86, 89, 90, 93, 94, 97, 109, 110, 112, 113, 114, 117, 119, 130, 131, 132, pl. 9, fig. 26, pl. 17, figs. 54-56, pl. 19, figs. 70-71. 1933: PARASCOCOTYLE. 1963: ASCOCOTYLE (PHAGICOLA). (Sogandares-Bernal, F.; & Lumsden, R. D., 1963a, 266).

inorchis Oshmarin, P. G. in Skrjabin, K. I.; & Bashkirova, E. I., 1956a, 360-370, fig. 119. 1956: ECHINOPARYPHIUM.

inousa Sinitsin, D. F., 1911a, 7-8, 10, 37, 42, 47, pl. 1, figs. 1-4. 1911: CERCARIA. 1911: ADOLESCARIA. 1911: PARTHENITA.

intoni van Thiel, P. H., 1922a, 315, 318, 319. 1922: AGAMODISTOMUM.

inuatum Goto, S., 1894a, 239-241. 1894: TRISTOMA. 1929: CAPSALA. 1938: CAPSALOIDES.

sinuatum Rudolphi, C. A., 1819a, 97-98, 374. 1819: DISTOMA. 1901: ALLOCREADIUM. 1902: HELICOMETRA.

sinuatuun Monticelli, F. S., 1899, 109, for sinuatum. 1899: TRISTOMA.

sinuosa Sinitsin, D. F., 1911a, 10, 37, 42, 48, for sinousa. 1911: CERCARIA.

sinuosum Travassos, L. P., 1917h, 738, 743, fig. 6. 1917: LIPEROSOMUM. 1940: BRACHYLECITHUM.

sinusacca Ching, H. L., 1960a, 245, 247, 248, 249, 250, pl. I, figs. 5-6. 1960: PODOCOTYLE. 1966: NEOPODOCOTYLOIDES (Pritchard, M. H., 1966a, 166).

SIPHODERA Linton, E., 1910b, 18, 20, 74, 97.

SIPHODERINA Manter, H. W., 1934c, 259, 325, 327 (tod: S. brotulae).

SIPHODEROIDES Manter, H. W., 1940a, 326, 416, 417 (mt: S. vancleavei).

sippiwissettensis Rankin, J. S., 1939e, 442, 443, 444-445, 446, pl. 3, figs. 16-18. 1939: CORNUCOPULA. [1944]: GYNAECOCOTYLA.

siredonis Poirier, J., 1886a, 32-33, pl. III, figs. 4-5. 1886: DISTOMA. 1899: OPISTHIOGLYPE.

sirembonis Yamaguti, S., 1938c, 2, 82-83, 84. 1938: PARAMONORCHEIDES.

sirenis Braun, M. G. C. C., 1893a, 870, for sirenis lacertinae. 1893: DISTOMA.

sirenis Kent, G. C., 1940a, 87-91, fig. 1. 1940: DIPLOSTOMULUM.

sirenis Zeliff, C. C., 1937a, 223-226, pl. 11, figs. 1-6. 1937: CERCORCHIS. 1940: TELORCHIS.

sirenis lacertinae Vaillant, L., 1863b, 348-350, pl. 9, fig. 9. 1863: DISTOMA.

sirtale Nicoll, W., 1912d, 769-770, fig. 107B. 1912: DIPLOSTOMUM. 1929: DIPLOSTOMULUM.

sisjakowi Skvortsov, A. A., [1935a], 322-324, 326, figs. 4-5. [1935]: ECHINOPARYPHIUM.

sisoni Africa, C. M., 1938b, 302-303, 307, pl. 1, figs. 2-3. 1938: HAPLORCHIS. 1949: PROCEROVUM.

sisowi Skrjabin, K. I., 1913h, 90-95, pl., figs. 1-5. 1913: TRACHEOPHILUS. 1959: TYPHLOCOELUM.

sisowi acirratus Jain, S. P., 1967, Feb., 143-145, fig. (Indian J. Helminthol., v. 18 (2)) (Anas acuta; trachea; Gyanpur, Varanasi, India). 1967: TRACHEOPHILUS.

sitapurii Srivastava, H. D., 1934b, 246-248, 251, 255, fig. 3. 1934: PLEUROGENES. 1943: PLEUROGENOIDES.

siticulosum Dietz, E., 1909b, 12. 1909: ECHINOSTOMA.

skarbilovichi Shaldybin, L. S. in Skarbilovich, T. S., 1948a, 430, 431, 433, fig. 223. 1948: PYCNOPORUS.

skarbilovitschi Pigulevskii, S. V., 1953a, 473, 505, 510, figs. 133-133a. 1953: GORGODERINA (GORGODERINA). 1958: GORGODERINA (METAGORGODERINA).

skriabini Zakharov, N. P., 1920a, 1-6. 1920: PROSTHOGONIMUS.

skrjabini Ablasov, N. A., [1954a], 15-16, fig. 1. [1954]: NOTOCOTYLUS.

skrjabini Akhmerov, A. K., 1954b, 167-168, fig. 1. 1954: DACTYLOGYRUS.

skrjabini Akhmerov, A. K., 1960c, 292-293, 294, fig. 8. 1960: SANGUINICOLA.

skrjabini Akhmerov, A. K., 1963c, 126-127, fig. 1a, b, v (Siniperca chua-tsi; intestine; Amur River, Elabuga Village). 1963: BUCEPHALUS.

skrjabini Bashkirova, E. I., 1941b, 252-253, pl. X, figs. 26-27. 1941: PETASIGER (NEOPETASIGER).

skrjabini Caballero y C., E.; & Bravo-Hollis, M., 1961b, 60-63, figs. 1-5 (Micro-lepidotus inornatus; gills; Bahia de San Carlos, Guaymas, Sonora, Mexico). 1961: PSEUDOTETRANCISTRUM (tod).

skrjabini Chen, H. T., 1960a, 27, 28, 29, 33, 35, fig. 1. 1960: PARAGONIMUS.

skrjabini Deliamure, S. L., [1956b], 29-30, 34, pl., fig. 1. [1956]: FASCIOLA.

skrjabini Dotsenko, T. K., 1954a, 382 [nomen nudum]; Dotsenko in Skrjabin, K. I.; & Bashkirova, E. I., 1956a, 732, 735, fig. 245. 1956: MESORCHIS. 1963: STEPHANO-PRORA (Gupta, R., 1963a, 127).

skrjabini Efimov, A. Z., 1937a, 149, 151-152, 153, fig. 1937: PHILOPHTHALMUS.

skrjabini Gnedina, M. P., 1946a, 85-86, fig. 1. 1946: PSILOCHASMUS.

skrjabini Gorbunov, (1931). (1931): COTYLOPHORON.

skrjabini Gubanov, N. M., [1954a], 176-179, 182, 183, figs. 1-2. [1954]: LILIATREMA (tod). 1958: LILIATREMA (LILIATREMA).

skrjabini Gusev, A. V., 1955b, 296, 298-299, 395, 397, fig. 46, 3. 1955: ANCYRO-CEPHALUS.

skrjabini Hilmy, I. S., 1949c, 20-23, fig. 1. 1949: PATAGIFER.

skrjabini Isaichikov, I. M., 1920a, 1, 2, 3-6, 7, 8, 10, 11. 1920: EURYTREMA. 1940: SKRJABINUS. 1944: EURYTREMA (SKRJABINUS). 1964: ZONORCHIS (Odening, K., 1964i, 170).

skrjabini Isaichikov, I. M., 1928d, 19, 21, 65-66, 69, 70, pl. 2, fig. 10. 1928: RHODO-TREMA. 1934: EURYCREADIUM. 1963: STENAKRON (Mamaev; Parukhin & Baeva, 1963a).

skrjabini Ivanitskii, S. V., (1927). (1927): ECHINOPARYPHIUM.

skrjabini Ivanitskii, S. V., (1928a), 30-48. (1928): COITOCOECUM. [1957]: CROW-CROCAECUM (tod). 1958: EXCOITOCAECUM (tod).

skrjabini Jaiswal, G. P., 1957a, 20-22, fig. 2. 1957: LYPEROSOMUM (BRACHYLECI-THUM).

skrjabini Kadenatsii, A. N., 1960a, 109-111, fig. 1. 1960: PACHYTREMA. 1963: SKRJABINOPLAGIORCHIS (Petrov, A. M.; & Merkusheva, I. V., 1963a, 147).

skrjabini Kadenatsii, A. N., 1963b, 15-17, 387, figs. 3-4 (Cervus canadensis asiaticus, Capreolus pygargus, Alces alces; rumen; all from Khabarovsk Krai). 1963: FISCHOE-DERIUS.

skrjabini Kasimov, G. B., (1948), 174-177 (Dokl. Akad. Nauk Azerbaid, SSR, v. 4 (4)) ([Meleagris sp.]; Azerbaidzhan). (1948): CORRIGIA. 1964: LYPEROSOMUM (CORRIGIA) (Jaiswal, G. P., 1964a).

skrjabini Kasimov, G. B.; Vaidova, S. M.; & Feizullaev, N. A., [1959b], 145-147, pl. 1. [1959]: NEPHROSTOMUM.

skrjabini Khaziev, G. Z., 1963b, 136-137, fig. 1 (Anas clypeata; bursa of Fabricius; Bashkir). 1963: LEUCOCHLORIDIOMORPHA.

skrjabini Koval, V. P., (1950), 187-207. (1950): PALAEORCHIS.

skrjabini Koval, V. P. in Markevich, A. P., [1952a], 124, fig. 45a. [1952]: PLAGIOPORUS. 1958: PLAGIOPORUS (PLAGIOPORUS).

skrjabini Krasnolobova, T. A.; & Sergeeva, T. P., 1964a, 119-121, figs. a-b (Larus ridibundus; small intestine; Tuva). 1964: BASHKIROVITREMA.

skrjabini Kurashvili, B. A., 1948a, 613-615, fig. 1948: EUCLINOSTOMUM.

skrjabini Layman, E. M., 1930a, 64-65, 92-93, fig. 13. 1930: CAINOCREADIUM. [1954]: ALLOCREADIUM (LEPIDAUCHEN) (Yamaguti, S., [1954a], p. 70). 1958: LEPIDAUCHEN.

skrjabini Leonov, V. A., 1958a, 273, 283, 293, fig. 7 (Hydroprogne tschegrava, Larus melanocephalus; kidneys; all from Chernomorskoe Game Reserve & Kherson Oblast). 1958: NEPHROMONORCHA (tod).

skrjabini Massino, B. G., 1927c, 108, 110, 113, fig. 1. 1927: PLAGIORCHIS. 1931: PLAGIORCHIS (MULTIGLANDULARIS). 1937: LEPODERMA (MULTIGLANDULARIS).

skrjabini Matsaberidze, G. V., 1963a, 695-698, fig. (Vespertilio nathusii; small intestine; Georgian SSR). 1963: LECITHODENDRIUM.

skrjabini Mitskevich, V. I., [1959a], 231-233, 234, 235, fig. 1. [1959]: COTYLOPHORON.

skrjabini Morozov, F. N., 1939a, 5, 7, 15-16, 17, 40, 41, 43-44, fig. 4. 1939: PARAMETORCHIS (METAMETORCHIS). 1950: METAMETORCHIS.

skrjabini Morozov, F. N., [1959a], 241, 242, fig. 1. [1959]: JUBILARIUM (tod).

skrjabini Mukherjee, R. P., 1963a, 73-75, figs. 2-5 (Capra hircus; rumen; Bareilly, U. P., India). 1963: COTYLOPHORON.

skrjabini Odening, K., 1963g, 196-198, 200, 201, fig. 1 (Phalacrocorax (Halietor) niger (=Carbo javanicus); Nierenkanäle; Vietnam). 1963: NEORENICOLA.

skrjabini Oshmarin, P. G., (1946) [Dissertation ? unpublished]; Oshmarin, P. G., in Skrjabin, K. I.; & Bashkirova, E. I., 1956a, 842, 847, fig. 286. 1956: HYPODERAEUM.

skrjabini Oshmarin in Skrjabin, K. I., 1947a, 501-502. 1947: ECHINOCHASMUS. 1956: ECHINOCHASMUS (EPISTHMIUM).

skrjabini Osmanov, S., (1940), 187-265 (Uchen. Zapiski Leningrad. Gosudarstv. Pedog. Inst. im. Gertsena, v. 30). (1940): SKRJABINOPSOLUS.

skrjabini Osmanov, S. O., 1958a, 36-37, fig. 2 (Barbus brachycephalus; Amu-Darya River). 1958: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 43).

skrjabini Ozaki, Y., 1936b, 513-514, 515-516, 518, 519, fig. 1. 1936: LEPTOCREADIUM (tod).

skrjabini Parukhin, A. M., 1963a, 124, 125, fig. 2 (Rachicentron [for Rachyc---] canadus; kidneys, urinary bladder; Tonkin Bay). 1963: PHILLODISTOMUM [sic].

krjabini Parukhin, A. M., 1963a, 123-124, fig. 1(Triacanthus brevirostris, Abalistes stellaris; intestine; Tonkin Bay). 1963: SCHISTORCHIS.

krjabini Petrov, A. M.; & Sudarikov, V. E., 1963a, 133-135, fig. 1 (domashnaiaia ytka [Anas platyrhynchos]; small intestine; Voronezh & Kiev Oblasts). 1963: CYATHOCOTYLE.

krjabini Pigulevskii, S. V., 1953a, 433, 465-466, fig. 120. 1953: PHYLLODISTOMUM (VITELLARINUS).

krjabini Pigulevskii, S. V., 1953a, 474, 510-514, fig. 134. 1953: GORGODERINA (GORDODERINA). 1958: GORGODERINA (METAGORGODERINA).

krjabini Popova, K. A., 1937a, 500-504, figs. 1-3. 1937: PARAMPHISTOMUM.

krjabini Price, E. W., 1937e, 485-487, 490, figs. 3-4. 1937: OCTANGIOIDES (tod).

krjabini Ryšavý, B., 1955c, 272, 273-274, figs. 2-3. 1955: LUTZTREMA.

krjabini Ryzhikov, K. M., 1963f, 130-132, fig. 1 (Somateria fischeri, S. spectabilis; large intestine; both from Chukotka (Uelena)). 1963: GYMNOPHALLUS.

krjabini Ryzhikov, K. M.; Leonov, V. A.; & Tsimbaliuk, A. K., 1964a, 182-185, figs. 1-2 (Anas platyrhynchos, A. acuta, A. crecca, A. penelope, Aythya marila, Melanitta deglandi, M. americana, Mergus albellus; small intestine; all from Kamchatka). 1964: AUSTRALAPATEMON.

krjabini Shakhtakhtinskaia, Z., 1949a, 87-90, figs. 1-2. 1949: PEGOSOMUM.

krjabini Shakhtakhtinskaia, Z. M., 1951a, 165-167, fig. 1951: ALLOPYGE. 1959: CYCLOCOELUM.

krjabini Shakhtakhtinskaia, Z. M.; & Sailov, D. I., (1961), 73-76. (1961): PARYPHOSTOMUM.

krjabini Shaldybin, L. S. in Skarbilovich, T. S., 1948a, 363-364, fig. 190. 1948: PARALECITHODENDRIUM. 1958: PROSTHODENDRIUM. 1960: ACANTHATRIUM (PROSTHODENDRIUM) (Etges, F. J., 1960c, 527).

krjabini Shaldybin, L. S., [1954a], 752-754, fig. 4. [1954]: LEUCOCHLORIDIUM.

krjabini Sharpilo, V. P., [1959a], 387-388, fig. 1. [1959]: PARALEPODERMA.

krjabini Skriabin, A. S., [1959a], 341, 342-343, fig. 1. [1959]: PROFUNDIELLA (tod).

krjabini Solov'ev, P. F., (1911). (1911): DICROCOELIUM. 1912: DICROCOELIUM. 1920: OSWALDOIA. 1940: LYPEROSOMUM. 1954: DICROCOELIOIDES (tod).

krjabini Spasskii, A. A.; & Roitman, V. A., [1959a], 354, 358-359, fig. 1. [1959]: SALMONCHUS. 1963: TETRAONCHUS (SALMONCHUS) (Strelkov, I. A., 1963a, 134).

krjabini Sudarikov, V. E.; & Oshmarin, P. G., 1954a, 217-219, fig. 1. 1954: DUBOISIA.

krjabini Sultanov, M. A., 1961, 69-70, pl., fig. 1 (Gallus g. dom.; small intestine; Uzbekistan). 1961: PARYPHOSTOMUM.

krjabini Tenor, F.; & Kopřiva, J., 1958a, 451-453, fig. 1. 1958: EUMEGACETES.

krjabini Vlasenko, P. V., 1931a, 92, 93, 120-121, 132, fig. 23. 1931: DEROGENOIDES.

krjabini Zhukova, E. V., 1934a, 149-149. 1934: OPISTHORCHIS.

krjabinianum Witenberg, G. G., 1926a, 120, 133, 178-179, pl. 3, fig. 8. 1926: CONTRACOELUM (tod). 1927: SPANIOMETRA. 1934: OPHTHALMOPHAGUS.

SKRJABINIELLA Isaichikov, I. M., 1928d, 23 (tod: S. aculeatus).

SKRJABINOCLADORCHIS Chertkova, A. N., 1959b, 188, 190, 191 (tod: S. jubilaricum).

SKRJABINOCOELUM Kurashvili, B. E., 1953a, 357, 358, 359 (tod: S. petrowi).

SKRJABINODENDRIUM Skarbilovich, T. S., 1943a, 223; 1948a, 420, 423 (type: S. orospinosa).

SKRJABINOECES Sudarikov, V. E., 1950b, 136-138, 140 (tod: S. similis).

SKRJABINOLECITHUM Belous, E. V., 1954a, 277, 279, 280 (tod: S. spasskii).

SKRJABINOMERUS Sobolev, A. A.; Mashkov, V. V.; & Mashkov, M. V., 1939a, 83 (tod: S. desmanae).

SKRJABINONCHUS Akhmerov, A. K., 1964a, 70, 71, 72, 73, 74, 78, fig. 1 (6) (tod; S. lamellatus (Akhmerov, 1952)).

SKRJABINOPHORA Bashkirova, E. I., 1941b, 253 (mt: S. eroliae).

SKRJABINOPLAGIORCHIS Petrov, A. M.; & Merkusheva, I. V., 1963a, 145, 146-147 (tod: S. vigisi).

SKRJABINOPSOLUS Ivanov in Ivanov, A. S.; & Murygin, I. I., 1937a, 264-265.

SKRJABINOSOMUM Evranova in Skrjabin, K. I., 1944c, 300.

SKRJABINOTREMA Orlov, I. V.; Ershov, V. S.; & Badanin, N. V., 1934a, 321-326 (tod: S. ovis).

SKRJABINOVERMIS Belopol'skaia, M. M., [1954a], 49, 53 (tod: S. vesiculata).

SKRJABINUS (Bhalerao, 1936) Shtrom, Z. K., 1940d, 180-181, 187, 188 (type: S. skrjabini).

skryabini Caballero y C., E., [1959b], 77-80, 81, figs. 1-2. 1959: CARNEOPHALLUS. 1963: MICROPHALLUS (Belopol'skaia, M. M., 1963c, 340) (spelled skrjabini).

skworzowi Petrov, A. M., 1950a, 81-82. 1950: MESOSTEPHANUS. [1962]: PARACOENOGONIMUS (Sudarikov, V. E., [1962b], 380).

slastnikowi Gusev, A. V., 1955b, 231, 233-234, 348, 355, 394, 397, fig. 22 (3). 1955: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 43).

sloanei Wright, C. A., 1954a, 51, 55-57, figs. 9-10, 12-13. 1954: RENICOLA.

slovacica Ryšavý, B., 1958b, 123-125, 127, 128, 129, figs. 2-3. 1958: PARASTRIGEA.

slovacicus Ergens, R., 1964b, 739-740, fig. 4 (Umbra krameri; haut, flossen; blinder Arm der Donau bei Dunajská Streda, Tschechoslowakei). 1964: GYRODACTYLUS.

śluiteri Brock, J., 1886a, 543-547. 1886: EURYCOELUM (type). 1892: DISTOMA. 1892: APOBLEMA. 1899: HEMIURUS.

smaris Ijima in Goto, S., 1894a, 207-210, fig. 1. 1894: OCTOBOTHRIUM. 1894: DICLIDOPHORA. 1941: CHORICOTYLE. 1943: CYCLOCOTYLA.

smithvanizi Rogers, W. A., 1967, 501, 522, figs. 216-220 (J. Parasitol., v. 53 (3)) (Minytrema melanops; Alabama). 1967: DACTYLOGYRUS.

snipis Lal, M. B.. 1936b, 27-31, 33, 34, figs. 1-4. 1936: PARORCHIS.

SOBOLEPHYA Morozov, F. N., 1950a, 647 (no type designated).

bolevi Gubanov, N. M., [1954a], 179-182, figs. 3-4. [1954]: LILIATREMA. 1958: LILIATREMA (LILIATREMATOIDES).

bolevi Kurochkin, I. V., 1962, 120-124, figs. 1 A-B (Trudy Astrakhansk. Zapovednik (6)) (Phoca caspica; intestine; Caspian). 1962: MARITREMA.

bolevi Leonov, V. A.; & Belogurov, O. I., 1963a, 144-145, 146, fig. (Stercorarius parasiticus; bursa of Fabricius; Kamchatka). 1963: PROSTHOGONIMUS.

bolevi Leonov, V. A.; Spasskii, A. A.; & Kulikov, V. V., 1963a, 283-285, 286, 287, 288, 289, figs. 1-2 (Tringa nebularia; cloaca; Kamchatka). 1963: OVARIOPTERA (tod).

bolevi Oshmarin, P. G., 1963b, 73-74, fig. 29 (Larus sp.; intestine; Man'chzhursko-Iuzhno-Primorskii Okrug). 1963: SOBOLEPHYA.

bolevi Ryzhikov, K. M., 1963c, 84 (Aythya marila; Kamchatka). 1963: EUPARYPHIUM.

bolevi Shaldybin, L. S., [1954a], 748-749, fig. 2. [1954]: OPISTHIOGLYPE (NEOGLYPHE). 1958: NEOGLYPHE.

bolevi Shigin, A. A., (1959), 317-320. (1959) DIPLOSTOMUM.

bolevi Skrjabin, K. I., 1947e, 857-859, fig. 1947: OSCHMARINELLA.

OBOLEVISTOMA Sudarikov, V. E., 1950a, 131, 133, 134, 135 (tod: S. graciosa).

brinum Levinsen, G. M. R., 1881a, 70-71. 1881: DISTOMA. 1899: STEPHANOSTOMUM. 1899: ANOIKTOSTOMUM. 1904: STEPHANOCHASMUS.

ccus Molin, R., 1858d, 129. 1858: DISTOMA. [1899: D. megastomum].

ciale Luehe, M. F. L., 1901p, 171-173, fig. 5. 1901: DISTOMA. 1910: MESOCOELIUM (type).

cialis Linton, E., 1910b, 18, 20, 82, 98, pl. 28, figs. 238-241. 1910: UDONELLA.

ODALIS Kowalewski, M., 1902d, 27 (mt: S. spathulatus).

gandaresi Coil, W. H.; & Kuntz, R. E., 1958a, 62, 64, fig. 2. 1959: ACANTHATRIUM.

gandaresi Lumsden, R. D., 1963a, 281, 282-283, figs. 1-2 (Mollienisia latipinna; intestine; Galveston Bay, Texas). 1963: SACCOCOELIOIDES.

gandaresi Nahhas, F. M.; & Cable, R. M., 1964a, 213, 215, pl., fig. 50 (Acanthurus coeruleus; stomach; Jamaica). 1964: HYSTEROLECITHA.

gandaresi Pritchard, M. H., 1966b, 174, 175, 180, 181, 182-183, 187, 200, figs. 5-7 (Parupeneus pleurostigma, P. multifasciatus, P. chrysonemus, P. porphyreus; Hawaii). 1966: PAROPECOELUS (tod).

gdiana Pavlovskii, E. N.; & Anichkov, N. N., 1922a, 309-314, pl. 25, figs. 1-8. 1922: TETRACOTYLE.

hali Nagaty, H. F., 1942a, 2-4, 23, pl., fig. 1. 1942: PSEUDOCREADIUM. [1946]: LEPOCREADIUM.

hali Nagaty, H. F., 1948a, 360-361, figs. 6-7. 1948: HAIRANA.

kolowi Skrjabin, K. I., [1916f], 6, 18-19, 100, 107-108, pl. 1, fig. 3. [1916]: MESOCOELIUM. 1920: PARADISTOMUM. 1927: PLATYNOSOMUM. 1929: ANCHITREMA.

ldatovi Gusev, A. V.; & Strelkov, I. A., [1961a], 199, 200, 205-208, figs. 4-6 (Silurus soldatovi, Silurus soldatov x Parasilurus asotus; Liao & Amur Rivers). [1961]: ANCYLODISCOIDES.

soldatovi Isaichikov, I. M., 1928d, 19, 21, 76-79, pl. 2, fig. 13. 1928: MONORCHEIDES.

soldatovi orientalis Mamaev, I. L.; Parukhin, A. M.; & Baeva, O. M., 1963a, 90, 94-95, 112, fig. 1 (Platessa quadrituberculata; Pacific Ocean). 1963: MONORCHEIDES.

solea Oshmarin, P. G., 1948a, 187 [nomen nudum]. 1948: ECHINOCHASMUS.

soleae van Beneden, P. J.; & Hesse, C. E., 1863a, 70-71, pl. 5, figs. 1-8. 1863: PHYLLONELLA (mt). 1878: TRISTOMA. 1890: EPIBDELLA. 1903: PHYLLINE. 1929: ENTOBDELLA (ENTOBDELLA).

soleae Dujardin, F., 1845a, 417-418. 1845: DISTOMA (BRACHYLAIMUS).

soleaeforme Rudolphi, C. A., 1809a, 384, triglae gurnardi renamed. 1809: DISTOMA. 1820: FASCIOLA.

soleare Braun, M. G. C. C., 1899e, 629-630. 1899: DISTOMA. 1901: CYMATOCARPUS.

solebrosum Travassos, L. P., 1917h, 738, for salebrosum. 1917: LYPEROSUM.

solecarius Johnston, S. J., 1917a, 218-220, 253, 255, pl. 14, fig. 12. 1917: DOLICHOSACCUS. 1943: DOLICHOSACCULUS.

soleiformis Ishii, N., 1935e, 302, 306, 323-324, figs. 44-45. 1935: DIDYMOCYSTIS.

solemyae Martin, W. E., 1944a, 191-195, pl. 1, figs. 1-6, pl. 2, figs. 7-9. 1944: CERCARIA.

SOLENOCOTYLE Diesing, K. M., 1850a, 289, 420 (mt: S. chiajei).

SOLENORCHIS Hilmy, I. S., 1949b, 2, 3, 4, figs. 1-3 (tod: S. travassosi).

solidum Linton, E., 1910b, 51. 1910: XYSTRETRUM. 1910: ZYSTRETRUM.

solidum Rankin, J. S., 1937a, 29-31, 40, 41, pl. 1, fig. 1. 1937: PHYLLODISTOMUM. 1953: PHYLLODISTOMUM (MICROLECITHUS).

solidum Van Cleave, H. J.; & Mueller, J. F., 1932a, 43-47, pl. 8, figs. 1-5. 1932: CREPIDOSTOMUM.

solidus Akhmerov, A. K., [1949a], 232-234, figs. 1-2 (amurskii sazan [Cyprinus carpio haematopterus]; gills; Amur River, Duna River, Valdai Fishery). [1949]: DACTYLOGYRUS.

solidus Looss, A., 1901 l, 619. 1901: GLYPHICEPHALUS (tod). 1946: PLEUROGONIUS.

solitaria Looss, A., 1899b, 592, 708-709, fig. 29. 1899: STYPHLODORA. 1903: RENIFE 1910: STYPHLOTREMA (type).

solitaria Singh, S., 1954b, 202, 203, 204-205, pl., fig. 3. 1954: NOTOCOTYLUS.

solitarium Pérez Vigueras, I., 1942b, 196-198, 217, fig. 3. 1942: LIMATULUM.

solitarium Teixeira de Freitas, J. F., 1960c, 1-4, fig. 1. 1960: MAICURU (mt).

solitarius Kohn, A., 1966, 87-88, fig. 1 (Atas Soc. Biol. Rio de Janeiro, v. 10 (4), Oct. 10) (Caranx chrysus [i. e. crysos]; intestino; Estado do Espirito Santo, Brasil). 1966: BUCEPHALUS.

solivagus Odhner, T., 1902e, 29-32, fig. 2. 1902: TELORCHIS. 1924?: CERCORCHIS.

solivagus maroccanus Dollfus, R. P. F., 1929e, 45-54, figs. 10-17. 1929: TELORCHIS.

soloeiformis de Blainville, M. H. D., 1828a, 585, for soleaeformis. 1828: FASCIOLA.

solus Chatterji, P. N.; & Kruidenier, P. J., 1961a, 416, 422 (n. n. for Xenopharynx solus Nicoll of Khalil, 1923). 1961: NEOPISTHORCHIS.

solus Nicoll, W., 1912f, 851-854, fig. 122B. 1912: XENOPHARYNX.

solus Johnston, S. J., 1912a, 345-346, fig. 17. 1912: PLEUROGENES. 1930: PLEUROGENOIDES.

solus Simha, S. S., 1964a, 1-5, pl., fig. 1 (Dryophis mycterizans; intestine; Hyderabad, India). 1964: HAPLORCHIS.

somateriae Belopol'skaia, M. M., 1952c, 139-140, fig. 5. 1952: RENICOLA.

somateriae Dubois, G., 1948a, 453-456, 474, figs. 1-2. 1948: APATEMON gracilis.

somateriae Kulachkova (1958). (1958): LEVINSENIELLA. 1965: MICROPHALLUS (Deblock, S.; & Rosé, F., 1965a, 430-432, figs. 1-3 (Anas platyrhynchos; intestin grêle, caecums, gros intestine; France).

somateriae Levinsen, G. M. R., 1881a, 71-73, pl. 3, fig. 2. 1881: DISTOMA. 1899: LECITHODENDRIUM. 1900: GYMNOPHALLUS. 1904: BRACHYCOELIUM. 1909: LEVCITHODENDRIUM [lapsus]. 1906: LEUCITHODENDRIUM (BRACHYCOELIUM). 1963: GYMNOPHALLOIDES (James, B. L., 1963a, 33) 1965: MEIOGYMNOPHALLUS (Ching, H. L., 1965a).

somateriae strigatus (Lebour, M. V., 1908b, 32-34, pl. 1, fig. 3). 1913: GYMNOPHALLUS. 1925: METACERCARIA gymnophallus.

sommiosi Guberlet, J. E., 1933a, 326, for somniosi. 1933: ONCHOCOTYLE.

somniosi Causey, D., 1926d, 195-202, figs. A-D, pl. 9, figs. 1-16. 1926: ONCHOCOTYLE. [1933: ? SQUALONCHOCOTYLE]. 1934: SQUALONCHOCOTYLE. 1942: ERPOCOTYLE.

son Tripathi, Y. R., [1959a], 26-27, fig. 12. [1959]: BAGARITREMA. 1963: BIFURCOHAPTOR (Yamaguti, S., 1963a, 60).

soni Tripathi, Y. R., [1959a], 97-98, 101, fig. 45. [1959]: DIPLOZOON.

SONKULITREMA Ablasov, N. A.; & Chibichenko, N. T., 1960a, 160-162, 164 (mt: S. sternae).

sonsini-mansoni Fröes, J. A. G., 1908a, 372. 1908: SCHISTOSOMA. [S. mansoni renamed].

sonsinoii Cobbold, T. S., 1877e, 233-239, pl., fig. 1877: GASTRODISCUS (mt). 1877: ASPIDOCOTYLUS. 1889: AMPHISTOMA.

sonsinoni Poirier, J., 1883a, 74, for sonsinoii. 1883: GASTRODISCUS.

sonsinonis Cobbold, T. S., 1879b, 359, 364, fig. 62, for sonsinoii. 1879: GASTRODISCUS.

SONSINOTREMA Balozet, L.; & Callot, J., 1938b, 23, 29 (tod: S. tacapense).

sophiae Stossich, M., 1886a, 44-45, pl. 8, figs. 34-35. 1886: DISTOMA. [1899: CREADIINAE, ? CREADIUM].

sophoriensis Singh, S., 1956d, 52-53, fig. 4. 1956: TETRACOTYLE.

sorae McIntosh, A., 1927b, 359-361, 362, 363, fig. 5. 1927: LEUCOCHLORIDIUM.

soraonensis Singh, R. N., [1955b], 59. [1955]: CERCARIA.

sorbens Braun, M. G. C. C., 1899g, 490. 1899: CLINOSTOMUM. 1932: CLINOSTOMATOPSIS (tod).

SOREXEGLIPHE Sadovskaia, N. P., 1954a, 389, 390 (mt: S. suifunensis).

soricis Diesing, K. M., 1858e, 354. 1858: DISTOMA. 1934: DICROCOELIUM. 1957: PLATYNOSOMUM.

soricis von Linstow, O. F. B., 1877b, 191. 1877: TETRACOTYLE.

soricis Pojmańska, T., 1956a, 302, 303, 304 (nomen nudum); 1957a, 120, 145-147, 153, 158-160, fig. 12. 1957: OPISTHIOGLYPHE.

soricis Sołtys, A., 1952a, 166, 167, 168, 185, 187, 200, 204, 208, pl., fig. 16a-b. 1952: LEUCOCHLORIDIUM. 1959: PSEUDOLEUCOCHLORIDIUM (tod).

soricis aranei Diesing, K. M., 1855c, 64, footnote 3. 1855: DISTOMA (DICROCOELIUM).

southwelli Nagaty, H. F., 1937a, 10, 43, 47, 49-52, 148, 149, pl., fig. 28. 1937: BUCEPHALOPSIS.

SPANIOMETRA Kossack, W. F. K., 1911a, 550; 1911b, 20-21 (tod: S. oculobia).

spari Rudolphi, C. A., 1819a, 122. 1819: DISTOMA.

spari Sproston, N. G., 1946a, 534. 1946: DIPLECTANUM.

spari Yamaguti, S., 1934a, 249, 265-267, fig. 7. 1934: ENCOTYLLABE.

spari Yamaguti, S., 1934a, 252, 468-470, figs. 114-115. 1934: TUBULOVESICULA (tod).

spari Yamaguti, S., 1937f, 24-25, 27, pl. 5, figs. 35-36. 1937: MICROCOTYLE. 1963: ASPINATRIUM (Yamaguti, S., 1963a, 246). 1967: PROSTATOMICROCOTYLA (Yamaguti, S., 1968, 187 Monogenetic trematodes of Hawaiian fishes).

spari Yamaguti, S., 1938c, 1, 31-32, fig. 17. 1938: DECEMTESTIS.

spari Yamaguti, S., 1938c, 2, 92-93, fig. 50. 1938: DIPHTHEROSTOMUM.

spari Yamaguti, S., 1951b, 247, 250-252, 281, pl. 1, fig. 3. 1951: PLAGIOPORUS (CAUDOTESTIS). 1958: PLAGIOPORUS (PLAGIOPORUS).

spari Yamaguti, S., 1958b, 53, 59-60, fig. 7. 1958: PSEUDOMICROBOTHRIUM (tod).

spari Yamaguti, S., 1958b, 69-70, fig. 17. 1959: PSEUDOMURRAYTREMA. 1963: ALLOMURRAYTREMA (Yamaguti, S., 1963a, 54).

sparisomae Manter, H. W., 1937c, 382, 383, 387, fig. 2. 1937: HAPLOSPLANCHNUS. 1955: SCHIKHOBALOTREMA.

sparsus Gusev, A. V., 1955b, 223-224, 348, 368, 369, 394, 397, fig. 18. 1955: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 43).

spasskii Belous, E. V., 1954a, 277-280, figs. 1-2. 1954: SKRJABINOLECITHUM (tod).

spasskii Sobolev, A. A., 1946a, 250-251, fig. 3. 1946: STOMYLOTREMA.

spasskyi Oshmarin in Skrjabin, K. I., 1947a, 502, 503, fig. 217. 1947: PETASIGER. 1956: PETASIGER (NEOPETASIGER).

spasskyi Strelkov, I. A., 1963a, 133-134, 135, 136, fig. 3 (Hucho taimen; gills; Amur River, Lake Khivanda). 1963: TETRAONCHUS (SALMONCHUS).

spataceum Stossich, M., 1896c, 126, for spathaceum. 1896: DIPLOSTOMUM.

spathaceum Rudolphi, C. A., 1819a, 109, 403. 1819: DISTOMA. 1840: HOLOSTOMA. 1850: HEMISTOMUM. 1876: DIPLOSTOMUM. 1898: CONCHOSOMUM. [1926: PROALARIA (tod)]. 1926: PROALARIA (tod). 1929: DIPLOSTOMULUM.

spathans Dietz, E., 1909a, 187; 1909b, 26, fig. 4. 1909: DREPANOCEPHALUS.

SPATHIDIUM Looss, A., 1899b, 605 (tod: S. folium).

spathoides Dubois, G., 1937c, 393. 1937: NEODIPLOSTOMUM.

spathula Brandes, G. P. H., 1888a, 54. 1888: DIPLOSTOMUM. [1926: NEODIPLOSTOMUM]. 1927: NEODIPLOSTOMUM.

spathula Creplin, F. C. H., 1829b, 50-54. 1829: HOLOSTOMUM. 1850: HEMISTOMUM. 1898: CONCHOSOMUM (spelled spatula).

spathula australiae Dubois, G., 1953a, 62 [combination indicated]. 1953: NEODIPLOSTOMUM.

spathula banghami (Penrod, F. W., 1947a, 144-148, fig. 1). 1950: NEODIPLOSTOMUM (CONODIPLOSTOMUM).

spathula elongata Dubois, G.; & Rausch, R. L., 1948a, 30, 51-54, 59, figs. 15-17. 1948: NEODIPLOSTOMUM (CONODIPLOSTOMUM).

spathulaeforme Brandes, G. P. H., 1888a, 44, 54. 1888: DIPLOSTOMUM. 1914: HEMISTOMUM. 1919: NEODIPLOSTOMUM (tod).

spathulatum Coil, W. H.; & Kuntz, R. E., 1963a, 60-65, figs. 1-8 (Prognichthys sp.; gills; Hung Tou Tsun, Lan Yu Island, Taiwan). 1963: SYNCOELIUM.

spathulatum Diesing, K. M., 1859c, 426, for spatulatum. 1859: MONOSTOMA.

spathulatum Leuckart, K. G. F. R., 1876a, 871-872, nec Creplin, 1849, for spatulatum Rudolphi, 1819. 1876: DISTOMA. [Opisthorchis sinensis].

spathulatum Ozaki, Y., 1929b, 91, 94-95, fig. 2. 1929: MESODENDRIUM. 1936: LECITHODENDRIUM. 1948: LECITHODENDRIUM (LECITHODENDRIUM).

spathulatum Ozaki, Y., 1935d, 131-136, figs. 16-19. 1935: NASITREMA (tod).

spathulatum Rudolphi of Creplin, F. C. H., 1837a, 310. 1837: DISTOMA. 1898: ECHINOSTOMA. 1902: DISTOMA (ECHINOSTOMA). 1902: SODALIS (type).

spathulatum hepatis Simmonds, M., 1900a, 1758. 1900: DISTOMA.

spathulatus Mueller, J. F., 1936f, 56, 57, 60-62, 63, pl. 12, fig. 1, pl. 14, fig. 30, pl. 15, figs. 51, 60. 1936: GYRODACTYLUS. [1959]: GYRODACTYLUS elegans.

spatiosus Brandes, G. P. H., 1898a, 197, 220-221, pl. 8, figs. 15-16. 1898: GASTROTHYLAX. 1910: CARMYERIUS (GASTROTHYLACIAS).

spatula Creplin, F. C. H., 1829a, 50. See spathula.

spatula Dujardin, F., 1845a, 394. 1845: DISTOMA (DICROCOELIUM).

spatula Faust, E. C., 1919e, 340-344, figs. 1-3. 1919: CERCARIA.

spatula Odhner, T., 1902b, 66-67. 1902: PHYLLODISTOMUM. 1902: CATOPTROIDES (tod). 1953: PHYLLODISTOMUM (CATOPTROIDES (tod)).

spatula von Siebold, C. T. E., 1835a, 57, for spathula. 1835: HOLOSTOMUM.

spatulaeforme Odhner, T., 1902b, 67-68. 1902: PHYLLODISTOMUM. 1902: CATOPTROIDES. 1953: PHYLLODISTOMUM (CATOPTROIDES).

spatulata Probert, A. J., 1966b, 98-101, figs. 6-8 (Bithynia tentaculata; digestive gland; Llangorse Lake, Breconshire). 1966: CERCARIA.

spatulatum Leidy, J., 1858a, 111. 1858: MONSTOMA.

spatulatum Rudolphi, C. A., 1819a, 109, 403-404. 1819: DISTOMA. 1945: HOLOSTOMUM. 1898: ECHINOSTOMA. 1902: SODALIS (type). 1820: FASCIOLA. 1909: SCAPANOSOMA.

spatulatus Johnston, S. J., 1917a, 214-216, 218, 248, 253, 255, pl. 13, fig. 11. 1917: PLAGIORCHIS. 1937: PLAGIORCHIS (PLAGIORCHIS). 1959: PLAGIORCHIS (PLAGIORCHIS) maculosus.

spatulatus Simha, S. S., 1958a, 162, 193-196, 213, figs. 18-20. 1958: PARADISTOMOIDES.

SPBYRANURA Monticelli, F. S., 1888a, 11, for Sphyranura.

speciosus Stiles, C. W.; & Hassall, A., 1896c, 151-155, figs. 1-2. 1896: OPISTHORCHIS. 1911: AMPHIMERUS.

spectabile Dubois, G., 1936a, 514. 1936: OPHIODIPLOSTOMUM (tod).

spectabilis Odhner, T., 1926b, 2-3, 4, fig. 1. 1926: CATHAEMASIA.

spectanda Travassos, L. P.; Teixeira de Freitas, J. F.; & Bührnheim, P. F., 1967, 6, 8, 28-29, pl. 14, figs. 47-54 (Lutjanus jocu; intestino, Paralichtys brasiliensis; divertículos pilóricos; Estado do Espirito Santo, Brasil). 1967: METADENA.

speigleri Chauhan, (1945). (1945): LECITHOCLADIUM.

SPELEOPHALLUS Gower, W. C., 1938c, 34, 44, for Spelophallus.

SPELOPHALLUS Jägerskiöld, L. A. K. E., 1908a, 302, 306-307, 315 (tod: S. primas).

SPELOTREMA Jägerskiöld, L. A. K. E., 1901b, 892 (tod: S. pygmaeum).

spethaceum Marek, J., 1922a, 832, for spathaceum. 1922: HEMISTOMUM.

sphaericus Klein, W., 1905a, 68-72, pl. 5, figs. 4-5. 1905: PLEUROGENES. 1921: PLEUROGENOIDES.

sphaericus Ozaki, Y., 1925b, 51-52, pl. 7, figs. 1-2. 1925: OPECOELUS (tod).

SPHAERIDIOTREMA Odhner, T., 1913c, 290, 302-304 (tod: S. globulus).

sphaerocephalum Westrumb, A. H. L., 1823a, 396. 1823: AMPHISTOMA. 1850: HOLOSTOMUM. 1923: STRIGEA.

sphaerocephalum Westrumb of Brandes, G. P. H., 1888a, 65. 1888: HOLOSTOMUM. 1928: APATEMON.

sphaerocerca Miller, E. L., 1935a, 246-247, 265, pl. 1, figs. 1-3. 1935: CERCARIA.

sphaerogenitalis Roitman, V. A., 1963d, 310-311, fig. 4 (Hemiculter leucisculus; kidneys; Zeia River). 1963: PHYLLODISTOMUM (P.).

sphaerolecithus Manter, H. W., 1925a, 13-14, pl. 2, figs. 9-13. 1925: APONURUS. 1947: LECITHOPHYLLUM.

sphaerorchidum Thatcher, V. E., 1962a, 2522-23 [nomen nudum]; 1963c, 347, 348-351, fig. 1 (Dermatemys mawii; Tabasco, Mexico). 1962: DADAYTREMA.

SPHAEROSTOMA Rudolphi, C. A., 1809a, 38, 39 (type by virtual tautonymy globiporum).

haerostomum Schlotthauber, 1860a, 130. 1860: DISTOMA.

haerovarium Nahhas, F. M.; & Cable, M., 1964a, 207-209, pl., figs. 45-46 (Spheroides testudineus; intestine; Jamaica). 1964: DIPLOMONORCHIS.

haerula Looss, A., 1896b, 81-86, pl. 6, figs. 57-60. 1896: DISTOMA. 1899: LECITHODENDRIUM. 1921: ACANTHATRIUM. 1935: PARALECITHODENDRIUM. 1936: PROSTHODENDRIUM. 1948: ACANTHATRIUM (ACANTHATRIUM).

haerula Rudolphi, C. A., 1803a, 23-24. 1803: AMPHISTOMA. 1845: HOLOSTOMUM. 1925: STRIGEA. 1959: TETRACOTYLE.

haerula Thomas, L. J., 1932a, 165. 1932: CERCARIA.

haerula intermedia (Szidat, L., 1932a, 507, 519-520, fig. 6). 1959: STRIGEA.

haerula macrosicya Dubois, G.; & Rausch, R. L., 1950b, 19, 32, 48. 1950: STRIGEA.

HAIRIOTREMA Deblock, S.; & Tan Van Ky, P., 1966, 23, 30 (Ann. Parasitol., v. 41 (1)) (tod: S. prudhoei).

hanocephala Alessandrini, G. C., 1929a, 118, for S. sphaerocephala ?. 1929: STRIGEA.

hargidis MacCallum, G. A., 1921c, 203-204, fig. 101. 1921: MONOSTOMA. 1955: ASTRORCHIS.

hargidis MacCallum, G. A., 1921c, 199 [nomen nudum]. 1921: PYELOSOMUM.

hargis coriacea MacCallum, G. A., 1921c, 203. 1921: NEPHROCEPHALUM.

henomorphi Fischthal, J. H.; & Kuntz, R. E., 1965b, 127, 133-134, figs. 8-9 (Sphenomorphus multisquamatus, Bufo asper; small intestine; all from Ranau, North Borneo). 1965: PSEUDOSONSINOTREMA..

hericauda Singh, R. N., [1953b], 12-21, pls. 1-2, figs. 1-5. [1953]: CERCARIA.

hericus Mehra, H. R.; & Negi, P. S., 1928a, 100, for sphaericus. 1928: PLEUROGENES.

heroides Long, S.; & Lee, W. C., 1964a, 570-571, 578-579, fig. 3 (Spheroides oceculatus; air sac; Taihu). 1964: PSEUDOBUCEPHALOPSIS (mt).

PHINCTERISTOMUM Oshmarin, P. G.; Mamaev, I. L.; & Parukhin, A. M., 1961a, 259 (tod: S. acollum).

PHINCTERODIPLOSTOMUM Dubois, G., 1936a, 511, 513 (tod: S. musculosum).

hincteroporus Yamaguti, S., 1953b, 203, 218-220, 255, pl. III, figs. 10-11. 1953: PSEUDOHALIOTREMA (PSEUDOHALIOTREMA).

PHINCTEROSTOMA Yamaguti, S., 1937d, 3, 6 (tod: S. branchiostegi).

hirna Stoliarvov, V. P., 1952a, 265, for sphyrna. 1952: DACTYLOGYRUS.

hoeroidis Manter, H. W., 1947a, 366-367, 375, 386, figs. 145-148. 1947: SCLERODISTOMUM.

hyraenae Euzet, L.; & Razarihelisoa, M., 1959a, 82-85, figs. 7-10. 1959: PENTATRES (tod).

hyraenae Taschenberg, O., 1879a; 612, 614, 615. 1879: DIDYMOZOON. 1916: KOELLIKERIA (DIDYMOZOON). 1935: DIDYMOZOUM.

hyraenae Yamaguti, S., 1952a, 146, 147-148, 196, pl. I, fig. 1. 1952: BUCEPHALUS.

sphyraenae Yamaguti, S., 1953b, 203, 227-229, 255. pl. V, fig. 19. 1953: PSEUDOLAMELLODISCUS.

sphyraenae Yamaguti, S., 1959b, 241, 258-260, 262, pl. 21, figs. 14-15 (Sphyraena pinguis; submucosa of palate; Japan). 1959: ALLODIDYMOZOON (tod).

sphyraenae Yamaguti, S., 1959b, 241, 243, 262, pl. 20, figs. 3-4. 1959: RHIPIDOCOTYLE.

sphyraenae Yamaguti, S., 1965, 56, 87-89, fig. 17 (Pacific Science, v. 19 (1), Jan.). (Sphyraena barracuda; gill; Hawaii). 1965: PSEUDOCHAUHANEA (tod).

sphyraenae Yamaguti, S., 1966, 419, 425, 427, fig. 4 (Pacific Science, v. 20 (4), Oct.) (Sphyraena helleri; gills; Hawaii). 1966: METOPISTHOGYNE.

sphyraenae Yamaguti, S., 1968, 16, 139-140, fig. 106 (Monogenetic trematodes of Hawaiian fishes) (Sphyraena barracuda, S. helleri; gills; Hawaii). 1968: VALLISIOPSIS.

SPHYRAMURA Monticelli, F. S., 1888a, 36, for Sphyranura.

SPHYRANNRA Monticelli, F. S., 1888a, 49, for Sphyranura.

SPHYRANURA Wright, R. R., 1879a, 66-70 (mt: S. osleri).

sphyrna von Linstow, O. F. B., 1878b, 229, fig. 14. 1878: DACTYLOGYRUS.

sphyrnae MacCallum, G. A., 1931a, 6-7, pl. 1, fig. 2. 1931: SQUALONCHOCOTYLE. 1942: ERPOCOTYLE.

spiculare Yamaguti, S., 1968, 16, 121-122, fig. 94 (Monogenetic trematodes of Hawaiian fishes) (Kyph[o]sus cinerascens; gills; Hawaii). 1968: DIPLECTANUM.

spiculare Yamaguti, S., 1968, 15, 90-91, fig. 66 (Monogenetic trematodes of Hawaiian fishes) (Brotula multibarbata; gills; Hawaii). 1968: HALIOTREMA.

spiculata Yamashita, J., 1937b, 86, for apiculata. 1937: FASCIOLA.

spiculator Dujardin, F., 1845a, 424-425. 1845: DISTOMA (ECHINOSTOMA). 1860: ECHINOSTOMA. 1933: EUPARYPHIUM (ECHINOSTOMA). 1964: ISTHMIOPHORA (Dönges, J., 1964d).

spiculiferum MacCallum, G. A., [1919b], 85-86, figs. 42, 42a, 42b. [1919]: DISTOMA.

spiculigerum Muehling, P., 1898a, 18-19. 1898: DISTOMA. 1899: PSILOSTOMUM. 1913: PSILOTREMA.

SPICULOTREMA Belopol'skaia, M. M., 1949b, 205, 206 (tod: S. litoralis)

spilonotopteri Yamagtui, S., 1966, 419, 431-434, fig. 7 (Pacific Science, v. 20 (4), (Oct.) (Cypselurus spilonotopterus; gills; Hawaii). 1966: CYPSELUROBRANCHITREMA.

spilonotopteri Yamaguti, S., 1968, 17, 154-156, fig. 117 (Monogenetic trematodes of Hawaiian fishes) (Cypselurus spilonotopterus; gills; Hawaii). 1968: AXINE.

spinacis Goto, S., 1894a, 224-226, pls. 15-16. 1894: ONCHOCOTYLE. 1899: SQUALONCHOCOTYLE. 1942: ERPOCOTYLE. 1956: RAJONCHOCOTYLE.

spinalis Le Roux, P. L., 1934a, 31. 1934: BILHARZIA.

spinatum Siddiqi, A. H., 1959a, 428-429. 1959: INFUNDIBULOSTOMUM (mt).

spinatus Shevtsov, A. A., [1966], 317-320, fig. (Mater. Nauch. Konf. Vsesoiuz. Obsh. Gel'mint., Dec., 1965 (4)) ([domestic duck] domashniaia utka; bursa Fabricii; Chernigovskaia Oblast, Ukraina). [1966]: PROSTHOGONIMUS.

spindale Gedoelst, L., 1911a, 101, for spindalis. 1911: SCHISTOSOMA.

indale Saksena, J. N., 1958b, 227-229, pl., figs. 1-2 (Mastacembalus armatus; intestine; Raipur). 1958: ALLOCREADIUM.

indale Srivastava, H. D., 1933a, 46-48, 50, 58, fig. 3. 1933: HALIPEGUS.

indalis Martin, W. E., 1951a, 297-300, pl., figs. 1-3. 1951: PYGIDIOPSOIDES (tod).

indalis Montgomery, R. E., 1906c, 147-150, pl. 2, fig. 2. 1906: SCHISTOSOMA. 1912: BILHARZIA. [1954]: SCHISTOCERCARIA.

indalis Soparker. (?) (1951): CERCARIA.

indalis africana Porter, A., 1926a, 661-666. 1926: SCHISTOSOMA. 1933: BILHARZIA.

indalis nasale Malkani, P. G., 1933c, 273. 1933: SCHISTOSOMA.

inea Skvortsov, A. A., 1924a, 205, 209, 210. 1924: CERCARIA.

inetum Braun, M. G. C. C., 1901f, 563. 1901: MICROLISTRUM. 1929: GALACTOSOMUM. 1960: RETEVITELLUS (tod).

inicephalus Tandon, R. S., 1957b, 35-40, figs. 1-3. 1957: PARAMPHISTOMUM.

iniceps Looss, A., 1896b, 114-118, pl. 8, figs. 79-80. 1896: DISTOMA. 1899: ANOIKTOSTOMA. 1899: ACANTHOSTOMUM (type). 1901: ACANTHOCHASMUS (type).

inicirrus MacCallum, G. A., [1919b], 95, fig. 50. [1919]: MICROCOTYLE.

inicirrus Yamaguti, S., 1953b, 203, 207-209, 255, pl. I, fig. 3. 1953: ANCYROCEPHALUS.

inifera Brown, N. W., 1917a, 325, 326-327, pl. 54, fig. 2, pl. 55, figs. 6-8, pl. 56, figs. 9-12, pl. 57, figs. 13-14, pl. 58, fig. 19, pl. 59, figs. 21-24, pl. 60, figs. 28-30. 1917: FASCIOLOPSIS.

inifera von La Valette Saint George, A. J. H., [1855a], 17, pl. 1, figs. 10-11. [1855]: CERCARIA. 1858: CERCARIA (NEPHROCEPHALA). 1959: ECHINOPARYPHIUM.

iniferum Ratz, I., 1903b, 422-423, 429-431, pl. 16, figs. 1, 3. 1903: PEGOSOMUM.

iniferus Pearse, A. S., 1924a, 148-149, fig. 9. 1924: MACRODEROIDES (tod).

iniphallus Hargis, W. J., 1955f, 362-363, 364, 365, 376, pl., figs. 1-6 (Dasyatis sabina; gills; Franklin County, Florida). 1955: DASYONCHOCOTYLE (tod).

innata Gupta, R., [1962d], 113 (Anastomus oscitans; outskirts of Lucknow). [1962]: TYLODELPHYS. 1964: DIPLOSTOMUM (TYLODELPHYS) excavatum (Dubois, G., 1964e, 28).

inoacetabulum Burns, W. C., 1961a, 933-938, pl., figs. 1-7 (Fluminicola virens, Oxytrema silicula; Oregon, Anas boschas domestica (exper.)). 1961: SPHAERIDIOTREMA.

inolosmu Lutz, A., 1933b, 367, for spinulosum. 1933: PROHEMISTOMUM.

inolosum Lutz, A., 1935b, 162, 182, for spinulosum. 1935: PROHEMISTOMUM.

?INOMETRA Mehra, H. R., 1928a, 200.

?INOPLAGIOPORUS Skrjabin, K. I.; & Koval, V. P., 1958a, 426, 803 (tod: S. minutus).

inosa Agrawal, V., 1963a, 127, 128-129, 130, fig. 1 (Tyto alba; intestine; Lucknow, India). 1963: NEOECHINOSTOMA (tod).

spinosa Cawston, F. G., 1922n, 1247. 1922: CERCARIA.

spinosa Chatterji, R. C., 1933c, 33-35, 39, pl. 1, fig. 1. 1933: ASTIOTREMA.

spinosa Manter, H. W.; & Pritchard, M. H., 1961b, 487-488, 489, 490, 492, figs. 12-14 (Acanthurus sandvicensis; intestine; Hawaii). 1961: HAPLADENA.

spinosa Oguro, Y., 1943a, 114-115, fig. 1. 1943: LEUROSOMA.

spinosa Polianskii, I. I., 1955a, 65-68, fig. 23. 1955: STEGANODERMA.

spinosa Siddiqi, A. H.; & Cable, R. M., 1960a, 257, 265, 290, 344, figs. 62-63. 1960: ALLOMEGASOLENA.

spinosicanalis Willaims, H. H., 1958a, 291-297, pls. 1-3. 1958: APOROCOTYLE.

spinosisimum Monticelli, F. S., 1892e, 689, for spinosissimum. 1892: MONOSTOMA.

spinosissimum Stossich, M., 1883a, 112, pl. 2, fig. 8. 1883: MONOSTOMA. 1901: CENTRODERMA (type).

spinosostoma Cable, R. M., 1938b, 227-228. 1938: CERCARIA.

spinosulum Hofmann, K., 1899a, 178, 184, 185, 193, 201, 204, pl. 11, fig. 2. 1899: CERCARIAEUM. 1899: HARMOSTOMUM. 1899: DISTOMA. 1933: BRACHYLAEMUS. 1934: BRACHYLAEMUS erinacei. 1934: BRACHYLAIMA. 1958: BRACHYLAEMA.

spinosum Faust, E. C., 1966, 335, 336, 337, 338, fig. 3 (J. Parasitol., v. 52 (2)) (Motacilla alba baikalensis, Turdus r. ruficollis; bile ducts, Peking, China). 1966: LUTZTREMA.

spinosum von Linstow, O. F. B., 1880a, 51. 1880: DISTOMA.

spinosum Manter, H. W., 1940a, 325, 359-360, 447, 466, 467, pl. 35, figs. 30-31. 1940: PSEUDOCREADIUM. [1942: HYPOCREADIUM]. [1954]: HYPOCREADIUM.

spinosum Odhner, T., 1910d, 100, 139-140, pl. 4, fig. 6. 1910: ECHINOSTOMUM. 1956: ECHINOCHASMUS (ECHINOCHASMUS). 1910: STEPHANOPRORA. 1943: MESORCHIS.

spinosus Deblock, S.; & Capron, A., 1960b, 145 (n. n. for E. dogieli of Sultanov in Skrjabin & Bashkirova, 1960, nec Ovcarenko, 1955). 1960: EURYCEPHALUS.

spinosus Margolis, L.; & Pike, G. C., 1955a, 97, 99-102, 103, 117, figs. 1-3. 1955: LECITHODESMUS.

spinulata Fain, A., 1955g, 385-387. 1955: TRICHOBILHARZIA.

spinulosa Ginetsinskaia, T. A., 1959a, 67, 73. 1959: CERCARIA.

spinulosa Yamaguti, S., 1938f, 15, 40-43, 72, 73, pl. 6, fig. 39, pl. 11, figs. 75-77. 1938: HIRUDINELLA. 1957: UROPROCTINELLA.

spinulosum Hofmann, K., 1899a, 178. [error for spinosulum]. 1899: CERCARIAEUM. [1899: Distoma spinulosum]. 1899: HARMOSTOMUM.

spinulosum Hofmann, K., 1899a, 184, 193, 201, 204, pl. 11, fig. 6. 1899: DISTOMA. 1899: HARMOSTOMUM.

spinulosum Johnston, S. J., 1917a, 198-201, 248, 252, 255, figs. 7-8, pl. 12, fig. 7. 1917: ACANTHOPARYPHIUM.

nulosum Looss, A., 1901 1, 623-624. 1901: AMPHISTOMUM. 1916: SCHIZAMPHISTOMUM. [1925: SCHIZAMPHISTOMOIDES]. 1929: SCHIZAMPHISTOMOIDES. 1934: PARAMPHISTOMUM.

nulosum MacCallum, G. A., [1919c], 113-114, fig. 56. [1919]: POLYSTOMA.

pinulosum" of Molin, R., 1861c, pl. 4, fig. 2 (is not E. spinulosum, see Looss, 1899b, 689, but perhaps a Stephanostomum).

nulosum Odhner, T., 1913c, 313-317, figs. 11-13. 1913: PROHEMISTOMUM.

nulosum Rudolphi, C. A., 1808a, 358; 1809a, 425. 1808: DISTOMA. 1809: DISTOMA (ECHINOSTOMA). 1820: FASCIOLA. 1858: ECHINOSTOMA. 1909: MONILIFER (type). 1947: ECHINOCHASMUS (MONILIFER).

nulosum suzugamo Yamaguti, S., 1939d, 129, 153-154, 157, 208, pl. 15, fig. 12. 1939: ACANTHOPARYPHIUM.

nulosus Ando, A., [1918e], 1-12, pl., figs. 1-4. [1918]: MACROORCHIS.

INURUS Doran, D. J., 1953c, 147-148 (tod: S. lophosoma).

rale Diesing, C. A., 1850a, 325. 1850: MONOSTOMA. 1892: DISTOMA. 1912: HELICOTREMA. 1928: HELICOMETRA (lapsus).

rale de Filippi, F. teste Parona, C., 1896, 2. 1896: DISTOMA.

rale Yamaguti, S., 1938f, 15, 46-47, 72, pl. 6, fig. 43. 1938: DIDYMOZOON.

irale Yamaguti, S., 1968, 15, 91-92, fig. 67 (Monogenetic trematodes of Hawaiian fishes) (Mulloidichthys pfluegeri, M. auriflamma, M. samoensis, Parupeneus pleurostigma, P. chryserydros; gills; Hawaii). 1968: HALIOTREMA.

ralina Porter, A., 1938a, 6, 9, 374-376, pl. 63, fig. 2. 1938: CERCARIA.

ralis Mueller, J. F., 1937b, 209, 216, 217, 218, fig. 8. 1937: ONCHOCLEIDUS. 1938: UROCLEIDUS.

ralis Probert, A. J., 1966b, 101-104, figs. 9-12 (Lymnaea pereger; digestive gland; Llangorse Lake, Breconshire). 1966: CERCARIA.

ralis Velu, H.; & Barotte, J. H., 1924a, 303, 312, 328, for spindalis. 1924: SCHISTOSOMA.

ralis Yamaguti, S., 1942a, 105, 107-108, 129, fig. 2, pl. 4, fig. 3. 1942: DACTYLOGYRUS.

ralocirra Kohn, A.; & Paperna, I., 1964a, 145-146, 147, 148, figs. 1-2 (Pterophyllum eimekei; gills; Israel (aquarium)). 1964: GUSSEVIA (tod).

ravesiculatatum Manter, H. W.; & Pritchard, M. H., 1960b, 176, figs. 14-15. 1960: LECITHOCHIRIUM.

IRHAPALUM Ejsmont, L., 1927a, 220; 1927b, 76-77 (mt: S. polesianum).

ridale Fiebiger, J., 1923a, 161, 408, 417, for spindalis. 1923: SCHISTOSOMA.

ridalis Neveu-Lemaire, M., 1912a, 626, for spindalis. 1912: SCHISTOSOMA.

IRITESTIS Nagaty, H. F., 1948a, 359, 363 (tod: S. arabii).

rochorde Lutz, A., 1933b, 365, 372, 393-394, 400. 1933: DICRANOCERCARIA.

rocirrus Gusev, A. V., 1955b, 198, 199, 200, 202, 204, 205, 355, 358, 360, 393, 397, pl., fig. 7 (2), pl., fig. 9 (3). 1955: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 43).

spirophallus Tripathi, Y. R., [1959a], 65-68, fig. 31. [1959]: TYMPANOCIRRUS (tod).

spirophallus Yamaguti, S., 1937f, 10-13, 27, pl. 2, figs. 12-13. 1937: HALIOTREMA.

SPIRORCHIS MacCallum, G. A. [1919b], 92-93.

splendens Szidat, L., 1932b, 477-505, figs. 1f, 2, 7, 8, 10, 14, 15, 21, 22. 1932: CERCARIA.

splendens Verma, S. C., 1936c, 153-155. 1936: ECHINOPARYPHIUM. 1956: ECHINOSTOMA.

spondyliosomae Fantham, H. B., 1938a, 387-393, fig. 1. 1938: LECITHOSTAPHYLUS. 1947: STEGANODERMA. 1957: MANTERODERMA.

sprenti Pearson, J. C., 1964a, 601, 612, 636-641, figs. 16-21 (domestic cat (exper. & natural), domestic chicken, laboratory rat (exper.), Hydromys chrysogaster, Phalacrocorax ater, P. melanoleucus, P. sulcirostris, Pelecanus conspicillatus, Notophoyx novaehollandiae, Egretta alba, E. intermedia; Brisbane, Queensland, Australia). 1964: HAPLORCHIS.

sprostonae Price, E. W., 1961b, 133 (n. n. for Kuhnia minor Sproston, 1945, not Goto). 1961: KUHNIA.

sprostonae Vercammen-Grandjean, P. H., 1960d, 49, 116, 120-121, pl. 44, figs. 290-296. 1960: CERCARIA.

sprostoni Arai, H. P.; & Koski, C. H., 1964a, 1007-1009, figs. 1-4 (Scorpaena guttata; gills; Santa Catalina Channel, California). 1964: TROCHOPUS.

SPROSTONIA Bykhovskii, B. E., 1957a, 250, 301, 377 (mt: S. squatinae (MacCallum, 1921)).

SPROSTONIA Jain, S. L., 1959a, 153, 166 (tod: S. indica).

spruitensis Porter, A.. 1938a, 6, 9, 355-357, pl. 53, figs. 3-4. 1938: CERCARIA.

squali Blanchard, E., 1847a, 327-328. 1847: TRISTOMA. [1850: Tristoma blanchardii]. 1929: CAPSALA.

squali MacCallum, G. A., 1926b, 330-332, fig. 1926: DERMOPHAGUS (mt). [1927: LABONTES].

squali MacCallum, G. A., 1931a, 3-5, pl. 1, fig. 1. 1931: SQUALONCHOCOTYLE. 1942: ERPOCOTYLE.

squali grisei Risso, A., 1810a, 38. 1810: FASCIOLA.

squalinae Monticelli, F. S., 1892g, 127, for squatinae. 1892: PSEUDOCOTYLE.

squaliobarbi Gusev, A. V., (1962) (Opredelitele parazitov presnovodnyi ryb SSSR). (1962): DACTYLOGYRUS.

SQUALONCHOCOTYLE Cerfontaine, P., 1899a, 347, 373, 420, 440, 445, 446, 454-455, 456 (type: borealis, designated by Cerfontaine in correspondence with Stiles, Jan. 21, 1907).

squamata Guberlet, J. E., 1937a, 458, for squamula. 1937: EPIBDELLA.

squamata Kerbert, C., 1881a, 556, for squamula. 1881: DISTOMA.

squamatum Bravo Hollis, M.; & Manter, H. W., 1957a, 37, 40-41, pl., figs. 9-11. 1957: DACTYLOTREMA (tod).

uamatum von Linstow, O. F. B., 1906e, 174, pl. 1, fig. 18. 1906: LYPEROSOMUM.

uamatus Mendheim, H., 1940a, 489, 523-526, figs. 27-28. 1940: ECHINOCHASMUS.

uamatus Odhner, T., 1905a, 297-304, 305, pl. 2, figs. 1-5. 1905: PROSORHYNCHUS.

uameus Gusev, A. V., 1955b, 207, 208, 209, 370, 394, 397, pl., fig. 10 (3). 1955: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 43).

UAMODISCUS Yamaguti, S., 1934a, 249, 256-259 (tod: S. longipenis).

uamosum Fuhrmann, O., 1916c, 394-396, pl. 1, figs. 9-12. 1916: CERCARIAEUM. 1929: CERCARIA.

uamosum Villot, F. C. A., 1878a, 20-21, pl. 5, figs. 2-3. 1878: HOLOSTOMUM. 1890: DISTOMA.

uamula Heath, H., 1902a, 109-136, pl. 15, figs. 1-19. 1902: EPIBDELLA. 1903: PHYLLINE. 1927: PHYLLONELLA. 1929: ENTOBDELLA (ENTOBDELLA).

uamula Rudolphi, C. A., 1819a, 103, 391. 1819: DISTOMA. 1850: MONOSTOMA. 1898: EURYSOMA (type). 1926: EURYHELMIS (tod).

uatarolae Yamaguti, S., 1934b, 543, 568-580, fig. 10. 1934: ACANTHOPARYPHIUM.

uatarolae Yamaguti, S., 1934b, 543, 546-550, figs. 1-2. 1934: LEVINSENIELLA. 1939: GYNAECOTYLA. 1939: CORNUCOPULA. 1953: MICROPHALLOIDES.

uatinae van Beneden, P. J.; & Hesse, C. E., 1865a, 4th appendix, 11-18, figs. 1-7. 1865: PSEUDOCOTYLE.

uatinae MacCallum, G. A., 1921c, 153-156, fig. 75. 1921: ACANTHOCOTYLE. [1936: TROCHOPUS]. 1937: TROCHOPUS. 1939: MEGALOCOTYLE. 1957: SPROSTONIA (tod).

uillarum Parona, C.; & Perugia, A., 1889b, 76-80, pl., figs. 1a-3a. 1889: MESOCOTYLE (type). 1889: DACTYLOCOTYLE. 1895: OCTOBOTHRIUM. 1943: CYCLOCOTYLA. 1943: DICLIDOPHORA. 1963: ALLODICLIDOPHORA (Yamaguti, S., 1963a, 179).

ebarni Genov, T., 1964a, 99-101, 110, 112-113, 114-115, fig. 1 (Ondatra zibethica; intestine; duodenum; Srebarna, Silistra District, Bulgaria). 1964: TROGLOTREMA.

inagarensis Kaw, B. L., 1950b, 70, 92-93, 94, fig. 15. 1950: GANEO.

ivastavai Dutt, S. C., [1958a], 349. [1958]: CERCARIA.

ivastavai Gupta, N. K., [1954a], 172; 1954e, 85, 91-93, 98, fig. 3. 1954: ASTIOTREMA.

ivastavai Peter, C. T., [1954a], 221. [1954]: PATAGIFER.

ivastavai Rai, S. L., [1962d], 111-112 (Macrobranchium [? for ---brachium] dayanus; liver; Khandari River near Jabalpur City, India, Saccobranchus spp.; urinary bladder; Macrones spp., Rana tigrinum (all exper.)). [1962]: PHYLLODISTOMUM.

IVASTAVATREMA Singh, K. S., 1962, 37-42. (tod: S. indica).

blefordi Cheng, T. C.; & Chase, R. S., 1961a, 33-38, fig. 1(Desmognathus f. fuscus; small intestine; Howard County, Maryland). 1961: BRACHYCOELIUM.

ffordi Miller, M. H., 1941a, 36, 37-38, fig. 12. 1941: PODOCOTYLE.

ffordi Pearse, A. S., 1924a, 152, 154-155, fig. 3. 1924: PHYLLODISTOMUM. 1929: CATOPTROIDES. 1953: PHYLLODISTOMUM (CATOPTROIDES).

staffordi Tubangui, M. A., 1928b, 355-356, pl. 2, fig. 1. 1928: GLYPTHELMINS. 1959: MARGEANA.

STAFFORDIELLA Mehra, H. R., 1966, 1, 13, 14, 18 (tod: S. chilkai (Chatterji, 1956)).

stagnalis Müller, O. F., 1774a, 53. 1774: FASCIOLA. 1787: PLANARIA.

stagnicolae Herber, E. C., 1942a, 179, 180, 184-190, 192, 194, 196, pl. 2, figs. 13-25. 1942: NOTOCOTYLUS.

stagnicolae Talbot, S. B., 1936a, 372, 374-375, 376, 377,, 378, 379, 380, 381, 382, 383, 384, pl. 1, fig. 2. 1936: CERCARIA. 1945: TRICHOBILHARZIA.

stahli Rebecq, J. M.; & Leray, C., 1950a, 1-9, figs. 1-5. 1960: DIPLOSTOMULUM.

STAMNOSOMA Tanabe, H., (1922g), 1-14.

STAMPARIA Nezlobinski, N., 1926a, 215, 216 (mt: S. macedoniense).

stanleyi Ward, H. B., 1895a, 338. [for stanleyii Cobbold]. 1895: AMPHISTOMA.

stanleyii Cobbold, T. S., 1875n, 818, 819. 1875: AMPHISTOMA. 1879: AMPHISTOMA collinsii var. stanleyii. 1910: PSEUDODISCUS.

stantschinskii Semenov, V. D., 1927a, 252-255, 256, figs. 7-8. 1927: ECHINOSTOMA.

stantschinskii caudatum Yamaguti, S., 1939d, 129, 140-141, 208, pl. 15, fig. 11. 1939: ECHINOSTOMA.

STAPHYLORCHIS Travassos, L. P., 1922b, 17, 18 (tod: S. cymatodes).

starkovi Biocca, E.; & Benetti, M. P., 1956a, 456-460, pl. I. 1956: OPISTHORCHIS.

steelmani Baker, J. R., 1943a, 280-285, pl., figs. 1-11. 1943: CERCARIA.

steenstrupi Odhner, T., 1902b, 68-69, fig. 3. 1902: LEPIDOPHYLLUM (tod).

stefanskii Dollfus, R. P. F., 1960d, 188-194, figs. 1-3. 1960: LOMASOMA.

stefanskii Furmaga, S., [1957a], 585-590, 595, 598, figs. 1-2. [1957]: PLAGIORCHIS (MULTIGLANDULARIS).

stefańskii Ślusarski, W., 1958a, 268-276, 487, figs. 1-9. 1958: PLAGIOPORUS.

steganocoela Miller, E. L., 1935a, 251, 254, pl. 2, figs. 19-20. 1935: CERCARIA.

STEGANODERMA Stafford, J., 1904b, 486-487 (mt: S. formosum).

STEGODEXAMENE Macfarlane, W. V., 1951a, 1, 3, 4 (tod: S. anguillae).

STEGOPA Linton, E., 1910b, 18, 20, 75, 96.

stegostomatis Nagaty, H. F.; & Abdel Aal, T. M., 1961b, 766-767, 769, pl. 2, figs. 6-6a (Stegostoma tigrinum; liver; Red Sea). 1961: PERNAGMIA.

stegurus Mueller, J. F., 1937b, 213-214, 215, 217, 218, figs. 18-20. 1937: GYRODACTYLUS, [1959]: GYRODACTYLUS medius.

steingröveri Cohn, L., 1916a, 460-488, figs. 1-7. 1916: EPIBDELLA. 1927: PHYLLONELLA. 1929: ENTOBDELLA (ENTOBDELLA).

stellai Pérez Vigueras, I., 1955a, 35-36, fig. 2. 1955: POLYSTOMA.

STELLANCHASMUS Ciurea, I., 1933c, 106, for Stellantchasmus.

STELLANTCHASMUS Onji, Y.; & Nishio, T., (1915b), 14-17.

STELLANTOCHASMUS Kobayashi, H., 1934a, 4160, for Stallantchasmus.

stellaris Rudolphi, C. A., 1809a, 432-433. 1809: DISTOMA ardeae.

stellatus Crane, J. W.; & Mizelle, J. D., 1967, 270, 271, 273, figs. 29-35 (J. Parasitol., v. 53 (2)) (Platichthys stellatus; external surface; Bodega Bay, California). 1967: GYRODACTYLUS.

stellatus Looss, A., 1907e, 606-607. 1907: LECITHASTER.

stelliae Porter, A., 1938a, 4, 8, 186, 192-194, pl. 18, figs. 2-3. 1938: CERCARIA.

STENAKRON Stafford, J., 1904b, 487 (mt: S. vetustum).

STENOCOLLUM Stafford, J., 1904b, 487 (mt: S. fragile).

stenocotyle Cohn, L., 1902h, 880-882, fig. 4. 1902: LEPTOPHYLLUM (type). 1957: TRAVTREMA.

stenodorya Hall, J. E.; & Groves, A. E., 1963a, 249, 250, 251, 252, 253-254, 258, 261, 262, pls., figs. 1-2, 5-8 (Nitocris dilatatus; West Virginia, Acroneuria spp., Isoperla sp., Pteronarcys sp. (all exper.)). 1963: CERCARIA.

stenometra Pritchard, M. H., 1966b, 188, 189, 191-192, fig. 14 (Chaetodon quadrimaculatus, C. auriga, C. fremblii, C. multicinctus, Zanclus canescens; intestine; Hawaii). 1966: PODOCOTYLOIDES.

stenon Dollfus, R. P. F., 1950a, 8, 59-62, figs. 40-41. 1950: ECHINOSTOMA. 1956: ECHINODOLLFUSIA.

stenonura Ingles, L. G., 1930b, 101-103, fig. 1930: TELORCHIS. 1936: CERCORCHIS.

STENOPERA Manter, H. W., 1933a, 168, 173, 175, 180 (tod: S. equilata).

stenosoma Hanson, M. L., 1953a, 447, 448-450, fig. 1 a-d. 1953: SCHISTORCHIS.

stenostoma Nicoll, W., 1913a, 240-242, pl. 11, fig. 2. 1913: LEPIDAUCHEN (tod).

stenotomi Goto, S., 1899a, 279-281, pl. 21, fig. 28. 1899: MICROCOTYLE.

stentor Mueller, J. F., 1937b, 213, 215, 217, 218, 219, figs. 3-5, 45-46. 1937: CLEIDODISCUS.

stepha Zdun, (1952). (1952): CERCARIA.

stephanocauda Faust, E. C., 1921c, 65, pl. 3, fig. 6. 1921: CERCARIA.

stephanocauda ocalana Smith, S. C., 1935b, 18-19, figs. 3-4, 6-9. 1935: CERCARIA.

TEPHANOCEPHALUS Lane, C.; & Low, G. C., 1923f, 1790, lapsus for Stephanolecithus.

TEPHANOCHASMUS Looss, A., 1900d, 603 (=Stephanostomum Looss, 1899 [not Stephanostoma Danielson & Koren] renamed, hence type: cesticillus).

TEPHANOLECITHUS Nakagawa, K., (1917c); 1919a, 39, 42 (mt: S. parvus).

TEPHANOPHARYNX Fischoedei, F., 1901a, 370 (mt: S. compactus).

TEPHANOPHIALA Nicoll, W., 1909b, 397, 398.

TEPHANOPIRMUS Onji, Y.; & Nishio, T., 1924b, 6, for Stephanopirumus.

STEPHANOPIRUMUS Onji, Y.; & Nishio, T., (1916), 461.

STEPHANOPRORA Odhner, T., 1902e, 22-24, fig. 1 (mt: S. ornata).

STEPHANOPRORAOIDES Price, E. W., 1934e, 1 (tod: S. lawi).

STEPHANOSTOMUM Looss, A., 1899b, 576-577, 579, 582, 583, 590, 596 (tod: S. cesticillus).

stephanotonda Szidat, L., 1932b, 477, for stephanocauda. 1932: CERCARIA.

stephanus Mueller, J. F., 1937b, 214, 215, 217, 218, figs. 21-25. 1937: GYRODACTYLUS. [1959]: GYRODACTYLUS medius.

stephensi Brooks, F. G., 1943b, 340-341, 343, pl., figs. 1-2. 1943: CERCARIA.

STEPTOVITELLA Ciurea, I., 1933c, 102, for Streptovitella.

STERINGOPHORUS Odhner, T., 1905a, 309 (tod: S. furciger).

STERINGOTREMA Odhner, T., 1911g, 101-102 (tod: S. cluthensis).

sternae Ablasov, N. A.; & Chibichenko, N. T., 1960a, 160-162, 164, fig. 5. 1960: SONKULITREMA (mt).

sternae Kulachkova, V. G., 1954a, 133-134. 1954: TETRACLADIUM (tod).

sternae Rudolphi, C. A., 1819a, 680 of Diesing, K. M., 1850a, 357. 1850: DISTOMA cochleariforme.

sternae cantiacae Diesing, K. M., 1858e, 355, based on La Valette, [1855a], 9, 37, pl. 1, fig. 15 1-2 & Moulinié, 1856a, 102). 1858: DISTOMA.

sterni Gower, W. C., 1940a, 163-166, figs. 1-4. 1940: PSEUDAMPHIMERUS (tod).

sterni Gupta, N. K., 1958a, 113-115, pl., fig. 1. 1958: DIPLOSTOMUM.

STERRHURUS Looss, A., 1907e, 600 (tod: S. musculus).

STICHOCOLYLE Monticelli, F. S., 1892a, 176, for Stichocotyle.

STICHOCOTOLYLE Monticelli, F. S., 1888a, 9, for Stichocotyle.

STICHOCOTYLE Cunningham, J. T., 1884a, 399 (mt: S. nephropis).

STICHOLECITHA Prudhoe, S., 1949b, 418 (tod: S. serpentis).

STICHORCHIS (Fischoeder, 1901) Looss, A., 1902m, 439.

stichospinus Seamster, A.; & Monaco, L. H., 1956a, 180-182, 183, figs. 1-16. 1956: RHAMNOCERCUS.

STICTODORA Looss, A., 1899b, 671-672 (mt: S. sawakinensis).

stilifera Faust, E. C., 1918e, 101-103, 104, pl. 2, figs. 18-19. 1918: CERCARIA.

STOMACHICOLA Yamaguti, S., 1934a, 252, 456-459 (tod: S. muraenesocis).

STOMATREMA Guberlet, J. E., 1928c, 205 (tod: S. pusilla).

stomospinosa Yang, F. H., 1959a, 488-490, 495, 496, 497-498, figs. 9-10. 1959: CHOANOCHENIA.

STOMYLOTREMA Looss, A., 1900d, 602 (type: S. singulare=perpastum).

STOMYLUS Looss, A., 1899b, 629-630 (mt: S. singularis).

stonei Porter, A., 1938a, 6, 9, 330-331, pl. 51, fig. 1. 1938: CERCARIA.

stonii Brooks, F. G., 1943b, 341, 343, pl., fig. 5. 1943: CERCARIA.

storeriae Harwood, P. D., 1932b, 10-11, 14, 66, pl. 1, fig. 3. 1932: BRACHYCOELIUM.

stossichi Braun, M. G. C. C., 1899c, 80-82, 1 fig. 1899: CALICOTYLE. 1941: CALICOTYLE (CALICOTYLIDES).

stossichi Goldberger, J., 1911b, 38. 1911: TELORCHIS (CERCORCHIS). 1928: CERCORCHIS.

stossichi Luehe, 1901 of Odhner, T., 1905a, 351, 352. 1905: HEMIURUS.

stossichianum Monticelli, F. S., 1892d. 12, 19, figs. 5, 7, 11, 15, 18. 1892: MONOSTOMA. 1963: CENTRODERMA (Skrjabin, K. I. 1963b).

stossichii Monticelli, F. S., 1891d, 501, 502, 512-516, 520, 521, pl. 4, figs. 2, 3, 4, 8, 9, 15a, 16, 17. 1891: APOBLEMA. 1891: DISTOMA. 1899: HEMIURUS. 1907: APHANURUS.

STOSSICHIUM Witenberg, G. G., 1928a, 415 (tod: S. magnum).

straightum Khan, M. H., 1935a, 346, 349-351, 361, 362, 363, 369, fig. 2. 1935: CYCLOCOELUM. 1950: CYCLOCOELUM (PSEUDHYPTIASMUS).

strelkowi Akhmerov, A. Kh., 1952a, 201, 202, 211, fig. 7g. 1952: ANCYLODISCOIDES. 1964: SUBANCYLODISCOIDES (Akhmerov, A. K., 1964a, 74, 76).

strelkowi Bykhovskii, B. E., 1957a, 36, 79, 89, 94, 110-112, 113, 131, 157, 158, 159, 316, figs. 46, 113d, 165-169. 1957: PROTANCYROCEPHALUS.

strelkowi Bykhovskiĭ, B. E., 1959a, 197 [nomen nudum]. 1959: GYRODACTYLUS.

strelkowi Bykhovskii, B. E.; & Polianskii, I. I., [1954a], 111-112, 114, fig. 20. [1954]: GYRODACTYLOIDES.

strelkowi Gusev, A. V., 1955b, 240, 241, 242, 394, 397, pl., fig. 24 (3). 1955: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 43).

strelkowi Nagibina, L. F., 1965a, 169-170, 173, 174, figs. 3, 7B, 8B (Hemibarbus labeo; gill filaments; Bolon Lake, Amur River). 1965: DIPLOZOON.

strephocoelium Fischoeder, F., 1902a, 19-20, 25, 50, for streptocoelium. 1902: PARAMPHISTOMUM.

STREPSORCHIS Lebour, M. V., 1909b, 445 [? lapsus for Echinostephilla].

treptocoelium Fischoeder, F., 1901a, 369. 1901: PARAMPHISTOMUM. [1937]: CEYLONOCOTYLE.

treptocorpus Verma, S. C., 1936c, 184-185. 1936: COTYLURUS. 1938: STRIGEA.

TREPTOVITELLA Swales, W. E., 1933b, 115-118 (tod: S. acadiae).

tresemanni Odening, K., 1961, 127, 142, 143, 144, 145, fig. 10 (Abdimia abdimii; Dünndarm; Berliner Tierpark). 1961: PARACOENOGONIMUS.

triata Miller, R. C., 1927a, 221-229, pl. 14, figs. 1-8. 1927: ONCHOCOTYLE. [1933: ? SQUALONCHOCOTYLE]. 1934: SQUALONCHOCOTYLE. 1942: ERPOCOTYLE.

striata Perugia, A.; & Parona, C., 1890a, 21. 1890: VALLISIA (type). [1890]: OCTOCOTYLE.

striatum Dinulescu, G., 1942a, 11-12, 18, 21, pl. 1, fig. 4. 1942: ALLOCREADIUM.

striatum Rudolphi, C. A., 1809a, 343. 1809: AMPHISTOMA. [1819: AMPHISTOMA macrocephalum].

strictus Endrigkeit, A., 1940c, 149, 150, 151, fig. 3. 1940: COTYLURUS.

strictus Shtrom, Z. K., 1940c, 195-197, 216, 221, fig. 9. 1940: PLAGIORCHIS. [1959]: PLAGIORCHIS (MULTIGLANDARIUS). 1959: PLAGIORCHIS (PLAGIORCHIS).

stridulae Braun, M. G. C. C., in Rudolphi, C. A., 1809a, 347. 1809: FASCIOLA strigis.

stridulae Reich, G. C., 1801a, 371-386. 1801: DISTOMA. [1809: DISTOMA apiculatum]. 1909: ECHINOSTOMA. 1956: EUPARYPHIUM.

strigae tardae Mathias, P., 1925a, 8, 9, 54, 55, 56, 58, 61, 62, fig. 5, pl. 3, figs. 2-5. 1925: CERCARIA.

strigata Lebour, M. V., 1908b, 32-34, pl. 1, fig. 3. 1908: CERCARIA. 1913: GYMNOPHALLUS somateriae. 1934: METACERCARIA (GYMNOPHALLUS). 1925: METACERCARIA gymnophallus.

strigata Müller, O. F., 1774a, 66-67. 1774: FASCIOLA. 1787: PLANARIA.

STRIGEA Abildgaard, P. C., 1790a, 37, pl. 5 a-c (mt: S. strigis).

strigeoides Dubois, G., 1958b, 69-71, figs. 1-2. 1958: COTYLURUS.

strigicola Odening, K., 1962g, 233, 234 (nomen nudum) (Strix aluco aluco). 1962: TYLODELPHYS.

strigis Schrank, F. v. P., 1788a, 16-17, based on Goeze, 1782a, 174, pl. 14, figs. 4-6. 1788: FESTUCARIA. 1790: STRIGEA (type). [1790]: FASCIOLA. 1901: PLANARIA. 1929: TETRACOTYLE.

strigis Yamaguti, S., 1939d, 130, 183-184, 208, pl. 17, fig. 20. 1939: LYPEROSOMUM. 1944: OLSSONIELLA. 1944: ORTHORCHIS.

strigis Yamaguti, S., 1939d, 130, 193, 210, pl. 27, fig. 59. 1939: NEODIPLOSTOMUM.

strigis stridulae Braun, M. G. C. C. in Rudolphi, C. A., 1809a, 347. 1809: FASCIOLA.

strigosum Looss, A., 1899b, 634, 635, 727-728, fig. 47. 1899: DICROCOELIUM. 1899: LYPEROSOMUM. 1940: BRACHYLECITHUM. 1944: OLSSONIELLA. 1957: LYPEROSOMUM (BRACHYLECITHUM) (Jaiswal, G. P., 1957a, 17).

strixi Oshmarin, P. G. in Skrjabin, K. I.; & Evranova, V. G., [1953a], 174, 179, fig. 62. [1953]: BRACHYLECITHUM lobatum.

stromatea Tripathi, Y. R., 1956b, 231, 236, 238, fig. 3 a-f. 1956: BICOTYLE.

stromborhynchum Manter, H. W.;& Pritchard, M. H., 1961a, 480, 491-492, figs. 7-9 (Gymnothorax petelli; intestine; Hawaii). 1961: DOLLFUSTREMA.

stromi Bashkirova, E. I., 1946a, 42, 43, 44-45, figs. 1, 3. 1946: ECHINOSTOMA.

stromi Pigulevskii, S. V., 1953a, 348, 414-419, figs. 106-107. 1953: PHYLLODISTOMUM (CATOPTROIDES).

stromi Travassos, L. P., 1930, 69, pl. 25, figs. 13-15. 1930: PLEUROGENOIDES. 1934: PLEUROGENES.

tromi punicus Balozet, L.; & Callot, J., 1938b, 18-21, 28, fig. 1A-E. 1938: PLEUROGENOIDES. 1948: PLEUROGENES.

TROMITREMA Skrjabin, K. I., 1944c, 300.

TROMYLOTREMA Poche, F., 1907c, 105, for Stomylotrema.

trongylosum Skrjabin, K. I.; & Udintsev, A. N., 1930a, 215, ? for strigosum. 1930: LYPEROSOMUM.

trongylurae Hopkins, S. H., 1954b, 358-360, 361, 366, figs. 6-7, 10d. 1954: BUCEPHALOIDES. 1962: BUCEPHALOPSIS (Kohn, A., 1962b).

trongylurae Price, E. W., 1962a, 7, 9, 11, 12, 13, 14, figs. 10, 22, 34, 46, 58 (Strongylura marina; gills; New York Aquarium). 1962: AXINOIDES.

trongylurae Yamaguti, S., 1968, 17, 159-160, fig. 121 (Monogenetic trematodes of Hawiian fishes) (Strongylura gigantea; gills; Hawaii). 1968: AXINOIDES.

unkardi Agrawal, V., 1964c, 1-4, fig. (Acridotheres tristis; intestine; Varanasi). 1964: LYPEROSOMUM.

unkardi Byrd, E. E., 1939a, 131, 132-133, 134, 139, 152, 153, 156, 157, pl. 2, fig. 5, pl. 3, fig. 6. 1939: HAPALORHYNCHUS.

unkardi Caballero y Caballero, E.; & Grocott, R. G., 1960a, 245-247, figs. 2-3. 1960: ANENTEROTREMA.

unkardi Chandler, A. C., 1923f, 3-4, pl. 1, fig. 2. 1923: TELORCHIS. 1928: CERCORCHIS.

unkardi Harwood, P. D., 1931d, 98-100, fig. 1. 1931: POLYSTOMA. 1935: POLYSTOMOIDES.

unkardi Holl, C. J., 1929a, 35-37, pl. 4, figs. 1-3. 1929: PARAMPHISTOMUM. 1949: ALLASSOSTOMOIDES. [1954]: PISCIAMPHISTOMA.

unkardi Martin, W. E.; & Bamberger, J. W., 1952a, 106, 107, 110, figs. 1-2. 1952: HAEMOXENICON (tod).

unkardi Palombi, A., 1934b, 66. 1934: CERCARIA.

unkardi Pande, B. P., 1938a, 116-119, figs. 1-3. 1938: CRASSIPHIALA. 1942: UVULIFER.

unkardi Pande, B. P., 1939a, 16-19, 20, figs. 1-2. 1939: LYPEROSOMUM. 1944: OLSSONIELLA. 1951: BRACHYLECITHUM. 1957: LYPEROSOMUM (BRACHYLECITHUM) (Jaiswal, G. P., 1957a, 18).

unkardi Rai, S. L., [1962e], 116 (Ophiocephalus striatus; stomach; fish market, Gurandi, India). [1962]: AZYGIA.

unkardi Rumbold, D. W., 1928a, 195-198, pl. 30, figs. 1-5. 1928: COTYLASPIS.

unkardi Siddiqi, A. H.; & Cable, R. M., 1960a, 257, 263, 269-270, 328, fig. 6. 1960: PROSORHYNCHUS.

UNKARDIA Bhalerao, G. D., 1927b, 191 (mt: S. dilymphosa).

urionis Abildgaard, P. C., 1794b, 55-56, pl. 6, figs. 1a-c. 1794: HIRUDO. 1847: TRISTOMA. 1852-53: NITZSCHIA. 1908: PHYLLINE.

urionis Little, P. A., 1930a, 399-413, figs. 1-10, pl. 39, figs. 1-4. 1930: DIHEMISTEPHANUS. 1940: STEPHANOSTOMUM [lapsus]. 1952: PRISTICOLA (tod).

sturionis Rudolphi, C. A., 1809a, 435. 1809: DISTOMA. [1819: D. hispidum].

sturni Boyd, F. M., 1947b, 184. 1947: BRACHYLAEMUS [nomen nudum].

sturni Skrjabin, K. I.; & Evranova, V. G., [1953a], 352, 355, fig. 127. [1953]: LUTZTREMA. 1964: LYPEROSOMUM (LUTZTREMA) (Jaiswal, G. P., 1964a).

sturniae Tanabe, H., (1948?); 1951a, 321, 322. (1948?): CERCARIA. 1950: GIGANTOBILHARZIA.

stylata Agrawal, S. M., 1956a, 141-144, pl., figs. 1-2. 1956: CERCARIA.

stylites Lutz, A., 1924a, 69, 89, 90, pl. 9, figs. 17-18. 1924: CERCARIA. 1924: ECHINOCERCARIA.

stylobuccalis Faust, E. C., 1922a, 257-258, 267, pl. 22, fig. 12. 1922: CERCARIA.

styloidea Faust, E. C., 1922c, 258-259, 265, 267, pl. 22, fig. 13. 1922: CERCARIA.

stylosa von Linstow, O. F. B., 1875a, 193-195, pl. 3, figs. 16-17. 1875: CERCARIA.

STYOGONIMUS Serafinski, T., 1928a, 157, 162, for Ityogonimus.

STYPHLODORA Looss, A., 1899b, 592, 593, 594, 633 (tod: S. serrata).

STYPHLOTREMA Odhner, T., 1910d, 22, 23, 53, 54, 55, 70 (type: S. solitaria).

subaequalis Akhmerov, A. Kh., 1952a, 195, 196, 210, fig. 5d. 1952: ANCYROCEPHALUS.

sub-aequiporus Nicoll, W., 1951d, 23-25, pl. 4, fig. 1. 1951: MACULIFER.

subaequiporus Odhner, T., 1911f, 244. 1911: ZOOGONOIDES.

SUBANCYLODISCOIDES Akhmerov, A. K., 1964a, 70, 72, 74, 76-77, 78, fig. 1 (9) (tod: S. rimsky-korsakowi [sic] (Akhmerov, 1952)).

subclavata Pallas, P. S., (1760a), 29; Goeze, J. A. E., 1782a, 178. (1760); FASCIOLA. 1782: PLANARIA. 1800: DISTOMA. 1802: AMPHISTOMA. 1836: DIPLODISCUS (type). 1923: PARAMPHISTOMUM. 1932: OPISTHODISCUS.

subclavata ore sessile Pallas, P. S., (1760 or 1761), 271. (1760 or 61): FASCIOLA.

subclavati Faust, E. C., 1919c, 319, 320. 1919: CERCARIA diplodisci.

subclavatus Wisniewski, W. L., 1958a, table XIIB. 1958: HALIPEGUS.

subclavatus schistorchis Dollfus, R. P. F., 1941a, 110, 112, 113, pls., figs. 1-3. 1941: DIPLODISCUS.

subcuticola Yamaguti, S., 1942c, 330, 394-396, 398, pl., figs. 6-11. 1942: GLOMERITREMA (tod).

subdolum Jaegerskioeld, L. A. K. E., 1908a, 313-315, fig. 7. 1908: MARITREMA.

subequilatum Pritchard, M. H., 1963a, 578, 584, 586, pl. II, figs. 11-12 (Naso unicornis; stomach; Hawaii). 1963: PROSOGONOTREMA.

subflavum Sonsino, P., 1892e, 91-92. 1892: DISTOMA. 1924: ENCYCLOMETRA.

submentalis Yamaguti, S., 1938f, 16, 51-52, 72, pl. 8, fig. 48. 1938: DIDYMOCYSTIS.

subrotunda Johnston, T. H.; & Tiegs, O. W., 1922a, 89-90, pl. 10, fig. 70. 1922: TRIVITELLINA (tod).

btenue Linton, E., 1907e, 106, 124, pl. 9, fig. 65. 1907: DISTOMA. 1950: PROCTOECES.

btriangularis Mizelle, J. D.; & Jaskoski, B. J., 1942a, 146-147, 152, 153, pl., figs. 33-41. 1942: ACTINOCLEIDUS.

btriquetrum Rudolphi, C. A., 1814a, 100. 1814: AMPHISTOMA. 1840: DISTOMA. 1901: CLADORCHIS (STICHORCHIS). 1902: STICHORCHIS.

btriquetrum giganteum Kuechenmeister, G. F. H., 1855, 192. 1855: AMPHISTOMA.

btropica Harwood, P. D., 1932b, 14-15, 65, pl. 1, fig. 6. 1932: GLYPTHELMINS.

bulatum Perkins, M. G. L., 1928a, 341. 1928: LECITHOPYGE (tod).

bulatum Perkins, M. G. L., 1928a, 348, 352, pl. 21, fig. 5. 1928: LECITHOPYGE rastellum.

bulo Pagenstecher, H. A., 1857a, 19-20, pl. 1, figs. 14-16. 1857: CERCARIA. 1858: CERCARIA (ACANTHOCEPHALA).

BUVULIFER Dubois, G., 1952a, 79, 86 (tod: S. halcyonae).

cciniae Porter, A., 1938a, 7, 9, 420-423, 468, 470, pl. 73, figs. 1-6. 1938: CERCARIA.

crensis Nasir, P.; & Acuña Cedeño, A., 1965a, 152-153, figs. 1-2 (Marisa cornuarietis; Cumaná, Venezuela). 1965: CERCARIA.

ctoria Sinitsin, D. F., 1911a, 31, 37, 89, pl. 4, figs. 66-69. 1911: CERCARIA.

danense Odhner, T., 1910d, 116-117, pl. 3,figs. 12-13. 1910: ECHINOSTOMA.

danensis No. 1 Archibald, R. G.; & Marshall, A., 1931a, 273-275, figs. 1, 5. 1931: CERCARIA.

danensis No. 2 Archibald, R. G.; & Marshall, A., 1931a, 276, figs. 2, 4. 1931: CERCARIA.

danensis No. 3 Archibald, R. G.; & Marshall, A., 1931a, 277, 278, 279, 280, figs. 3, 6. 1931: CERCARIA.

danensis No. 4 Archibald, R. G.; & Marshall, A., 1932c, 344-345, 349, pl. 16, fig. 1. 1932: CERCARIA.

danensis No. 5 Archibald, R. G.; & Marshall, A., 1932c, 345-346, 349, pl. 16, fig. 2. 1932: CERCARIA.

danensis No. 6 Archibald, R. G.; & Marshall, A., 1932c, 346-347, 349, pl. 16, fig. 3. 1932: CERCARIA.

danensis No. 7 Archibald, R. G.; & Marshall, A., 1932c, 347-348, 349, pl. 16, fig. 4. 1932: CERCARIA.

danensis No. 8 Archibald, R. G.; & Marshall, A., 1932c, 348-349, pl. 16, fig. 5. 1932: CERCARIA.

danensis Khalil, L. F., 1959a, 263, 264, 265, 266, fig. 1. 1959: ASTIOTREMA.

danensis McClelland, W. F. J., 1957a, 247-250, 251-252, 256, pl., figs. 1-3. 1957: SANDONIA (tod).

danensis Näsmark, K. E., [1937a], 544-546, 564, pl. 7, fig. 2. [1937]: MACROPHARYNX (mt).

sudaricovi Leonov, V. A., [1959a], 202-203, fig. 3. [1959]: RENICOLA.

sudaricovi Sadovskaia, N. P., 1951a, 113, 114-115, fig. 1. 1951: FIBRICOLA.

sudarikovi Belous, in Skrjabin, K. I.; & Antipin, D. N., 1962a, 112, fig. 48 (Rana temporaria; lungs; Primor'e, SSR). 1962: PNEUMONOECES.

sudarikovi Oshmarin, P. G., 1948a, 187 [nomen nudum]. 1948: PROSTHOGONIMUS.

sudarikovi Oshmarin, P. G. in Skrjabin, K. I., [1962a], 178, fig. 67 (Circus melanoleucos; under eyelid; Dal'nii Vostok, Ussuriiskii Okrug). [1962]: OPHTHALMOGONIMUS.

sudarikovi Shigin, A. A. in Sudarikov, V. E., 1960c, 246, fig. 73. 1960: DIPLOSTOMUM.

suebica Dönges, J., 1964c, 65-72, 73, figs. 1-4 (Anisus leucostomus, Anas platyrhynchos (exper.)). 1964: GIGANTOBILHARZIA.

suecicum Nybelin, O., 1933a, 1-6, figs. 1-4. 1933: CREPIDOSTOMUM.

suecicus Nybelin, O., 1937a, 10, 11, 18, 20, 27, figs. 21-23. 1937: DACTYLOGYRUS. 1938: NEODACTYLOGYRUS.

sufflavum Nicoll, W., 1914i, 108-109, pl. 6, figs. 2-3, pl. 7, fig. 13. 1914: ORCHIPEDUM.

sufrartyfex Lane, C., 1915a, 977-983, pl. 90, figs. 1-4. 1915: ARTYFECHINOSTOMUM (tod). 1922: ECHINOSTOMA. 1923: EUPARYPHIUM. 1931: PARYPHOSTOMUM.

suifunensis Sadovskaia, N. P., 1943a, 389. 1954: SOREXEGLIPHE.

suinum Ciurea, I., 1921b, 1010-1013, 1 fig. 1921: EUPARYPHIUM. 1924: ECHINOSTOMUM. 1943: ECHINOCIRRUS.

suis Balozet, L., 1936c, 93-99, figs. 1-6. 1936: BRACHYLAEMUS. 1958: BRACHYLAEMA.

suis Marotel, G., 1936a, 458. 1936: HARMOSTOMUM.

suis Rao, M. A. N.; & Ayyar, L. S. P., 1933a, 321-324, fig. 1933: SCHISTOSOMA.

suis Stiles, C. W., 1898a, 22, 28, 29, 143, fig. 1, musculorum suis Duncker, 1896, named binominally. 1898: AGAMODISTOMUM.

suis Varma, A. K., 1954c, 479, pl. 14, figs. 1-3, pl. 15. 1954: GASTRODISCOIDES hominis.

sukari Dinnik, J. A., 1954a, 414-421, figs. 1-7. 1954: PARAMPHISTOMUM.

sukumum Dinnik, J. A., 1964b, 201-208, 209, figs. 1-4 (Bos indicus; rumen; Sukumaland area, Lake Region, Tanganyika, East Africa). 1964: PARAMPHISTOMUM.

sulcatum Linstow, O. F. B., 1883e, 309, pl. 9, fig. 51. 1883: DISTOMA. 1892: CLADOCOELIUM.

sulcatum Rudolphi, C. A., 1809a, 337. 1809: MONOSTOMA (MONOSTOMA). 1924: MESOCOELIUM.

sulina Artigas, P. T.; Ruiz, M. M.; & Leao, A. T., [1943b], 160, 161-162, 163, 164, pl., figs. 4-5. [1943]: WESTELLA (tod). [1943]: OPISTHOGONIMUS (WESTELLA).

summus Onji, Y.; & Nishio, T., 1916c, 945. 1916: PYGIDIOPSIS.

sunameri Yamaguti, S., 1951c, 283, 288-290, 294, pl. 2, fig. 4. 1951: NASITREMA.

sungariensis Gusev, A. V., 1955c, 120, 121, 122, fig. 1 (4). 1955: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 43).

superba MacCallum, G. A., 1921c, 189-190, fig. 95. 1921: NITZSCHIA.

superbum Stafford, J., 1904b, 492. 1904: PHYLLODISTOMUM. 1953: PHYLLODISTOMUM (PHYLLODISTOMUM).

superficialis Kimpel, H. G., 1939a, 3 [nomen nudum]. 1939: NEODACTYLOGYRUS. 1955: DACTYLOGYRUS.

suspensum Braun, M. G. C. C., 1901g, 948. 1901: DISTOMA. [1922: EPISTHMIUM]. 1940: EPISTHMIUM. 1956: ECHINOCHASMUS (EPISTHMIUM). 1958: PSEUDOPSILOSTOMA.

suttoni Dubois, G., 1937b, 237-240, figs. 5-7. 1937: STRIGEA.

suzugamo Yamaguti, S., 1939d, 129, 153-154, 157, 208, pl. 15, fig. 12. 1939: ACANTHOPARYPHIUM spinulosum.

suzuki Ishii, N.; & Sawada, T., 1938b, 239, 244-245, 249, pl. 4, fig. 4. 1938: MICROCOTYLE.

svetlakovi Isaichikov, I. M., 1927p, 122, 125 [nomen nudum]; 1929b, 280. 1927: PLAGIORCHIS. 1931: PLAGIORCHIS (MULTIGLANDULARIS). 1937: LEPODERMA (MULTIGLANDULARIS).

swansoni Macy, R. W., 1936c, 352, 353-354, 355, 357, pl. 42, figs. 4-5. 1936: PROSTHODENDRIUM. 1955: PROSTHODENDRIUM (PROSTHODENDRIUM). 1960: ACANTHATRIUM (PROSTHODENDRIUM) (Etges, F. J., 1960c, 526).

swerinensis Gräfner, G., 1964a, 346-347, figs. 2-3. 1965: PSILOTREMA simillimum.

swetlakowi Mehra, H. R., 1937a, 437, for svetlakovi. 1937: LEPODERMA.

swinglei Rogers, W. A., 1966, 462, 463, 465, figs. 1-8 (J. Parasitol., v. 52 (3)). (Moxostoma duquesnei; Lee County, Alabama). 1966: PSEUDOMURRAYTREMA.

sybillae Scott, T., 1909b, 77, pl. 4, fig. 12. 1909: OCTOBOTHRIUM. 1946: DISCOCOTYLE.

sydenhamensis Porter, A., 1938a, 5, 8, 273-275, 278, pl. 35, figs. 6-9. 1938: CERCARIA.

sygnoides von Nordmann, A., 1840a, 617, for cygnoides. 1840: DISTOMA.

sylvestris Semenov, V. D., 1927a, 238-240, 241, fig. 4. 1927: LYPEROSOMUM transversogenitalis. 1940: BRACHYLECITHUM transversogenitalis.

sylviae Rudolphi, C. A., 1819a, 675-793. 1819: AMPHISTOMA.

symmeri Näsmark, K. E., [1937a], 326, 327, 414, 470, 481, 482-483, 563, fig. 9, pl. 2, figs. 8-9. [1937]: GIGANTOCOTYLE. 1958: PARAMPHISTOMUM.

symmetrica Shaldybin in Skrjabin, K. I.; & Antipin, D. N., [1959a], 97, 205-206, fig. 53. [1959]: PLAGIORCHIS (PLAGIORCHIS).

symmetricum Baylis, H. A., 1918a, 111-114. 1918: DICROCOELIUM lanceatum.

symmetricum Belopol'skaia, M. M., 1952c, 175-176, fig. 11. 1952: PARAPRONOCEPHALUM.

symmetricum Chulkova, V. N., 1939a, 22, 24, 25-26, fig. 1. 1939: PENTAGRAMMA (tod).

symmetricum Dollfus, R. P. F., 1922e, 319. 1922: DICROCOELIUM lanceolatum.

symmetricum Leiper, R. T., 1918a, 328. 1918: DICROCOELIUM. 1938: PLATYNOSOMUM.

symmetrorchis Ozaki, Y., 1936b, 514-515, 517-518, 519, fig. 3. 1936: HYPOCREADIUM (tod). 1940: PSEUDOCREADIUM.

symmetrorchis Siddiqi, A. H.; & Cable, R. M., 1960a, 258, 267, 315, 364, fig. 126. 1960: APONURUS.

symmetrorchis Thomas, J. D., 1958a, 3-4, 5, 6, fig. 3. 1958: PHYLLODISTOMUM.

SYMMETROVESICULA Yamaguti, S., 1938c, 3, 107 (tod: S. chaetodontis).

symmetrus Johnston, W. J., 1912a, 319-320, fig. 10. 1912: BRACHYSACCUS. 1930: OPISTHIOGLYPHE. 1958: DOLICHOSACCUS.

symphoriani Fain, A., 1953e, 19, 40, 83, 96-97, 258, 259, pl. X, figs. 1-2. 1953: CERCARIA.

synagris Yamaguti, S., 1952a, 146, 155-156, 197, pl. VI, fig. 27. 1952: PLAGIOPORUS (CAUDOTESTIS).

synagris Yamaguti, S., 1953c, 257, 263-265, 295, pl. III, fig. 12. 1953: APOCREADIUM.

synagris Yamaguti, S., 1953c, 257, 274-276, 295, pl. IV, fig. 14. 1953: APONURUS.

synagris Yamaguti, S., 1953b, 203, 237-238, 256, pl. VII, fig. 28. 1953: BENEDENIA.

synaphobranchi Yamaguti, S., 1938c, 3, 114-115, fig. 66. 1938: DINOSOMA.

SYNAPTOBOTHRIUM von Linstow, O. F. B., 1904p, 254 (mt: S. copulans).

SYNCOELIUM Looss, A., 1899b, 643-644, 645, 646, 741, 742, 743 (mt: S. ragazzii).

syncytadena Faust, E. C., 1926b, 104-105, pl. 6, figs. 3 a-c. 1926: CERCARIA.

syndosmyae Lebour, M. V., 1912a, 426, pl. 25, figs. 5-6. 1912: BUCEPHALUS.

syndosmyae Pelseneer, P., 1906a, 172-173, 179, 185, pl. 9, pl. 10, figs. 20-21, 23. 1906: CERCARIA.

SYNECHORCHIS Barker, F. D., 1922b, 223-229, pl. 3, figs. 13-22 (mt: S. megas).

synethes Fischoeder, F., 1901a, 371. 1901: CASTROTHYLAX. 1910: CARMYERIUS (SYNETHES).

syngnathi Nicoll, W., 1913a, 238-240, pl. 11, figs. 1-2. 1913: PODOCOTYLE.

syngnathi Yamaguti, S., 1934a, 250, 352-353, fig. 51. 1934: OPEGASTER.

SYNOCOELIUM Gohar, N., 1934a, 330, for Syncoelium.

synodi Manter, H. W., 1931c, 407, figs. 18-20. 1931: LECITHOCHIRIUM.

synodi Manter, H. W., 1947a, 286-287, 375, 386, fig. 33. 1947: OPEGASTER.

synodi Yamaguti, S., 1938c, 2, 75-77, fig. 41. 1938: BIVESICULA.

synodi Yamaguti, S., 1938c, 1, 7-9, fig. 3. 1938: PSEUDOPROSORHYNCHUS (tod).

synodontidos Dollfus, R. P. F., 1950a, 8, 41-42, fig. 23. 1950: EMOLEPTALEA.

synorchis Luhman, M., 1935a, 274-276, fig. 1. 1935: HAPALOTREMA.

SYNTHESIUM Stunkard, H. W.; & Alvey, C. H., 1930a, 326, 333 (tod: Distoma tursionis).

syntomentera Sumwalt, M., 1926a, 75, 76, 86-91, pl. 3, figs. 6-8. 1926: ZEUGORCHIS. 1932: MANODISTOMUM. 1935: PSEUDORENIFER. 1938: PARALECHRIORCHIS (tod).

syntomenteroides Parker, M. V., 1941a, 27, 35-36, 41, 44, 45, pl. 1, fig. 4. 1941: PARALECHRIORCHIS. 1958: ZEUGORCHIS.

syntomocyclus Deblock, S.; & Tran Van Ky, P., 1966, 313, 315, 318-324, figs. 1-4 (Ann. Parasitol., v. 41 (4)) (Hydrobia (=Paludestrina) acuta; Golfe de Figari, Corse, France). 1966: MARITREMA.

syrdariense Burdelev, T. E., 1937a, 63-65, figs. 1-2. 1937: ECHINOPARYPHIUM.

syrdariensis aquatica Bashkirova, E. I., 1941b, 247-248, 288, pl. 8, figs. 20-21. 1941: ECHINOPARYPHIUM.

syriacum Dubois, G., 1934c, 375. 1934: PROHEMISTOMUM. [1936: DUBOISIA] (mt). 1938: DUBOISIA.

syringicauda Faust, E. C., 1922c, 251-253, 267, pl. 21, fig. 3. 1922: CERCARIA.

syrinus Kuechenmeister, G. F. H., 1855a, 471, misprint for gyrinus. 1855: CERCARIA.

syrius Dubois, G., 1934c, 375. 1934: COTYLURUS.

syrmatici Yamaguti, S., 1935c, 159, 171-173, figs. 10-11. 1935: HARMOSTOMUM. 1939: BRACHYLAEMUS.

szechuanensis Chung, H. L.; & Ts'ao, W. C., 1962a, 354-378, figs. 3-7, 10-21, 23-29, 34-39, 47-48, 50-56 (cats; lungs, Potamon (P.) yaanensis, P. (P.) denticulatus; all from Szechuan Province, dogs (exper.), weasels (exper.)). 1962: PARAGONIMUS.

szidati Anderson, D. J., 1944a, 264, 266, 267, pl. 1, figs. 1-2. 1944: CERCARIA. 1950: LINSTOWIELLA. 1953: PARACOENOGONIMUS (Dubois, G., 1951b, 646).

szidati Neuhaus, W., 1952a, 203-266, figs. 1-26. 1952: TRICHOBILHARZIA.

szidati Sprehn, C. E. W., 1935a, 82-84, 86, figs. 30-31. 1935: PARAPLAGIORCHIS.

SZIDATIA Dubois, G., 1938b, 7, 11, 459, 470 (tod: S. joyeuxi).

szidatiana Faust, E. C.; & Tang, C. C., 1938a, 159-160, 164, 165, 168, pl. 1, figs. 1-2. 1938: CYATHOCOTYLE. 1943: CYATHOCOTYLE (CYATHOCOTYLE).

SZIDATIELLA Yamaguti, S., 1958a, 781 (type: S. vogeli).

taakree Dayal, J., 1935b, 403-408, figs. 1-4. 1935: MONORCHOTREMA. 1949: HAPLORCHOIDES. [1954]: HAPLORCHIS.

tabascensis Caballero y C., E.; & Sokoloff, D., 1934a, 41-43, 44, figs. 1-4. 1934: SCHIZAMPHISTOMOIDES.

tabascensis Thatcher, V. E., 1962a, 2522-23 (nomen nudum) (Coniophanes quinquevittatus; Tabasco, Mexico). 1962: OPISTHOGONIMUS.

tabascensis Thatcher, V. E., 1963a, 123-124, fig. 1 (Coniophanes quinquevittatus; oral cavity; Villahermosa, Tabasco, Mexico). 1963: WESTELLA.

tabitha Faust, E. C., 1921c, 51-52, pl. 2, fig. 4. 1921: CERCARIA.

taboganus Sogandares-Bernal, F., 1959b, 99, 105, 106, 115, pl., figs. 59-62. 1959: STERRHURUS. 1965: MAGNISCYPHUS (Reid, W. A.; Coil, W. H.; & Kuntz, R. E., 1965a).

tabulatum Mueller, A.[1], 1897a, 21-22, pl. 3, fig. 5. 1897: ECHINOSTOMA.

tacapense Sonsino, P., 1894e, 111-112. 1894: DISTOMA (BRACHYCOELIUM). 1899: PLEUROGENES. 1936: PLEUROGENES (PLEUROGENOIDES). 1938: SONSINOTREMA (tod).

tachyeretis Duthoit, C. M. G., 1931a, 290-293, figs. 1-2. 1931: NOTOCOTYLUS. 1935: HINDIA. 1953: HINDOLANA (Skrjabin, K. I., 1953c, 89).

tadornae Rudolphi, C. A., 1819a, 89, 793. 1819: AMPHISTOMA.

tadornae Viborg, E. N., 1795a, 196. 1795: STRIGEA anatis. 1809: AMPHISTOMA anatis.

tadzhikistanicum Gavrilova, N. G.; & Dzhalilov, U. D., 1965a, 31-33, figs. 1-3 (Barbus capito conocephalus, B. brachycephalus; gills; both from Tadzhikistan). 1965: DIPLOZOON.

TAENIOCOTYLE Stunkard, H. W., 1962f, 137 (n. n. for Macraspis Olsson, 1869).

taenioidea von Nordmann, A., 1840a, 595, for taenioides. 1840: POLYSTOMA.

taenioides Monticelli, F. S., 1888a, 93. 1888: DIDYMOZOON. 1904: NEMATOBOTHRIUM. 1935: DIDYMOZOUM.

taenioides Rudolphi, C. A., 1809a, 441-447, pl. 12, figs. 8-12. 1809: POLYSTOMA. 1809: POLYSTOMA (PENTASTOMA). 1819: PENTASTOMA. 1819: PRIONODERMA. 1840: LINGUATULA.

tagax Braun, M. G. C. C., 1901g, 896. 1901: STOMYLOTREMA.

tageri Yamaguti, S., 1933b, 1, 48-50, fig. 21. 1933: UVITELLINA. 1948: HAEMATOTREPHUS (UVITELLINA).

TAGIA Sproston, N. G., 1946a, 190, 419-420 (tod: T. ecuadori).

tagorai Chatterji, P. N., 1953a, 168-169, 170, 172, 173, figs. 2-3. 1953: HAPLORCHIS.

tagoreai Chatterji, P. N., 1948b, 175 [nomen nudum]. See tagorai. 1948: HAPLORCHIS.

TAGUMAEA Fukui, T., 1926a, 83-84 (tod: T. heterocaeca).

tahmeli Nagaty, H. F., 1942a, 19-21, 27, pl., figs. 10-11. 1942: KOSEIRIA (tod).

tahoensis Haderlie, E. C., 1953a, 323-325, 364, 367, 394, 395, pl. 41. 1953: TETRACOTYLE.

tai Yamaguti, S., 1938f, 15, 31, 72, pl. 4, fig. 20, pl. 5, figs. 21-22. 1938: MICROCOTYLE. 1963: BIVAGINA (Yamaguti, S., 1963a, 246).

taichui Nishigori, M., 1924d, 570. 1924: MONORCHOTREMA. 1930: HAPLORCHIS. 1958: HETEROPHYES.

taihokui Nishigori, M., 1924d, 570. 1924: MONORCHOTREMA (type). 1932: HAPLORCHIS.

taihuensis Long, S.; & Lee, W. C., 1960, 217-220, fig. 1. 1960: DACTYLOGYRUS.

taiwana Sugimoto, M., (1914). (1914): HOMALOGASTER.

aiwanensis Morishita, K.; & Tsuchimochi, K., 1925b, 544, 552-556, 558-559, 562, English summary, 3, pl. 2, figs. 9-12. 1925: METORCHIS.

akahashi Suzuki, M. in Takahashi, S., 1929c, 1503, 1504, 1505, 1507, 1508, 1509, 1510, 1512, 1513, pl., figs. 7-8. 1929: METAGONIMUS. 1953: METAGONIMUS yokogawai.

akahashii Fukui, T.; & Ogata, T., 1936a, 1707-1710, fig. 1936: DIASCHISTORCHIS.

akahashii Yokogawa, M.; & Ito, J., 1949a, 134-137, figs. 1-5. 1949: CERCARIA.

akanoha Yamaguti, S., 1951b, 247, 256-258, 281, pl. 2, fig. 6. 1951: DECEMTESTIS.

akanoi Kobayashi, H., 1921e, 396, pl. 25, fig. 5. 1921: OCTANGIUM.

alassensis Tokobaev, M. M.; & Erkulov, K. E., 1966, 3, 4, fig. 1 (Gel 1/ mint. Zhivot. Kirgiz. i Sopredel. Territorii) (Dyromys nitedula; small intestine; Talasskaia Dolina). 1966: PLAGIORCHIS (P.).

alboti McMullen, D. B., 1938a, 300-301, 305, 306, pl. 1, figs. 1-5. 1938: CERCARIA.

alischensis Kasimov, G. B.; Vaidova, S. M.; & Feizullaev, N. A., 1959c, 1057-1059. 1959: CONCINNUM.

alpae Goeze, 1782 [Dollfus in private communication of June 19, 1965 writes "Fasciola talpae Goeze, p. 182, pl. XV, figs. 6-7 est un lapsus de Dujardin, 1845, p. 344 pour Fasciola ocreata Goeze. Il n'ya pas de Fasciola talpae dans Goeze"]. 1845: FASCIOLA. 1925: ITYOGONIMUS. 1942: DISTOMA.

alpae Viborg, E. N., 1795a, 242. 1795: DISTOMA.

amame Yamaguti, S., 1942c, 329, 340-341, fig. 6. 1942: PODOCOTYLE. 1966: ALLOPODOCOTYLE (Pritchard, M. H., 1966a, 163).

'AMERLANEA dos Santos, V., 1934a, 204, 205, 207, 209, 210, 211, ? for Tamerlania Skrjabin.

'AMERLANIA Skrjabin, K. I., 1924e, 81, 86, 89 (mt: T. zarudnyi).

amiamiensis McIntosh, A., 1939a, 92-94, fig. 1. 1939: LEPTOPHYLLUM. 1957: TRAVTREMA.

amori Yamaguti, S., 1938c, 2, 62-63, fig. 37. 1938: OPEGASTER.

amsuiensis Chiu, J. K., 1961a, 200, 201, 202-206, figs. 1-5 (Sesarma bidens, S. plicatum; small intestine; Tamsui River, northern Taiwan, Cairina moschata, Cairina moschata x Anas platyrhyncha var. domestica (exper.)). 1961: MACROSTOMTREMA (tod).

anago Yamaguti, S., 1940b, 35, 49-50, fig. 13. 1940: MICROCOTYLE.

anagrae Rudolphi, C. A., 1819a, 674-675, 793. 1819: AMPHISTOMA.

ANAISIA Skrjabin, K. I., 1924e, 81, 84-85, 89 (mt: T. fedtschenkoi).

anaitici Skrjabin, K. I. (?). (?): CRYPTOCOTYLE.

anarivense Deblock, S.; & Capron, A., 1962a, 97-107, pls., figs. 1-2, figs. 3-6 (Racophorus sp., R. goudoti, Rana mascareniensis; tube digestif; Tananarive, Madagascar). 1962: ASTIOTREMA (BIGUETREMA) (tod).

anayensis Velasquez, C. C., 1963a, 136 [nomen nudum] (Ophicephalus striatus; Tanay, Rizal, Philippines). 1963: CERCARIA.

tandani Agrawal, V., 1963a, 127, 134, 135-137, figs. 7-8 (Varanus monitor; intestine; Lucknow, India). 1963: REPTILIOTREMA.

tandani Johnston, T. H., 1927a, 129-133, fig. A1-4. 1927: ISOPARORCHIS.

tandani Johnston, T. H., & Tiegs, O. W., 1922a, 93-94, pl. 10, figs. 8-9, pl. 11, figs. 10-11. 1922: ANCYLODISCUS (tod).

TANDANICOLA Johnston, T. H., 1927a, 136 (tod: T. bancrofti).

tanganyikae Prudhoe, S., 1915a, 3-5, fig. 1. 1951: CLADOCYSTIS.

TANGIELLA Sudarikov, V. E., [1962b], 400 (tod: T. parvovipara).

TANGIOPSIS Skrjabin, K. I.; & Gushanskaia, L. K., 1955b, 476, 711, 712 (tod: T. chinensis (Tang, 1951)).

tanneri Olsen, G. W., 1937e, 499-502, figs. 1-6. 1937: GORGODERINA. 1953: GORGODERINA (GORGODERINA). 1950: PHYLLODISTOMUM.

tantali Fain, A., 1955d, 322-328, pls., figs. 1-2. 1955: GIGANTOBILHARZIA.

tanyopa Montgomery, W. R., 1957a, 29, 30-31, 34, pl., figs. 25-26. 1957: GENOLINEA.

tanyorchis Manter, H. W.; & Pritchard, M. H., 1961b, 488-489, 490, 491, 492, figs. 15-16 (Naso sp., N. lituratus; intestine; Hawaii). 1961: HAPLADENA.

tapetis Dollfus, R. P. F., (?). (?); METACERCARIA (GYMNOPHALLUS).

tapetis Fujita, T., 1925a, 48. 1925: METACERCARIA gymnophalloides.

TAPHROGONIMUS Cohn, L., 1904a, 235-237 (mt: T. holostomoides).

tapidis Faust, E. C., 1924e, 297. 1924: CERCARIA.

TAPROBANELLA Crusz, H.; & Fernand, V. S. V., 1954a, 501, 503 (tod: T. bicaudata).

tarachodes Nicoll, W., 1915d, 37-39, pl. 5, fig. 10. 1915: GYLIAUCHEN (mt).

tarai Srivastava, O. N., 1958a, 236-238. figs. 1-2. 1958: PROECHINOCEPHALUS.

tarda Khan, D., 1961c, 83-85, fig. 5 (Bithynia tentaculata; digestive gland; London). 1961: CERCARIA.

tarda Steenstrup, J., 1842b, 75-76, 138, pl. 3, figs. 1-6. 1842: DISTOMA. 1909: STRIGEA. 1909: TETRACOTYLE. 1924: HOLOSTOMUM.

tardae Mathias, P., 1925a, 8, 9, 54, 55, 56, 58, 61, 62, fig. 5, pl. 3, figs. 2-5. 1925: CERCARIA strigae.

tardigrada Diesing, K. M., 1850a, 293-294, D. duplicatum renamed. 1850: RHOPALOCERCA (type). 1919: CERCARIA.

tarponis Sogandares-Bernal, F.; & Hutton, R. F., 1959a, 114-115, figs. 1-4. 1959: BIVESICULA.

tartinii Stossich, M., 1899a, 6, pl. 1, fig. 13. 1899: DISTOMA.

taschenbergi Parona, C., 1894a, 704, for taschenbergii. 1894: DACTYLOCOTYLE.

taschenbergii Parona, C.; & Perugia, A., 1889a, 743. 1889: CHORICOTYLE. 1890: OCTOBOTHRIUM. 1892: DICLIDOPHORA. 1894: DACTYLOCOTYLE (CHORICOTYLE). 1943: CYCLOCOTYLA. 1943: DICLIDOPHOROPSIS.

TASIORCHIS Castellani, A.; & Chalmers, A. J., 1919a, 561, ? for Taxorchis.

tasmaniae Manter, H. W.; & Crowcroft, P. W., 1950a, 122-126, figs. 1-5. 1950: CHOANOMYZUS (tod).

tasmanicus Crowcroft, P. W., 1947b, 8-11, figs. 3-5. 1947: OPECOELUS.

tatei Johnston, T. H.; & Angel, L. M., 1940a, 334-339, figs. 8-15. 1940: CERCARIA.

tatianae Spasskaia, L. P., [1954c], 685-687, figs. 1-2. [1954]: PSEUDOBILHARZIELLA.

TATRACOTYLE Titova, S. D.; & Skripchenko, E. G., 1960a, 105, for Tetracotyle.

tauiana Faust, E. C., 1930h, 152-153, pl. 27, figs. 9, 9 a-d. 1930: CERCARIA.

tauranicum Semenov, V. D., 1927a, 259, for turanicum. 1927: LEUCOCHLORIDIUM.

tauricus Pigulevskii, S. V., 1938b, 392, 384, fig. 1. 1938: LECITHASTER.

TAURIDIANA Isaichikov, I. M., 1925b, 39, 46 (mt: T. pontica).

taxideae Swanson, G. A.; & Erickson, A. B., 1946a, 17-19, pl., figs. 1-7. 1946: ALARIA. 1953: ALARIA (PARALARIA).

TAXORCHIS (Fischoeder, 1901) Stiles, C. W.; & Goldberger, J., 1910a, 60, 61, 169, 170.

taxorchis Johnston, S. J., 1917a, 239-241, 250, 252, 256, pl. 19, fig. 23. 1917: CYCLOCOELUM. 1928: WARDIANUM.

taylori Johnston, S. J., 1913a, 362, 363-370, pl. 22, figs. 1-4, pl. 24, figs. 15-18, pl. 25, figs. 19-26. 1913: RHABDIOPOEUS.

taylori Tubangui, M. A., 1928b, 356-357, pl. 2, figs. 2-3. 1928: PLEUROGENES. 1930: PLEUROGENOIDES.

tectum von Linstow, O. F. B., 1873e, 104, pl. 5, fig. 4. 1873: DISTOMA. [1905: Brachyphallus crenatus (type)].

teganuma Ishii, W., 1935b, 467, 468, 476-477, 479, pl. 2, fig. 10. 1935: CYATHOCOTYLE. [1938: LINSTOWIELLA]. 1943: CYATHOCOTYLE (CYATHOCOTYLE)).

TEGUMAEA Fuhrmann, O., 1928b, 102, for Tagumaea.

tejerae Cordero, E. H.; & Vogelsang, E. G., 1939a, 175-178, pl., fig. 2. 1939: PNEUMONOECES. 1949: HAEMATOLOECHUS.

TELEGAMATRIX Ramalingam, K., 1955a, 209, 210, 211, 217, 218 (mt: T. pelonna).

tellinae balticae Diesing, K. M., 1850a, 298, based on Siebold, 1837, 338. 1850: CERCARIA. 1855: CERCARIAEUM.

tellinoides Martin, W. E., 1938b, 470, pl. 2, legend [lapsus for cumingiae]. 1938: CERCARIA.

TELOGASTER MacFarlane, W. V., 1945a, 218, 219, 221, 222, 224, 225, 228, 229 (mt: T. opisthorchis).

TELOLECITHUS Lloyd, L. C.; & Guberlet, J. E., 1932a, 234 (tod: T. pugetensis).

TELOPORIA Fukui, T., 1933a, 332-333 (=Opisthoporus) (tod: T. aspidonectes).

TELORCHIS Looss, A., 1899b, 566-569, 614 (tod: linstowi = ? aculeatus).

TELORCHIS Luehe, M. F. L., 1899k, 529, 530 (tod: T. clava).

TELORHYNCHUS Crowcroft, P. W., 1947c, 108 (tod: T. arripidis).

TELOTREMA Ozaki, Y., 1933a, 329-332 (mt: T. caudatum).

temnodontis Sandars, D. F., [1945a], 119-120, 122-123, 131, fig. 1, pl. 4, fig. 12. [1945]: MICROCOTYLE.

temperatus Stafford, J., 1905a, 689. 1905: DIPLODISCUS. 1932: MEGALODISCUS.

ten Yamaguti, S., 1939f, 131, 134-136, fig. 2. 1939: EURYTREMA. 1944: CONCINNUM.

tenax Mueller, J. F., 1938b, 225, 230, 234, pl. 4, figs. 25-28. 1938: DACTYLOGYRUS.

tenax Mueller, O. F., 1773b, 69-70. 1773: CERCARIA. 1827: PHACUS.

tendiculus Gusev, A. V., 1955b, 231, 232-233, 355, 394, 397, pl., fig. 22 (2). 1955: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 43).

tener Kowalewski, M., 1903b, 194-196, fig. 1. 1903: METORCHIS.

tenere Looss, A., 1898a, 461, D. tacapense Sonsino of Looss, 1896b, 86, misdetermined. 1898: DISTOMA. 1898: PLEUROGENES. 1899: PROSOTOCUS. 1899: DISTOMA (PLEUROGENES). 1921: PLEUROGENOIDES (tod).

tenerum Looss, A., 1899b, 616, for tenere. 1899: DISTOMA.

tengra Tripathi, Y. R., [1959a], 23, 28-29, fig. 13. [1959]: NEOMURRAYTREMA (tod).

tennesseenis Price, E. W., 1961b, 143, 144, 145, figs. 31-34 (Dorosoma cepedianum; Reelfoot Lake, Tennessee). 1961: MAZOCRAEOIDES.

tensa Linton, E., 1940a, 61, pl. 4, fig. 35. 1940: HIMASTHLA.

tensum Looss, A., 1902h, 141-142, figs. 12-13. 1902: SACCOCOELIUM.

tentaculata Müller, O. F., 1774a, 63-64. 1774: FASCIOLA. 1776: PLANARIA.

tenua Rankin, J. S., 1937a, 31-32, 40, 41, pl. 1, fig. 2. 1937: GORGODERINA. [1943: PHYLLODISTOMUM]. 1953: GORGODERINA (GORGORIMMA). 1950: PHYLLODISTOMUM.

tenuans Cole, H. A., 1935a, 276-278, figs. 1-2. 1935: CERCARIA.

tenue Johnston, T. H.; & Tiegs, O. W., 1922a, 104-105, pl. 16, fig. 43, pl. 18, figs. 52-53. 1922: LEPIDOTREMA.

tenue Linton, E., 1898c, 535-536, pl. 52, figs. 2-8. 1898: DISTOMUM. 1934: STEPHANOSTOMUM. 1908: STEPHANOCHASMUS.

tenue tenuissime Linton, E., 1898c, 536-537, pl. 52, figs. 9-12. 1898: DISTOMA. 1954: STEPHANOSTOMUM.

tenuicolle Rudolphi, C. A., 1819a, 85, 346-347, 577, pl. 2, figs. 1-4. 1819: MONOSTOMA. 1911: DIDYMOZOON. 1916: KOELLIKERIA (DIDYMOZOON). 1935: DIDYMOZOUM.

tenuicolle Rudolphi, C. A., 1819a, 93, 365-366, 1819: DISTOMA. 1896: OPISTHORCHIS. 1898: CAMPULA. 1935: OPISTHORCHIS tenuicollis.

tenuicolle Westrumb, A. H. L., 1823a, 391-392, pl. 5, fig. 2. 1823: AMPHISTOMA. 1850: HOLOSTOMUM. 1966: PARASTRIGEA (Dubois, G., 1966a, 19).

tenuicollis Bashkirova, E. I., 1941b, 245. 1941: ECHINOSTOMA revolutum.

enuicollis de Blainville, M. H. D., 1828a, 582, for tenuicolle. 1828: MONOSTOMA.

enuicollis Johnston, S. J., 1917a, 206-210, 247, 253, 255, fig. 10, pl. 11, fig. 5. 1917: ECHINOCHASMUS. 1931: PARYPHOSTOMUM. 1947: ECHINOCHASMUS (ECHINOCHASMUS).

enuicollis Price, E. W., 1935a, 71, 72, fig. 14D. 1935: ASCOCOTYLE.

enuicollis-felineus Looss, A., 1899b, 678. See O. tenuicollis & felineus. 1899: OPISTHORCHIS.

enuicollis geminus (Looss, A., 1896b, 50-52, 54, 58, 59, pl. 4, figs. 25-27). 1935: OPISTHORCHIS.

enuicollis tenuicollis (Rudolphi, C. A., 1819, 92, 365-366). 1935: OPISTHORCHIS.

enuicutis Southwell, T., 1913b, 99-100, pl. 10, figs. 17-18. 1913: CYLINDRORCHIS.

enuifolia Woolcock, V., 1935a, 309, 310-314, 331, fig. 1, pl. 8, figs. 1-2. 1935: HELICOMETRA.

enuis Dubois, G.; & Rausch, R., 1950b, 19, 22-24, 48, figs. 1-2. 1950: APHARYNGOSTRIGEA.

enuis Manter, H. W., 1963b, 443, 444, 445, pl. I, figs. 1-4 ("voi voi" [Pisces sp.]; intestine; Fiji). 1963: ACANTHOCOLPUS.

enuis Miller, H. M., 1923a, 41-42, fig. 2, pl. 4, figs. 4, 10. 1923: CERCARIA.

enuis Wedl, C., 1857a, 268-270, 274, 278, pl. 4, figs. 41-45. 1857: GYRODACTYLUS. 1858: DACTYLOGYRUS. 1938: NEODACTYLOGYRUS.

enuis Yamaguti, S., 1933b, 2, 102-105, 106, figs. 42-43. 1933: DELPHINICOLA (tod).

enuis Yamaguti, S., 1940b, 36, 75-76, 108, fig. 31. 1940: PSEUDOPECOELOIDES (tod).

enuis Yamaguti, S., 1952a, 146, 149-150, 197, pl. II, fig. 6. 1952: BUCEPHALOPSIS.

enuispina Luehe, M. F. L., 1909b, 174, 193, fig. 155. 1909: CERCARIA.

enuissime Linton, E., 1898c, 536-537, pl. 52, figs. 9-12. 1898: DISTOMA tenue. 1901: DISTOMA.

enuoides Martin, W. E., 1960b, 414-415, figs. 10-11. 1960: PSEUDOPECOELOIDES.

ERATOTREMA Travassos, L. P.; Artigas, P.; & Pereira, C., 1928a, 35 (tod: T. dubium).

regenna Abdel Azim, M., 1938a, 120, 121, for tregenna. 1928: DIPLOSTOMUM.

res duplici poro Goeze, J. A. E., 1782a, 173. 1782: PLANARIA.

res poro simplici Stiles, C. W.; & Hassall, A., 1908b, 77, 345, for teres simplici poro. 1908: PLANARIA.

res simplici poro Goeze, J. A. E., 1782a, 173, 174, pl. 14, figs. 4-6. 1782: PLANARIA.

reticolle lucii Mayer, A. F. J. K., 1841a, 18. 1841: DISTOMA.

reticollis Rudolphi, C. A., 1802, 74-75. 1802: FASCIOLA. 1809: DISTOMA. 1845: DISTOMA (BRACHYLAIMUS). 1899: AZYGIA (type).

retiusculum Monticelli, F. S., 1893i, 40, 41, 42, 43, 82, 83, 94, 96, 98, 102, 118, 193, pl. 1, fig. 4, pl. 6, fig. 66. 1893: DISTOMA.

TERGESTIA Stossich, M., 1899c, 11, 16 (type probably: T. acanthocephala).

tergestia haswelli Sewell, R. B. S., 1930b, 725. 1930: CERCARIA.

tergestinum Stossich, M., 1883a, 119-120, pl. 2, fig. 5, 1883: GASTEROSTOMUM. 1937: BUCEPHALOPSIS. 1958: BUCEPHALUS.

tergestinum Stossich, M., 1899h, 28, pl. 13, fig. 57. 1889: DISTOMA.

terrapenis Harwood, P. D., 1932b, 2-3, 66, pl. 1, fig. 1. 1932: POLYSTOMA. 1939: NEOPOLYSTOMA.

terrestris von Linstow, O. F. W., 1889c, 241, pl. 16, fig. 14. 1889: CERCARIA.

terrestris Müller, O. F., 1774a, 68-69. 1774: FASCIOLA. 1787: PLANARIA.

terreticolle Leidy, J., 1904a, 48, 87, for tereticolle. 1904: DISTOMA.

terricola von Linstow, O. F. B., 1889c, 241, pl. 16, fig. 13. 1889: CERCARIA.

terrigalensis Johnston, S. J., 1917a, 234-238, 250, 252, 254, 256, pl. 17, figs. 18-19, pl. 18, figs. 20-22. 1917: AUSTROBILHARZIA.

tertia Skrjabin, K. I., 1924e, 88-89, fig. 6. 1924: RENICOLA.

tertius Pratt, H. S., 1914b, 416-420, pl. 4, fig. 2, pl. 5, figs. 8-11. 1934: PACHYPSOLUS.

tertius Pritchard, M. H., 1960a, 243, 248-250, fig. 2. 1960: LABRIFER.

tertius Travassos, L. P., 1939a, 163-165, figs. 4-7. 1939: NUDACOTYLE.

tesselati Rudolphi, C. A., 1819a, 121. 1819: DISTOMA colubri.

testeus Fritts, D. H., 1959a, 195, 196, 197, 199, fig. 1. 1959: PLAGIOCIRRUS.

TESTIFRONDOSA Bhalerao, G. D., 1924a, 146 (tod: T. cristata).

testilobatus Bykhovskaia, I. E., [1954b], 88, 89-90, 91, fig. 2. [1954]: LEYOGONIMUS. 1961: CORTREMA (Khotenovskii, I. A., 1961a, 328).

testiobliquum Wiesniewski, L. W., 1933b, 260-268, 271, 272, 273, 274, figs. 1-5. 1933: COITOCAECUM. [1957]: CROWCROCAECUM. 1958: EXOCOITOCAECUM.

TESTISACULUS Bhalerao, G. D., 1927b, 191 (mt: T. indicus).

testitrifolium Gogate, B. S., 1934a, 139-141, figs. 1-2. 1934: PARYPHOSTOMUM.

testudinis Braun, M. G. C. C., 1899e, 630, MS name in Vienna Coll. 1899: MONOSTOMA. [1899: Distoma scyphocephalum].

testudinis Dubois, G., 1936a, 514. 1936: HERPETODIPLOSTOMUM. [1961]: CHELONIODIPLOSTOMUM (Sudarikov, V. E., [1961a], 628).

testudinis Rudolphi, C. A., 1819a, 121. 1819: DISTOMA. [1850: MONOSTOMA delicatulum].

testudinis midae Braun, M. G. C. C., 1899e, 629, for testudinis mydae. 1899: DISTOMA.

testudinis mydae Rudolphi, C. A., 1809a, 433, for intestinalis testudinis mydae. 1809: DISTOMA.

tethyae delle Chiaje, S., teste Monticelli, F. S., 1892e, 717. 1892: MONOSTOMA.

etracanthum Ramalingam, K., 1952a, 337-339, fig. 1. 1952: PRICEA.

ETRACLADIUM Kulachkova, V. G., 1954a, 133 (tod: T. sternae).

ETRACLEIDUS Mueller, J. F., 1936f, 60, 70 (tod: T. banghami).

ETRACOTYLE de Filippi, F., [1854a], 23; 1855a, 351 (tsd: T. typica).

etracotyloides Szidat, L., 1960c, 84, 86, 87-88, figs. 2-6, 8, 9 (Leptodactylus ocellatus; kidney; Prov. Buenos Aires, Argentina). 1960: BURSOTREMA (mt).

etracystis Gastaldi, B., 1854a, 4-5, pl. 1, figs. 1-3. 1854: DISTOMA. 1905: CYSTAGORA (type). 1928: AGAMODISTOMUM. 1937: DIPLOSTOMULUM. [1945]: ALARIA.

etracystis ranae esculentae Diesing, K. M., 1855c, 64, footnote 9, see tetracystis. 1855: DISTOMA.

etradena Faust, E. C., 1924e, 291. 1924: CERCARIA.

etradena Johnston, T. H.; & Beckwith, A. C., 1945a, 229-233, 241-242. 1945: CERCARIA.

etradena Miller, E. L., 1935a, 252, 254, pl. 2, figs. 21-22. 1935: CERCARIA.

etradenoidea Johnston, T. H.; & Angel, L. M., 1949b, 27. 1949: CERCARIA. [n. n. for C. tetradena Johnston & Beckwith].

etraglandis Iles, C., 1959a, 478, 479, 480, 481, 482, fig. 1 (a-c). 1959: CERCARIA.

etragona Müller, O. F., 1774a, 69. 1774: FASCIOLA. 1787: PLANARIA.

etragonopterini Sterba, G., 1957a, 181-196, figs. 1-12. 1957: DIPLOZOON.

etragynae Job, S. V., 1961a, 311-314, figs. 1-2 (Sphyraena picuda, S. jello; paired fins; all from sea, off Rameshwaram Island, Tuticorin, Portonovo, Madras & Andaman Islands). 1961: DIDYMOZOON.

etralobulatum Caballero y C., E., 1943, 426-430, figs. 3-4. 1943: PROSTHODENDRIUM (PARALECITHODENDRIUM). 1948: PARALECITHODENDRIUM. 1960: ACANTHATRIUM (PROSTHODENDRIUM) (Etges, F. J., 1960c, 527).

ETRANCISTRUM Goto, S.; & Kikuchi, H., 1917a, 12-20 (mt: T. sigani).

etraogalli Gvozdev, E. V., 1953a, 175-176, 177, fig. 1. 1953: BRACHYLECITHUM.

ETRAONCHIS Bittner, H.; & Sprehn, C. E. W., 1928a, 46, for Tetraonchus.

ETRAONCHOIDES Bykhovskii, B. E., 1937a, 1355; 1951a, 29, 33 (tod: T. paradoxus).

ETRAONCHUS Diesing, K. M., 1858e, 314, 379-380 (type probably T. monenteron by elimination, agrees with first species rule).

ETRAONCISTRUM Chauhan, B. S., 1945b, 150, for Tetrancistrum.

ETRAONCOIDES Yamaguti, S., 1963a, 107, for Tetraonchoides Bykhovskii, 1951.

ETRAONCUS Yamaguti, S., 1963a, 106, for Tetraonchus Diesing, 1858.

ETRAPAPILLATREMA Ralph, P. H., 1938a, 376, 380 (tod: T. concavocorpa).

trapteri Yamaguti, S., 1968, 14, 48-50, fig. 24 (Monogenetic trematodes of Hawaiian fishes) (Tetrapterus angustirostris; gills; Hawaii). 1968: CAPSALOIDES.

ETRASERIALIS Petrov, A. M.; & Chertkova, A. N., 1960a, 307, 308-309, 310, 311 (tod: T. tscherbakovi).

tetrasolenta Faust, E. C., 1924e, 249, 290, pl. 1, fig. 7. 1924: CERCARIA.

tetrastae Oliger, I. M., 1952a, 411 [nomen nudum]; 1957a, 501. 1957: LEUCOCHLORIDIUM.

TETRASTER Oshmarin, P. G., 1965, 99-102 (Helminthologia, v. 6 (2)) (tod:T. siamensis).

TETRASTOMA delle Chiaje, S., 1833a, 13 (type: T. renale).

TETROCHETUS Looss, A., 1912c, 323, 330, 331 (mt: T. raynerius (Nardo)).

tetrodonis Goto, S., 1894a, 213-215, pl. 10, figs. 1-4. 1894: DICLIDOPHORA. 1895: HETEROBOTHRIUM (type).

tetrodontis Nagaty, H. F., 1956b, 524-525, 527, pl. I, figs. 6-7. 1956: BIANIUM 1958: DIPLOPROCTODAEUM.

tetrodontis Nagaty, H. F., 1956a, 151, 152, 154, 155, pl. I, fig. 2. 1956: MEGACREADIUM (tod). 1959: SCHISTORCHIS.

tetrodontis Saint-Remy, G., 1898a, 554, for tetrodonis. 1898: HETEROBOTHRIUM.

teuthis MacCallum, G. A., 1915b, 397-399, fig. 132. 1915: DIPLECTANUM. 1922: ANCYROCEPHALUS.

teuthis Nagaty, H. F., 1956a, 152-153, 154, 155, pl. I, fig. 4. 1956: HYSTEROLECITHA.

teuthis eilaticus Paperna, I., 1965, 1-5, 10, pl. 1 (Sea Fish. Res. Stat. Haifa, Bull. (39)) (Acanthurus sp., Amphiprion bicinctus; gills; Red Sea). 1965: ANCYROCEPHALUS.

texana Koratha, K. J., 1955a, 244, 245, 246, 267-268, 274, 277, 278, figs. 20-21, 30, 33. 1955: PSEUDAXINE.

texanicum Francis, M., 1891c, 135-136, pls. 3-8, 5 figs. 1891: DISTOMA.

texanus Chandler, A. C., 1941h, 183-184, figs. 4-6. 1941: STERRHURUS. 1947: LEGITHOCHIRIUM.

texanus Harwood, P. D., 1932b, 26-28, 31, 66, pl. 2, fig. 6. 1932: CERCORCHIS. 1940: TELORCHIS.

texanus Harwood, P. D., 1932b, 19-20, 66, pl. 2, fig. 2. 1932: RENIFER. 1957: OCHETOSOMA.

texensis Chandler, A. C., 1929c, 1-5, figs. 1-4. 1929: HASSTILESIA.

texensis Chandler, A. C., 1942h, 156-157, figs. 1-12. 1942: FIBRICOLA. [1945]: THERIODIPLOSTOMUM. 1961: NEODIPLOSTOMUM (FIBRICOLA) (Pearson, J. C., 1961a, 167).

texicanum Leuckart, K. G. F. R., 1892b, 797, 798, for texanicum. 1892: DISTOMA.

texomensis McIntosh, A.; & Self, J. T., 1955a, 36-37. 1955: NEMATOBOTHRIUM.

texomensis Seamster, A., 1960a, 269-270, figs. 1-8. 1960: DACTYLOGYRUS.

thaidus Stunkard, H. W., 1964b, 478, 479, 484, 485, 486, 487, pl., figs. 1-10 (Thais lapillus; Boothbay Harbor, Maine & Cape Cod, Mass., Gemma gemma, Larus argentatus, Mytilus edulis, Pecten irradians (all exper.)). 1964: RENICOLA.

thalassomatis Yamaguti, S., 1942c, 329, 334-335, fig. 3. 1942: CAUDOTESTIS. [1954]PLAGIOPORUS [(CAUDOTESTIS)]. 1958: PLAGIOPORUS (PLAGIOPORUS).

thalia Faust, E. C., 1921c, 49-50, pl. 2, figs. 1-2. 1921: CERCARIA.

thamesensis Khan, D., 1960b, 297-302, 303, fig. 17-21. 1960: CERCARIA.

thamnophidis Caballero y C., E., 1941f, 116, 117-119, fig. 3. 1941: CERCORCHIS. [1944]: TELORCHIS.

thaparae Agarwal, S. M., 1959e, 38. 1959: OPISTHORCHIS.

thapari Baugh, S. C., 1949a, 79-84, figs. 1-2. 1949: PSILORCHIS.

thapari Caballero y C., E., 1953a, 25-30, figs. 1-3. 1953: RENICOLA.

thapari Dayal, J., 1948a, 56-58, figs. 9-10. 1948: BUCEPHALOPSIS.

thapari Gupta, N. K., [1954a], 172;1954e 85, 93-94, 99, fig. 4. 1954: ASTIOTREMA.

thapari Gupta, S. P., 1950a, 17-22, figs. 1-4. 1950: ALLOCREADIUM.

thapari Gupta, S. P.; & Chakrabarti, K. K., 1967, Feb., 177-180, fig. 1 (Indian J. Helminthol., v. 18 (2)) (unidentified snake; intestine; Lucknow). 1967: GENARCHOPSIS.

thapari McIntosh, A., 1953a, 209-210, fig. 1. 1953: CRYPTOCOTYLE.

thapari Manter, H. W., 1953a, 195-196, 198, figs. 1-2. 1953: PROSORHYNCHUS.

thapari Nagaty, H. F., 1954a, 368-369, pl., fig. 5. 1954: OPECOELUS. 1966: PAROPECOELUS (Pritchard, M. N., 1966b, 182).

thapari Rai, S. L., [1962f], 117 (Vivipara bengalensis; Gurab tank locality, 3 miles from Jabalpur city, India). [1962]: CERCARIA.

thapari Singh, S., 1953a, 247-250, figs. 1-4. 1953: ECHINOSTOMA. 1958: SINGHIA.

thapari Witenberg, G. G., 1953a, 296, 300, pl. 1, figs. 1-2. 1953: STICTODORA.

thaparia Lal, M. B., 1939c, 117, 179-181, 183, figs. 16-17. 1939: NEALARIA (tod). 1942: DIPLOSTOMUM.

THAPARIELLA Srivastava, N. N., [1955a], 101, 104-106 (tod: T. anastomusa).

THAPAROTREMA Dayal, J.; & Gupta, S. P., 1954e, 189, (mt: T. vittalani).

thaparus Vidyarthi, R. D., 1948a, 31-34, figs. 4-5. 1948: HOLOSTEPHANUS.

thaumanthiadis Braun, M. G. C. C., 1889a, 357, for thaumantiatis Graeffe, 1860. 1889: CERCARIA.

thaumantiadis Pagenstecher, H. A., 1862i, 298, for thaumantiatis Graeffe, 1860. 1862: CERCARIA.

thaumantiatis Graeffe, E., 1860a, 49-51, pl. 10, figs. 10-12. 1860: CERCARIA.

THAUMATOCOTYLE Odhner, T., 1910d, 19, 21, 22 (preoccupied, changed to Braunotrema).

THAUMATOCOTYLE Scott, T., 1904b, 278-279 (mt: T. concinna).

THECOSOMA Moquin-Tandon, C. H. B. A., 1860a, 342 (type: T. haematobium).

THELEDERA Linton, E., 1910b, 40-41 (type: T. pectinata).

THELETRUM Linton, E., 1910b, 59-60 (tod: T. fustiforme).

THELOLECITHUS Sobolev, A. A., 1955a, 750 [index], for Telolecithus.

theodori Witenberg, G. G., 1928a, 412-414, fig. 2. 1928: HYPTIASMUS. 1939: OPHTHALMOPHAGUS.

theodoxa Porter, A., 1938a, 7, 9, 423-425, 468, 470, pl. 74, 1 fig. 1938: CERCARIA.

theophili Dollfus, R. P. F., 1948h, 135, 154-158, figs. 8-12. 1948: CYCLOCOELUM (CYCLOCOELUM).

theragrae Lloyd, L. C., 1938a, 105-107, 123, 126, 127, pl. 1, figs. 2-6. 1938: OPECOELINA.

therapon Johnston, T. H.; & Tiegs, O. W., 1922a, 102-104, 105, pl. 15, figs. 35-37, pl. 16, figs. 38-42, pl. 17, figs. 45-49. 1922: LEPIDOTREMA.

theriocystis Lutz, A., 1928a, 116. 1928: STRIGEA. 1938: TETRACOTYLE.

THERIODIPLOSTOMUM Dubois, G., [1945a], 11-12, 32, 34, 37, 89 (tod: T. lucidum).

thethydis delle Chiaje, S., teste Blanchard, E., 1847a, 309. 1847: MONOSTOMA.

thetycola della Chiaje, S., teste Pagenstecher, H. A., 1862i, 298. 1862: MONOSTOMA.

THEXOSOMA Montgomery, R. E., 1906, 18, for Thecosoma.

thienemanni Szidat, L.; & Szidat, U., 1933a, 413, 415, 416, 418, 419, 420, 421, figs. 4, 7, 10. 1933: NOTOCOTYLUS.

thienponti Dubois, G.; & Fain, A., 1956a, 18, 22-24, figs. 5-6. 1956: PARASTRIGEA.

tholonetensis Timon-David, J., 1955a, 195, 196, 197-198, 200, pls., figs. 1-4. 1955: UROTOCUS.

thomasi Dollfus, R. P. F., 1935e, 641-644, figs. 5-6. 1935: NEODIPLOSTOMA. 1936: PSEUDONEODIPLOSTOMUM (tod).

thomasi Dollfus, R. P. F., 1950a, 8, 45-47, fig. 26. 1950: AURIDISTOMUM.

thomasi Dollfus, R. P. F., 1950a, 8, 43-45, figs. 24-25. 1950: CEPHALOGONIMUS.

thomasi McMullen, D. B., 1938a, 300, 303-305, legend of pl. 2, pl. 2, figs. 6-9. 1938: CERCARIA. 1958: RIBEIROIA.

thomasi Sogandares-Bernal, F., 1956a, 201-202, 205, 206, pl. I, fig. 6. 1956: PROSTHODENDRIUM. 1960: ACANTHATRIUM (PROSTHODENDRIUM) (Etges, F. J., 1960c, 527).

thomasi gabonicum Dubois, G., 1948b, 7, 8, 9, 10, 11, 12, figs. 2-3. 1948: PSEUDONEODIPLOSTOMUM.

thompsoni Sinitsin, D. F., 1931e, 788, 797, 799, 800, 801, 812, 813, 821-822, 831, pl. 2, fig. 10, pl. 4, fig. 26, pl. 6, fig. 36. 1931: ENTOSIPHONUS (mt).

thoracicum Rudolphi, C. A., 1819a, 119. 1819: DISTOMA aluconis.

THORACOCOTYLE MacCallum, G. A., 1913e, 335-337 (tod: T. croceus).

thrissocles Tripathi, Y. R., [1959a], 124-126, fig. 56. [1959]: GASTROCOTYLE. 1963: AMPHIPOLYCOTYLE (Yamaguti, S., 1963a, 276).

thrissocles Tripathi, Y. R., [1959a], 76, 89-91, 93, fig. 42. [1959]: PARAMAZOCRAES (tod).

thrissoclissae Unnithan, R. V., 1964b, 169-172, figs. 16-21 (Thrissocles malabaricus; gills; Trivandrum (south west coast of India). 1964: HETEROCOTYLE (tod).

THROCOPUS Saint-Loup, R., [1895a], 164-165, for Trochopus.

thumi Manter, H. W., 1963a, 99, 100, 103-104, pl. I, figs. 6-7 (possibly Melichthys vidus [sic]; intestine; Fiji). 1963: GUGGENHEIMIA.

thunni Ishii, N.; & Sawada, T., 1938b, 239. [n. n. for D. minor Ishii, 1936]. 1938: DACTYLOCOTYLA. [1943: MAZOCRAES]. 1946: ?KUHNIA (gen. inq.).

thunninae Parona, C.; & Perugia, A., 1889a, 742. 1889: OCTOCOTYLE. 1890: OCTOBOTHRIUM. 1894: OCTOCOTYTE [lapsus]. 1896: HEXACOTYLE. 1946: HEXOSTOMA. 1961: NEOHEXOSTOMA (Price, E. W., 1961a, 6).

thuringica Odening, K., 1959a, 448-454, 466, 468, 469, 470, 471, 472, 473, 474, fig. 1. 1959: METACERCARIA (AGAMODISTOMUM).

THYLODELPHIS Titova, S. D., 1954a, 83, for Tylodelphys.

THYLODELPHUS Astakhova, T. V., 1953a, 578, for Tylodelphys.

THYLODELPHYS Bauer, O. N., 1950a, 56, for Tylodelphys.

thymalli Žitňan, T., 1960a, 266-269, fig. 1. 1960: GYRODACTYLUS.

thynni Delaroche, F. E., 1811a, 271-272, pl. 2, fig. 3. 1811: POLYSTOMA. [1815: HEXOSTOMA (tod)]. 1828: HEXACOTYLA (type). 1840: HEXACOTYLE. 1890: EXACOTYLE. 1891: PLAGIOPELTIS.

thynni Guiart, J., 1938b, 16, 58-59, 63, 64, 78, pl. 1, fig. 12. 1938: TRICOTYLE (tod). 1946: CAPSALA.

thynni Parona, C.; & Perugia, A., 1891b, 19, lapsus for thunninae. 1891: OCTOCOTYLE.

thynni Parona, C.; & Perugia, A., 1891c, 19, for thunninae. 1891: OCTOBOTHRIUM.

thynni Taschenberg, O., 1879a, 612, 613, 614, 615, 616. 1879: DIDYMOZOON (type). 1916: KOELLIKERIA (DIDYMOZOON). 1926: DIDYMOCYSTIS.

thynni Yamaguti, S., 1938f, 16, 56-58, 73, pl. 8, fig. 54, pl. 9, fig. 56, pl. 11, fig. 83. 1938: COELIOTREMA (tod).

THYODELPHYS Smirnova, K. V., 1954b, 184, for Tylodelphys.

THYPHLOCOELUM Skrjabin, K. I., 1923k, 225, for Typhlocoelum.

thyrinopsi Manter, H. W., 1940a, 325, 362, 451, 468, 469, pl. 36, fig. 34. 1940: ANISOPORUS. 1958: OPECOELOIDES.

thyrites Hughes, W. K., 1928a, 49-52, fig. 2, pl. 11, figs. 10-12. 1938: OCTOBOTHRIUM. 1943: WINKENTHUGHESIA (tod).

thyrsitae Crowcoft, P. W., [1948a], 49-57, figs. 5-9, pls., figs. 1-4. [1948]: CAPIATESTES. 1954: SYNCOELIUM.

THYSANOPHARYNX Manter, H. W., 1933b, 233, 238, 242 (tod: T. elongatus).

thysanophrydis Yamaguti, S., 1937f, 1-3, 26, pl. 1, figs. 1-2. 1937: ANCYROCEPHALUS.

tiaratus Mamaev, I. L., 1959b, 175-176, 177, 178, fig. 1, pl., fig. 2. 1959: PSEUDAPATEMON.

tiberianus Paperna, I., 1960b, 28-30, figs. 7-8. 1960: CICHLIDOGYRUS.

tiburonis Brooks, G. L., 1934a, 261, 263, 266-267, figs. 4, 8 a-b. 1934: SQUALONCHOCOTYLE. 1942: NEOERPOCOTYLE. 1963: ERPOCOTYLE (Yamaguti, S., 1963a, 306).

tichsiukangi Gusev, A. V., (1962), (Opredelitele parazitov presnovodynyi ryb SSSR). (1962): ? DACTYLOGYRUS. 1964: SKRJABINONCHUS (Akhmerov, A. K., 1964a, 74).

tiegsi Woolcock, V., 1935a, 309, 310, 320-323, 331, pl. 9, fig. 7. 1935: ERILEPTURUS (tod). 1958: ECTENURUS.

tientsinensis Hsiung, T. S., 1934a, 1-5, 8, 9, pl. 1, figs. 1-4. 1934: HAEMATOLOECHUS. 1958: HAEMATOLOECHUS (HAEMATOLOECHUS) sibiricus.

tigrinarum Gupta, N. K., 1954f, 117-120, figs. 1-3. 1954: MEHRAORCHIS.

tigrinum Bhardwaj, O. N., 1963c, 345, 346-347, 348, 349, 352, pl. III (Rana tigrina; duodenum; western coastal region of India). 1963: PROSOTOCUS.

tigrinum Mehra, H. R.; & Negi, P. S., 1928a, 66-80, 103, figs. 1-3, pl. 1, fig. 1, pl. 4, figs. 5-8. 1928: GANEO.

tilapiae Paperna, I., 1960b, 23-28, figs. 3-6. 1960: CICHLIDOGYRUS.

tilapiae Ukoli, F. M. A., 1966a, 187, 188-194, 197, 202, 205, 207-209, figs. 1-5 (Bubulcus ibis (exper.), Tilapia zilli, T. heudeloti, T. galilaea; branchial region & eye sockets; Ghana, Nycticorax n. nycticorax, Anhinga r. rufa; oesophagus; Ghana). 1966: CLINOSTOMUM.

tiliquae Nicoll, W., 1914h, 349-350. 1914: TETRACOTYLE.

timondavidi Bartoli, P., 1963a, 518-520 (Mytilus galloprovincialis; golfe de Marseille). 1963: PARVATREMA.

timoni Rebecq, J.; & Giudicelli, J., [1959a], 395-399, figs. 1-2. [1959]: NICOLLA.

TIMONIA Bartoli, P.; & Prevot, G., 1966, 397, 406, 410 (Ann. Parasitol., v. 41 (5)) (tod: T. mediterranea).

TIMONIELLA Rebecq, J., 1960c, 257-262 (mt: T. atherinae).

timotheevi Dollfus, R. P. F. in Guyénot, E.; & Naville, A., 1924a, May, 82. 1924: PARAPLAGIORCHIS (tod).

tincae Gusev, A. V., 1965b, 127, 129, 130, fig. 3A, B, V. G (syn.: D. macracanthus Wegener, 1909 of Ergens, 1962) (Tinca tinca; Dniester, Lužnice Rivers, Elbe Basin, Czechoslovakia). 1965: DACTYLOGYRUS.

tincae Malmberg, G., (1957a), 5, 34, 52, fig. 2A. (1957): GYRODACTYLUS wageneri.

tincae Modeer, A., 1790a, 127. 1790: FASCIOLA. 1809: DISTOMA. 1909: ASYMPHYLODORA.

tincae donicum (Isaichikov) Dogiel, V. A.; & Bykhovskii, B. E., 1934a, 257, 286, 287, 288-289, 334, 335, 342, 343 [? lapsus for A. tincae kubanicum]. 1934: ASYMPHYLODORA.

tincae exspinosum (Hausmann, L., 1897a, 391). 1922: ASYMPHYLODORA.

tincae kubanicum Isaichikov, I. M., 1926c, 160, 161-163, 164, 1 fig. 1926: ASYMPHYLODORA.

tincae pontica Chernyshenko, A. S., 1949a, 85-87, fig. 7. 1949: ASYMPHYLODORA.

tineri Babero, B. B., 1951b, 560-562, pl., figs. 1-4. 1961: RAUSCHIELLA (tod).

tinkeri Manter, H. W.; & Pritchard, M. H., 1960a, 99-100, figs. 21-23. 1960: HYSTEROLECITHA.

tiogae Fischthal, J. H., 1953c, 31. 1953: CERCARIA.

rrenidis Giovannola, A., 1937b, 30-34, 37, fig. 1. 1937: CERCARIA.

sa Chatterji, P. N., 1957b, 177-179, pl. 1957: BRACHYLAEMUS. 1960: BRACHYLAIME.

ssensis Zakhvatkin, V. A., 1951a, 126, 134, 135, 136, figs. 3-5. 1951: DACTYLOGYRUS.

ssieri Gallien, L., 1937a, 15-21, figs. 2-4. 1937: DICLIDOPHOROPSIS (mt).

ISTOMUM Taschenberg, O., 1879c, 65, for Tristomum.

tfordensis Nasir, P., 1962, 132, 133, 135, 136, figs. 5-6 (Planorbis carinatus; Edgbaston Reservoir & Titford Pool, England, Gasterosteus aculeatus; gullet (exper.)). 1962: CERCARIA.

tiri Chatterji, P. N., 1958c, 561-563, 564, 565, pl. 1958: CYCLOCOELUM.

tricum Verma, S. C., 1936c, 174. 1936: PROCRASSIPHIALA.

anschanica Gvozdev, E. V., 1953a, 176, 178-179, fig. 3. 1953: BRACHYLAEMUS. 1960: BRACHYLAIME.

acotalpensis Caballero y C., E., 1942g, 81, 86-89, figs. 3-4. 1942: OCTANGIOIDES.

ba Ishii, N.; & Sawada, T., 1938a, 231, 239-240, pl. 1, figs. 7-8. 1938: MICROCOTYLE.

bi Yamaguti, S., 1939d, 129, 149-150, 209, pl. 18, fig. 21. 1939: ECHINOCHASMUS. 1947: ECHINOCHASMUS (ECHINOCHASMUS).

biani Krøyer, H. N., 1846-53a, 592. 1846-53: DISTOMA.

butii Bykhovskii, B. E., 1959a, 198 (nomen nudum). 1959: MICROCOTYLE.

OCOTREMA Looss, A., 1899b, 585, 586, 619 (tod: T. lingua).

dari delle Chiaje, S., 1822a, [Atlas], pl. 71, fig. 14 [pl. dated 1830]. 1822: DISTOMA.

dari delle Chiaje teste Monticelli, F. S., 1892a, 717, 718. 1892: MONOSTOMA.

kiensis Fujita, T., 1925a, 37-49, figs. 1-3. 1925: GYMNOPHALLOIDES.

kudae Yamaguti, S., 1954f, 393-395, 405, pl. 1, fig. 1. 1954: BRACHYLAEMUS. 1958: ENTOSIPHONUS. 1960: BRACHYLAIME.

lloi Brinkmann, A., 1952c, 4-6, figs. 1-2. 1952: MICROBOTHRIUM.

mex Linton, E., 1907e, 112-113, 125, pl. 14, figs. 94-96. 1907: DISTOMA. 1950: ATALOSTROPHION.

ngtinensis Long, S., 1964a, 21, 22, 28, 29, 30, 31, fig. 1 [p. 28, as D. tontinensis] (Erythroculter mongolicus; gill slits; Taihu). 1964: DACTYLOGYRUS.

nkae Wallace, F. G.; & Penner, L. R., 1939a, 437-440, fig. 1. 1939: OPISTHORCHIS.

nkinense Galliard, H.; & Dang-Van-Ngu, 1941b, 187-191, figs. 1-2. 1941: EURYTREMA.

ratsugumi Morishita, K., 1924a, 231-234, fig. 1924: CYCLOCOELUM. 1950: CYCLOCOELUM (CYCLOCOELUM).

ORMOPSOLUS Poche, F., 1926b, 146 (tod: T. osculatus (Looss)).

rnatum Rudolphi, C. A., 1819a, 684-685. 1819: DISTOMA. 1889: APOBLEMA. 1899: HEMIURUS. 1901: LECITHOCLADIUM. 1907: DINURUS (type).

torosum Setti, E., 1897a, 4-8, pl. 8, figs. 1-5. 1897: OTIOTREMA (type). 1903: DISTOMA.

torpedinis Chatin, J. C. M., 1874a, 11-16, pl. 2 (IX), figs. 13-14. 1874: AMPHIBDELLA (type). 1890: TETRAONCHUS.

torpedinis Dollfus, R. P. F., 1937b, 169-171, fig. 3. 1937: MONODHELMIS (tod).

torpedinis Price, E. W., 1942a, 45 (Squalonchocotyle abbreviata form C of Dollfus, 1937 renamed). 1942: ERPOCOTYLE. 1946: SQUALONCHOCOTYLE.

torquatus Mizelle, J. D.; & Cronin, J. P., 1943a, 212-213, 214, 216, pl. 2, figs. 14-29. 1943: UROCLEIDUS.

torta Linton, E., 1910b, 18, 21, 29, 88, pls. 3-4, figs. 29-33. 1910: HELICOMETRA.

TORTICAECUM Yamaguti, S., 1942b, 131, 157, 159 (tod: T. nipponicum).

tortugae Von Wicklen, J. H., 1946a, 160, 161. 1946: PSEUDOPECOELUS.

tortum Yamaguti, S., 1938c, 3, 113-114, fig. 65. 1938: DINOSOMA.

toruligenitale Dubois, G., 1964c, 679-683, 684, figs. 1-2 (Circus aeruginosus spilonotus; intestin grêle; Taiwan). 1964: NEODIPLOSTOMUM (NEODIPLOSTOMUM).

torulosum Rudolphi, C. A., 1814a, 104-105. 1814: DISTOMA.

torva Müller, O. F., 1774a, 62-63. 1774: FASCIOLA. 1787: PLANARIA.

totari Blanchard, E., 1847a, 309, for todari. 1847: DISTOMA.

totari delle Chiaje teste Blanchard, E., 1847a, 309, for todari. 1847: MONOSTOMA.

townsendi MacCallum, G. A., 1916c, 36-37, fig. 16. 1916: MICROCOTYLE angelichthys.

trabeculata Faust, E. C., 1924e, 244-245, 289, pl. 1, fig. 2. 1924: CERCARIA.

trachea Montagu, G., 1811a, 194-198, pl. 7, fig. 4. 1811: FASCIOLA. 1819: DISTOMA. [Syngamus trachealis, a nematode].

tracheicola Braun, M. G. C. C., 1901g, 943-944. 1901: ORCHIPEDUM.

TRACHEOPHILUS Skrjabin, K. I., 1913h, 90-95 (tod: T. sisowi).

tracheophilus Goodman, J. D., 1952a, 231 [nomen nudum]. 1952: PNEUMATOPHILUS.

trichini Parona, C.; & Perugia, A., 1889a, 744-745. 1889: MICROCOTYLE. 1963: ASPINATRIUM (Yamaguti, S., 1963a, 246).

trachinoti Hanson, M. L., 1950a, 76, 78-81, 87, 89, figs. 5-7. 1950: LEPIDAPEDON.

trachinoti MacCallum, G. A., 1913d, 410-411, fig. 4. 1913: DISTOMA. [1954]: GONOCERCELLA.

trachinoti MacCallum, G. A., 1921c, 187-189, fig. 94. 1921: DACTYLOCOTYLE. [1936: BICOTYLOPHORA] (tod). 1946: BICOTYLOPHORA.

trachinoti Manter, H. W., 1940a, 327, 434-435, 451, 494, 495, pl. 49, figs. 124-125. 1940: APONURUS.

trachinoti Siddiqi, A. H.; & Cable, R. M., 1960a, 257, 265, 298, 340, fig. 81. 1960: HELICOMETRINA.

trachinoti Siddiqi, A. H.; & Cable, R. M., 1960a, 258, 266, 306-307, 356, fig. 107. 1960: NEOLEPIDAPEDON.

rachinoti Thomas, J. D., 1959a, 103, 106-107, fig. 7. 1959: HURLEYTREMA. 1965: PARAHURLEYTREMA (Nahhas, F. M.; & Powell, E. C., 1965a).

RACHOPUS van Beneden, P. J., 1858a, 11, for Trochopus.

rachuri van Beneden, P. J.; & Hesse, C. E., 1863a, 118, pl. 13, figs. 1-8. 1863: GASTROCOTYLE (mt).

rachuri Kurashvili, B. E., 1958a, 209-211, fig. 1958: ANAHEMIURUS.

rachuri Parona, C.; & Perugia, A., 1890h, 11-12, pl. 14, figs. 10-13. 1890: PSEUDAXINE. 1949: AXINE.

rachuri Pogorel'tseva, T. P., 1954a, 135-136, fig. 2. 1954: PLAGIOPORUS. 1958: PLAGIOPORUS (PLAGIOPORUS). (Nauk, Zapisk, Kiiv. Derzh. Pedagog. Inst. Gor'ki, Biol. Ser. (2)).

rachuri Yamaguti, S., 1934a, 252, 459-462, fig. 108. 1934: MAGNACETABULUM.

rachuri Yamaguti, S., 1938c, 2, 53-55, fig. 32. 1938: NOTOPORUS. [1942: NEONOTOPORUS (tod)]. [1954]: NEONOTOPORUS.

rachyeretis Bhalerao, G. D., 1935f, 59, for tachyeretis. 1935: NOTOCOTYLUS.

rachysauri MacCallum, G. A., 1921c, 176-178, fig. 88. 1921: CEPHALOGONIMUS. [renamed Paradistomum maccallumi].

rachysauri MacCallum, G. A., 1921c, 173-175, 176, 178, fig. 86. 1921: PARAGONIMUS. [1922: PARADISTOMUM]. 1929: PARADISTOMUM.

ragelaphi Pike, A. W.; & Condy, J. B., 1966, 511-520, pl., figs. 1-4 (Parasitology, v. 56 (3), Aug., 1966) (Tragelaphus spekei; bile-ducts; Rhodesia). 1966: FASCIOLA.

RAGLOTREMA Petrov, A. M., 1940a, 225, for Troglotrema.

ranoglandis Seitner, P. G., 1945a, 277, 278, 279, 281, pl. 2, figs. 12-13. 1945: CERCARIA.

ransbaicalicus Skrjabin, K. I., (1924?). (1924?): PLAGIORCHIS. 1931: PLAGIORCHIS (PLAGIORCHIS).

RANSCOELUM Witenberg, G. G., 1923b, 85, 92, 99, 118, 119, 120, 124-125 (tod: T. oculeus).

ransfretanum Dietz, E., 1909b, 12. 1909: ECHINOSTOMA.

ranslucens Faust, E. C.; & Nishigori, M., 1926a, 118-119, 120, 124, 125, pl. 5, fig. 23. 1926: CERCARIA.

ranslucens Simer, P. H., 1929a, 572-573, pl. 1, figs. 1-3. 1929: TRIGANODISTOMUM.

ranslucida Stafford, J., 1902f, 413-416. 1902: GORGODERA. 1905: GORGODERINA. 1937: PHYLLODISTOMUM. 1940: GORGODERINA (GORGODERINA).

ransmarina Nicoll, W., 1909b, 397, 425. 1909: STEPHANOPHIALA. 1933: CREPIDOSTOMUM.

ransvaalensis Porter, A., 1938a, 5, 8, 254-256, 465, 470, pl. 31, figs. 1-6. 1938: CERCARIA.

ransversale Chandler, A. C., 1935c, 125, 126-127, pl. 6, fig. 1. 1935: RHIPIDOCOTYLE.

ransversalis Rudolphi, C. A., 1802b, 69. 1802: FASCIOLA. 1809: DISTOMA. 1901: ALLOCREADIUM. 1938: DISTOMUM (ALLOCREADIUM). 1954: ALLOCREADIUM (ALLOCREADIUM).

transversalis Zdun, V. I., 1951a, 171, 178-179, fig. 4. 1951: CERCARIA.

transversogenitalis Layman, E. M., 1922a, 571, 572, fig. 3. 1922: LYPEROSOMUM. 1944: LUTZTREMA . [1953]: BRACHYLECITHUM. 1957: LYPEROSOMUM (BRACHYLECITHUM) (Jaiswal, G. P., 1957a, 17).

transversogenitalis donicum Layman, E. M., 1926d, 64, 68, fig. 2. 1926: LYPEROSOMUM. 1940: BRACHYLECITHUM [renamed Olssoniella laymani].

transversogenitalis hispanicum Lopez-Neyra, C. R., 1941b, 35-39, 43, fig. 1. 1941: LYPEROSOMUM.

transversogenitalis sylvestris Semenov, V. D., 1927a, 238-240, 241, fig. 4. 1927: LYPEROSOMUM. 1940: BRACHYLECITHUM. 1957: LYPEROSOMUM (BRACHYLECITHUM) (Jaiswal, G. P., 1957a, 18).

transversogenitalis turkestanicum Layman, E. M., 1926d, 64, 68, fig. 3. 1926: LYPEROSOMUM. 1940: BRACHYLECITHUM.

TRANSVERSOTREMA Witenberg, G. G., 1944a, 179 (tod: T. haasi).

transversum Byrd, E. E.; & Macy, R. W., 1942a, 152, 154, 155, pl. 1, fig. 3. 1942: PROSTHODENDRIUM. 1955: PROSTHODENDRIUM (PROSTHODENDRIUM). 1960: ACANTHATRIUM (PROSTHODENDRIUM) (Etges, F. J., 1960c, 527).

transversum Shtrom, Z. K., 1940d, 183. 1940: BRACHYLECITHUM.

transversum Travassos, L. P., 1917h, 738, 741. 1917: LIPEROSOMUM. 1941: LUTZTREMA.

transversus Ozaki, Y., 1929b, 95-98, fig. 3. 1929: PYCNOPORUS.

trapezium Leidy, J., 1891a, 414. 1891: DISTOMA.

trapezoidea Porter, A., 1938a, 7, 9, 390-392, 467, 470, pl. 67, figs. 1-2. 1938: CERCARIA.

TRAVASSODENDRIUM Skarbilovich, T. S., 1943a, 224; 1948a, 373 (type: T. bhaleraoi).

TRAVASSOSELLA Faust, E. C.; & Tang, C. C., 1938a, 161 (mt: T. pagumae).

travassosi Bhalerao, G. D., 1936b, 168, 178 (n. n. for E. parvum Travassos, 1916 nec Seno, 1907). 1936: EURYTREMA.

travassosi Bhalerao, G. D., 1937c, 34. 1937: PNEUMOTREMA.

travassosi Caballero y C., E.; & Bravo Hollis, M., 1962a, 107-113, pl., figs. 1-5 (Microlepidotus inornatus; gills; Guaymas, Sonora, Mexico). 1962: PSEUDOEURYSORCHIS (tod).

travassosi Dubois, G., 1937c, 394. 1937: NEODIPLOSTOMUM.

travassosi Hilmy, I. S., 1949b, 4, 5-8, fig. 4. 1949: SOLENORCHIS (tod). 1950: ZYGOCOTYLE.

travassosi Jaiswal, G. P., 1957a, 22-24, fig. 3. 1957: ZONORCHIS.

travassosi Macy, R. W., 1938a, 291-292, pl. 1, figs. 1-2. 1938: PROSTHODENDRIUM. 1955: PROSTHODENDRIUM (PROSTHODENDRIUM). 1958: PYCNOPORUS.

travassosi Mehra, H. R., 1938a, 307-310, fig. 1. 1938: STOMYLOTREMA.

travassosi Pereira, C.; & Cuocolo, R., 1940b, 405-408, 409, 411, figs. 8-9. 1940: MESOCOELIUM.

ravassosi Pérez Vigueras, I., 1940b, 230-233, pl., fig. 6. 1940: TRIFOLIUM.

ravassosi Price, E. W., 1938a, 407-408, pl. 1, figs. 1-3. 1938: CLEIDODISCUS.

ravassosi Ruiz, J. M., [1943b], 35-40, 41, 43, figs. 1-5. [1943]: NEOCTANGIUM (tod).

ravassosi Skrjabin, K. I., 1924a, 10. 1924: ECHINOSTOMA.

ravassosi Vrat, V., 1947a, 102-105, 113, 116, pl., figs. 2-3. 1947: CHAUNOCEPHALUS.

TRAVASSOSINIA Vaz, Z., 1932a, 5, 16, 19, 32, 41, 43, 44 (tod: T. dilatata).

TRAVASSOSSTOMUM Bhalerao, G. D., 1938a, 81-86 (mt: T. natritis).

ravdarribus Skrjabin, K. I.; & Antipin, D. N., 1962a, 112, 114, fig. 49 (n. n. for Pneumonoeces schulzei Travassos & Darriba, 1930 nec P. schulzei Wundsch, 1911) (Rana sp.; lungs; Brasil). 1962: PNEUMONOECES.

TRAVTREMA Pereira, C., 1929c, 92-96 (tod: T. travtrema).

ravtrema Pereira, C., 1929c, 92-96, figs. 1-2. 1929: TRAVTREMA (tod). [1943]: LEPTOPHYLLUM.

regenna Gohar, N., 1932a, 567-573, figs. 1-2. 1932:DIPLOSTOMUM. 1963: DIPLOSTOMULUM (Khalil, L. F., 1963a, 1-5).

regouboffi Arvy, L., 1952a, 485, 486, 491, 492-494, figs. 9, 10, 14, pl. II, fig. 6. 1952: CERCARIA.

reljudovi Shaldybin, L. S. in Skarbilovich, T. S., 1948a, 434, 435, fig. 225. 1948: PYCNOPORUS.

remaglandis Hall, J. E., 1960a, 228, 229, 232, 244, figs. 2-5. 1960: CERCARIA.

TREMAJOANNES Saoud, M. F. A., 1964c, 97, 102-104, 107 (tod: T. buckleyi).

TREMAPOLEIPSIS Baer, J. G., 1959b, 6, 17, 19, 20 (tod: T. gerberi).

TREMARHYNCHUS Thapar, G. S., 1933a, 163-168 (mt: T. indicus).

rematichthys Yamaguti, S., 1958a, 119, for trematichtys Vaz. 1958: PLAGIOPORUS.

TREMATICHTYS Vaz, Z., 1932a, 5, 16, 19-20, 37 (tod: T. trematichtys).

rematichtys Vaz, Z., 1932a, 5, 16, 20-21, 37-38, figs. 3-4. 1932: TREMATICHTYS (tod). 1958: PLAGIOPORUS [(CAUDOTESTIS)].

TREMATOBRIEN Dollfus, R. P. F., 1950a, 8, 50 (tod: T. haplochromios).

rematoclithrus Rogers, W. A., 1967, 747, 748, 749, 750-751, figs. 27-32 (J. Parasitol., v. 53 (4), Aug.) (Lucania goodei; Bazemore Mill Spring, Houston County, Alabama). 1967: GYRODACTYLUS.

rematomi Byrd, M. A., 1963a, 144-147, pl., figs. 12-13 (Trematomus bernacchii; branchial chamber; Antarctic). 1963: GONOCERCA.

remellaris Müller, O. F., 1774a, 72. 1774: FASCIOLA. 1787: PLANARIA.

REMIORCHIS Mehra, H. R.; & Negi, P. S., 1925a, 147 (mt: T. ranarum).

REPTODEMUS Manter, H. W., 1961a, 69, 72 (mt: T. latus).

riacanthi Tripathi, Y. R., [1959a], 23, 46-48, 59, fig. 23. [1959]: ANCYROCEPHALUS.

triacanthi Yamaguti, S., 1938f, 15, 17-19, 71, pl. 3, fig. 2. 1938: ANCYROCEPHALOIDES (tod).

TRIANCHORATUS Price, C. E.; & Berry, W. S., 1966, 201-203 (Proc. Helminth. Soc. Washington, v. 33 (2)) (tod: T. acleithrium).

triangulae von Linstow, O. F. B., 1878a, 72, for triangulare. 1878: DISTOMA.

triangulare Diesing, K. M., 1850a, 351. 1850: DISTOMA. 1899: MEGACETES (type). 1928: EUMEGACETES (type). 1901: PLAGIORCHIS. 1910: LEPODERMA. 1931: PLAGIORCHIS (PLAGIORCHIS). 1959: PLAGIORCHIS (PLAGIORCHIS) triangularis. [1959]: PLAGIORCHIS (MULTIGLANDULARIS).

triangulare Johnston, 1904, 108-109, pl. 5, figs. 1-6. 1904: HEMISTOMUM. 1926: PROALARIA. 1929: DIPLOSTOMUM. 1937: ADENODIPLOSTOMUM (tod).

triangularis Goto, S., 1894a, 200-201, pl. 7, figs. 7-8. 1894: AXINE. 1946: HETERAXINE 1963: HETERAXINOIDES (Yamaguti, S., 1963a, 262).

triangularis Mehra, H. R., 1932d, 236-240, 241, 243, 244. 1932: NEOPRONOCEPHALUS (tsd).

triangularis Summers, W. A., 1937a, 432-434, figs. 1-4. 1937: ACTINOCLEIDUS. 1941: ANCHORADISCUS.

triangularis Tubangui, M. A.; & Masiluñgan, V. A., 1944a, 57-58, pl. 1, fig. 1. 1944: PROSORHYNCHUS.

triangularis gonzalchavezi Zerecero y D., M. C., [1950a], 293-299, figs. 1-2. 1959: PLAGIORCHIS (PLAGIORCHIS).

triangularis gonzalchevi Odening, K., 1959c, 17, for triangularis gonzalchavezi. 1959: PLAGIORCHIS.

triangularis triangularis (Diesing, K. M., 1850a, 351). 1959: PLAGIORCHIS (PLAGIORCHIS).

triangularum Harrah, E. C., 1922a, 12, 24, 33, 35, 41, 46-47, pl. 4, fig. 10. 1922: CYCLOCOELUM, 1926: WARDIANUM.

triangulogenitalis Belous in Skrjabin, K. I.; & Koval, V. P., 1958a, 430, 432, 523-524, fig. 175. 1958: PLAGIOPORUS (PLAGIOPORUS).

triangulovagina Yamaguti, S., 1968, 16, 109-110, fig. 82 (Monogenetic trematodes of Hawaiian fishes) (Forcipiger longirostris, Chaetodon auriga, C. multicinctus; gills; Hawaii). 1968: PSEUDOHALIOTREMATOIDES.

triaxonis Akhmerov, A. K., 1964a, 73, for trioxonis. 1964: NEODACTYLOGYRUS.

triaxonis Gusev, A. V., 1955b, 277-279, 350, 351, 395, 398, fig. 38 (2), for trioxonis. 1955: DACTYLOGYRUS.

TRIBACULOCAUDA Tripathi, Y. R., [1959a], 23, 25-26, 27, 29, 61 (tod: T. discoides).

tricanthum Ramalingam, K., 1952a, 341-342, 347, fig. 3. 1952: PRICEA.

tricaudata Schrank F. v. P., 1803a, 86. 1803: CERCARIA.

TRICHARRHEN Poche, F., 1926b, 206 (tod: T. okenii).

trichiuri Sogandares-Bernal, F., 1955a, 588, 593, 594, pl. 1, fig. 1. 1955: BUCEPHALOIDES. 1958: BUCEPHALOPSIS.

trichiuri Yamaguti, S., 1937f, 22-23, 27, pl. 4, figs. 29-31. 1937: OCTOPLECTANOCOTYLA (tod).

RICHOBILHARZIA Skrjabin, K. I.; & Zakharov, N. P., 1920a, 1 (tod: T. kossarewi).

chocephala Cable, R. M., 1938b, 227, 228. 1938: CERCARIA.

choderma Cable, R. M., 1935b, 436. 1935: CERCARIA.

chofurcata Johnston, T. H.; & Angel, L. M., 1940a, 331-334, figs. 1-7. 1940: CERCARIA.

chonocephalus Müller, K.[2], 1880a, 194, for trigonocephalum. 1880: DISTOMA.

RICHOPUS Monticelli, F. S., 1903c, 335 (=Placunella).

color Stiles, C. W.; & Hassall, A., 1894i, 160-161, fig. 1. 1894: DISTOMA. 1916: HASSTILESIA (type).

coronata Lahille, F.; & Joan, T., 1917a, 216-219, 3 figs. 1917: VERDUNIA (mt).

RICOTYLA Guiart, J., 1938b, 3, 7, 13 (tod: T. thynni).

RICOTYLE Manter, H. W., 1938b, 295-297 (tod: T. scoliodoni).

RICOTYLEDONIA Fyfe, M. L., 1954a, 325-328 (tod: T. genypteri).

cuspidata Riech, F., 1927b, 271-274, fig. 12. 1927: XIPHIDIOCERCARIA.

cystica Miller, E. L., 1935a, 250, 254, pl. 1, figs. 13-15. 1935: CERCARIA.

dactyla Martin, W. E.; & Kuntz, R. E., 1955a, 375-377, 379, 380, 381, 382, pl. I, figs. 1-3, 5, pl. II, figs. 8-10. 1955: STICTODORA.

dactylus Monoco, L. H.; & Mizelle, J. D., 1955a, 463, 464-465, 469, 475, figs. 111-124. 1955: DACTYLOGYRUS.

dena Miller, E. L., 1936a, 17, 20, 22, 74-78, 116, 117, pl. 6, figs. 78-80. 1936: CERCARIA.

dentacularia Verma, S. C., 1936d, 84-87, fig. 13. 1936: BUCEPHALUS.

dentata Palombi, A., 1938b, 189, 196-198, 201, 204, 205, fig. 5 a-e. 1938: CERCARIA.

digitata Declock, S.; Capron, A.; & Biguet, J., [1959a], 514-520, 525, 529, 531, 533, 534, 536, figs. 1-4. [1959]: LEVINSENIELLA.

digitatus Gusev, A. V., 1955b, 187, 261, 263-264, 265, 345, 394, 397, 398, fig. 33 (1). 1955: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 43).

donta Faust, E. C.; & Nishigori, M., 1926a, 119-120, 124, 125, pl. 5, fig. 24. 1926: CERCARIA.

foliata Price, E. W., 1937e, 483-485, 490, figs. 1-2. 1937: DERMATEMYTREMA (tod).

folifer Nicoll, W., 1915d, 29-31, pl. 4, fig. 4. 1915: GENOLOPA. 1959: LASIOTOCUS.

IFOLIOVARUM Yamaguti, S., 1940b, 36, 97, 99 (tod: T. acanthocepolae).

IFOLIUM Travassos, L. P., 1922f, 187 (tod: T. trifolium).

folium Braun, M. G. C. C., 1901g, 947. 1901: DISTOMA. 1926: CLADOCYSTIS (tod, mt).

folium Travassos, L. P., 1922f, 187. 1922: TRIFOLIUM (tod).

furcata Faust, E. C., 1919d, 326, 327, 328, 334, 335, fig. 5. 1919: CERCARIA.

triganocephalum Kampmann, K., 1894a, 454, 457, for trigonocephalum. 1894: DISTOMA.

TRIGANODISTOMUM Simer, P. H., 1929a, 571-572 (tod: T. translucens).

30-acanthostoma Faust, E. C., 1920d, 214, 216, figs. 2-4. 1920: CERCARIA.

triglae van Beneden, P. J., 1871a, 30, pl. 3, fig. 15. 1871: GASTEROSTOMUM. 1932: BUCEPHALOPSIS. 1952: RHIPIDOCOTYLE.

triglae van Beneden, P. J.; & Hesse, C. E., 1863a, 117. 1863: AXINE.

triglae van Beneden, P. J.; & Hesse, C. E., 1863a, 92, pl. 8, figs. 9-10. 1863: UDONELLA.

triglae Lebour, M. V., 1908a, 24, 47-48, 58, 66, pl. 3, figs. 3-4. 1908: STEPHANOCHASMUS. 1908: STERINGOPHORUS [lapsus]. 1946: STEPHANOSTOMUM.

triglae Nicoll, W., 1914g, 495-496, fig. 5. 1914: PROSORHYNCHUS.

triglae Rudolphi, C. A., 1819a, 122. 1819: DISTOMA.

triglae gurnardi Rathke, J., 1799a, 68, 146, fig. 2 a-c. 1799: DISTOMA. [D. soleaeforme].

triglae pini Diesing, K. M., 1855c, 64. 1855: DISTOMA.

triglandularis Probert, A. J., 1965a, 48-50, figs. 9-10 (Bithynia tentaculata; digestive gland; Llangorse Lake, South Wales). 1965: CERCARIA.

trigoni Sogandares-Bernal, F., 1959b, 80, 81, 82, 115, fig. 26. 1959: CABLEIA.

trigonocephala Rudolphi, C. A., 1802b, 87-88. 1802: FASCIOLA. 1809: DISTOMA. 1860: ECHINOSTOMA. 1910: EUPARYPHIUM.

trigonocephalum Rudolphi, C. A., 1809a, 336-337. 1809: MONSTOMA (MONOSTOMA). 1901: PLEUROGONIUS. 1899: PRONOCEPHALUS. 1928: PLEUROGENES.

trigonocerca Diesing, 1858d, 259. 1858: CERCARIA (ACANTHOCEPHALA).

TRIGONOCRYPTUS Martin, W. E., 1958a, 251, 253 (tod: T. conus).

trigonodistoma Sproston, N. G., 1946a, 207, 537, for D. trigonostoma Wagener, 1857. 1946: DACTYLOGYRUS.

trigonostoma Wagener, G. R., 1857a, 99, pl. 15, fig. 10. 1857: DACTYLOGYRUS.

trigonostomum Mödlinger, G., 1930a, 186-187, 202, pl. 21, fig. 5. 1930: DISTOMA. 1948: PROSOTOCUS. 1958: RETORTOSACCULUS.

TRIGONOTREMA Goto, S.; & Ozaki, Y., 1929b, 374 (tod: T. alatum).

trigonura Cort, W. W., 1914a, 77, fig. 9. 1914: CERCARIA.

triloba Filippi, 1857c, 3, pl. 1, fig. 1. 1857: CERCARIA. 1858: CERCARIA (ACANTHOCEPHALA).

trilobata Bory de Saint-Vincent, G. J. B. M., 1825a, 84. 1825: FURCOCERCA.

trilobatus Cable, R. M.; & Kuns, M. L., 1951a, 507-509, 514, pl., fig. 1. 1951: CARNEOPHALLUS (tod). [1958]: MICROPHALLUS. [1958]: SPELOTREMA.

trilobum Ciurea, I., 1930a, 305, 318, pl. 5, figs. 12-14, pl. 11, figs. 29, pl. 12, figs. 30-31, pl. 16, fig. 47. 1930: DIPLOSTOMUM. 1933: DIPLOSTOMULUM.

rilobum Rudolphi, C. A., 1819a, 104-105, 392. 1819: DISTOMA. 1850: HEMISTOMUM. 1926: PROALARIA. 1928: HOLOSTOMUM. 1929: DIPLOSTOMUM. 1931: HYSTEROMORPHA (mt).

rilocalis King, R. E.; & Noble, E. R., 1961a, 465-468, figs. 1-3 (Gillichthys mirabilis; gills, esophagus, stomach; California). 1961: HYSTEROLECITHA.

rinectes Corkum, K. C., 1961, 370-372, fig. 1 (Trinectes maculatus; urinary bladder; Barataria Bay, Louisiana). 1961: PHYLLODISTOMUM.

ringae Brandes, G. P. H., 1892b, 507, 508. 1892: MONOSTOMA. 1902: HAEMATOTREPHUS. 1911: CYCLOCOELUM. 1924: CORPOPYRUM.

ringae Capron, A.; Deblock, S.; & Biguet, J., [1958a], 378, 385-387, 389, 391, figs. 5-6. [1958]: MICROPHALLUS.

ringae Layman, E. M., 1926d, 61, 71-72, fig. 1. 1926: PACHYTREMA.

ringae Oshmarin, P. G., 1963b, 79-80, figs. 32. 1963: LEVINSENIELLA bucephalae.

ringae Yamaguti, S., 1939d, 209, pl. 18, fig. 22 [lapsus for pendula Looss, 1899]. 1939: STEPHANOPRORA.

ringae helveticae Rudolphi, C. A., 1819a, 120. 1819: DISTOMA.

rinidadi Gupta, S. P., 1962c, 74-75, fig. 2 (Chelone mydas; intestine; Caribbean Sea). 1962: NEOCTANGIUM.

rioctorenalis Dobrovolny, C. G., 1939b, 123, 144, 145, 151-152, pl. 3, fig. 38. 1939: CERCARIA.

RIONCHUS MacCallum, G. A., 1916c, 16-18 (tod: T. dasybatis).

riophthalmia Faust, E. C., 1930h, 148-149, pl. 25, figs. 4, 4a-d. 1930: CERCARIA.

rioxonis Akhmerov, A. K., 1952a, 189, 190, 210, fig. 4 (e). 1952: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 43).

RIPATHIA Yamaguti, S., 1963a, 249 (tod: T. chorinemi (Tripathi, 1956)).

ripathii Motwani, M. P.; & Srivastava, C. B., 1961a, 96-98, 99, fig. 2. (Bagarius bagarius; urinary bladder; Allahabad, U. P.). 1961: PHYLLODISTOMUM.

ripathii Price, E. W., 1961, 129 (n. n. for Mazocraes orientalis Tripathi not Chauhan). 1961: MAZOCRAES.

ripathii Yamaguti, S., 1963a, 256 (n. n. for Axine hemirhamphae Tripathi, 1959 (nec Unnithan, 1957)). 1963: AXINE.

ripathii Yamaguti, S., 1963a, 31 (n. n. for Dactylogyrus macracanthus Tripathi, 1959 (nec Wegener, 1910)). 1963: DACTYLOGYRUS.

ripes Bosc, L. A. G., [1802a], 227. See also tripos. [1802]: CERCARIA.

RIPLOSTOMUM Lutz, A., 1928a, 118, 119.

RIPOS Bory de Saint-Vincent, G. J. B. M., 1923a, 356, genus of cercarées).

ripos Mueller, O. F., 1776a, 206. 1776: CERCARIA.

ripunctata Ercolani, G. B., 1881e, 23-25, pl. 1, figs. 27-28. 1881: CERCARIA.

ripus Gmelin, J. F., [1790a], 3892, for tripos. [1790]: CERCARIA.

triradiatus Manter, H. W.; & Van Cleave, H. J., 1951a, 332-333, 337, 340, pl. 13, figs. 15-16. 1951: DIPLANGUS.

triserialis Diesing, K. M., 1839a, 234-235, pl. 15, figs. 23-25. 1839: NOTOCOTYLUS (type). 1850: NOTOCOTYLE. 1860: MONOSTOMA. 1951: NOTOCOTYLUS (NOTOCOTYLUS).

triserialis dafilae (Harwood, P. D., 1939a, 422, 428-429, 436, 437, pl. 1, figs. 6-7). 1951: NOTOCOTYLUS.

trisimilitubis Southwell, T., 1913b, 92-95, pl. 8, figs. 9-11, pl. 9, fig. 12. 1913: ISOPARORCHIS.

trisolenata Faust, E. C., 1917a, 118-119, fig. 6. 1917: CERCARIA.

trispina Unnithan, R. V., 1964b, 162-165, figs. 7-10 (Dussumieria acuta; gills; Trivandrum (south west coast of India)). 1964: MAZOCRAES.

tristephanum McFarlane, S. H., 1936a, 335, 340, 343-344, figs. 2 a-b. 1936: STEPHANOSTOMUM.

TRISTOMA Cuvier, G., 1817a, 42-43 (mt: T. coccineum).

TRISTOMELLA Guiart, J., 1938b, 4, 7, 10-11 (tod: T. grimaldii).

TRISTRIATA Belopol'skaia, M. M., in Skrjabin, K. I., 1953c, 10, 14, 18, 132 (tod: T. anatis).

tritentacularis Srivastava, C. B., 1963a, 36, 38, 39, 40, fig. 2 (Bagarius bagarius; intestine; Allahabad, India). 1963: BUCEPHALUS.

TRITESTIS Price, E. W., 1936b, 11 (tod: Monocotyle ijimae (Goto)).

trituba Pratt, I.; & Aldrich, L. E., 1953a, 535-537, pl., figs. 1-6. 1953: MEGALOCOTYLE.

trituri Grabda, B., 1959a, 17-21. 1959: ASTIOTREMA.

trituri Holl, F. J., 1928c, 180-181, figs. 7-9. 1928: BRACHYCOELIUM.

trituri Kelley, R. S., 1934a, 202, 203-206, 208, 209, pl. 1, figs. 1-5. 1934: DIPLOSTOMULUM.

trivesicata Sinitsin, D. F., 1911a, 21-22, 37, 66, 88, 89, fig. 8a, pl. 3, figs. 43-44. 1911: CERCARIA.

TRIVITELLINA Johnston, T. H.; & Tiegs, O. W., 1922a, 84, 85, 89 (tod: T. subrotunda).

trivolvis Cort, W. W., 1914, 74, 75, fig. 6. 1914: CERCARIA. 1934: ADOLESCARIA.

TROCHOPELLA Euzet, L.; & Trilles, J. P., 1962a, 216-220 (tod: T. candida).

TROCHOPUS Diesing, K. M., 1850a, 290, 428 (mt: T. longipes).

TROCOPUS Saint-Loup, R., [1895a], fig. 128, for TROCHOPUS.

TROGLOTREMA Odhner, T., 1914c, 232, 236-238, 239, 241, 242, 243.

troncatum Perroncito, E., 1882a, 284, for truncatum. 1882: DISTOMA.

troosti MacCallum, G. A., [1919c], 107-109, fig. 52. [1919]: POLYSTOMA.

tropai Tendeiro, J.; & Valdez, V., 1955b, 138, 139-142, 143, 144, fig. 7, pl., figs. 5-6. 1955: ERPOCOTYLE.

·opicum Caballero y C., E.; Zerecero y C., M. C.; & Grocott, R. G., [1957a], 420-424, 425, figs. 4-6. [1957]: CHELONIOTREMA (tod).

·opicum Manter, H. W., 1940a, 326, 371-373, 446, 448, 449, 470-471, pl. 37, figs. 44-45. 1940: COITOCAECUM. 1947: OZAKIA.

·opicum Manter, H. W., 1940a, 327, 443-445, 447, 496, 497, pl. 50, figs. 134-136. 1940: PSETTARIUM. 1958: CARDICOLA.

·opicus Manter, H. W., 1936b, 33, 36-37, fig. 2. 1936: DEROGENES. 1954: GENARCHELLA. 1955: HALIPEGUS.

·opicus Manter, H. W., 1940a, 326, 406-407, 484, 485, pl. 44, figs 92-94. 1940: TELOLECITHUS. [1954]: PRISTISOMUM.

·opidonoti MacCallum, G. A., [1919b], 96-97, fig. 51. [1919]: DISTOMA. 1938: ALLOPHARYNX.

·opidonotis Vidyarthi, R. D., 1937d, 549-552, fig. 1937: PROALARIOIDES. 1942: TRAVASSOSSTOMUM.

ROYLOTREMA Galli-Valerio, B., 1940b, 356, for Troglotrema.

·uitta Bosc, L. A. G., [1802a], v. 1, 274, for truttae. [1802a]: FASCIOLA.

·ulla Linton, E., 1907e, 109, 125, pl. 11, fig. 79. 1907: DISTOMA. 1910: LEPOCREADIUM.

·ullaeformis Gusev, A. V., 1955b, 211-212, 214, 215, 216, 369, 370, 394, 397, fig. 12. 1955: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 43).

·ullaforme Linton, E., 1940a, 88-91, pl. 6, figs. 53-56. 1940: LEPOCREADIUM.

·uncata Abildgaard, P. C. in Mueller, O. F., 1806a, 35, pl. 151, fig. B1-3. 1806: FASCIOLA. 1814: DISTOMA. ?1949: PLAGIORCHIS.

·uncata Diesing, F. M., 1850a, 422. 1850: OCTOCOTYLE. 1858: OCTOPLECTANUM.

·uncata Goto, S., 1894a, 191-192. 1894: MICROCOTYLE. 1959: YAMAGUTICOTYLA (tod).

·uncata Linton, E., 1910b, 17, 20, 78, 97, pl. 25, figs. 214-215, pl. 26, fig. 216. 1910: GENOPLA [for Genolopa]. 1940: PROCTOTREMA. 1959: LASIOTOCUS.

·uncata Linton, E., 1940a, 62-63, pl. 3, figs. 21-22. 1940: LEBOURIA. [1954]: PLAGIOPORUS [(PLAGIOPORUS)]. 1958: PLAGIOPORUS (PLAGIOPORUS).

·uncatulae Fain, A., 1953e, 21, 27, 40, 54, 63, 64-66, 242, 243, pl. II, figs. 2-3. 1953: CERCARIA.

·uncatum Ercolani, G. B., 1859a, 382. 1859: DISTOMA. [D. truncatum (Rudolphi)].

·uncatum Kobayashi, H., 1915c, 109-112, 116, 258, 263, 272, 370, pl., figs. 1-4, pl., fig. 1. 1915: MICROTREMA.

·uncatum Leuckart, F. S., 1842a, 34-35, pl. 1, figs. 8 a-b. 1842: DISTOMA. 1931: NEPHROTREMA.

·uncatum Nahhas, F. M.; & Cable, R. M., 1964a, 189, 191, pl., fig. 21 (syn.: Lepocreadium sp. Siddiqi & Cable, 1960) (Ocyurus chrysurus; intestine; Curaçao). 1964: LEPOCREADIUM.

truncatum Rudolphi, C. A., 1819a, 91, 359-360, 783. 1819: AMPHISTOMA. 1885: DISTOMA. 1893: DISTOMA (BRACHYLAIMUS). 1894: DISTOMA (DICROCOELIUM). 1896: OPISTHORCHIS. 1899: METORCHIS. 1908: PSEUDAMPHISTOMUM (type). 1940: PSEUDAMIDOSTOMUM [lapsus]. 1960: PARAMPHISTOMUM (Lozanić, B., 1960a, 507).

truncatum Sogandares-Bernal, F., 1959b, 73, 76, 77, 115, pl., fig. 10. 1959: LEPIDAPEDON.

truncatum lutrae Dollfus, R. P. F., 1936b, 520-522, figs. 1-2. 1936: PSEUDAMPHISTOMUM.

truncatum mustelae Skrjabin, K. I.; & Petrov, A. M., 1950a, 261, ? lapsus for truncatum lutrae. 1950: PSEUDAMPHISTOMUM.

truncatus Hargis, W. J., 1956b, 156, 157, 158-159, 162, figs. 5-9. 1956: AXINOIDES. 1957: CHLAMYDAXINE (tod).

truncatus Prudhoe, S., 1944b, 481-484, fig. 1. 1944: PLEUROGONIUS.

truncatus Verma, S. C., 1936e, 257-259, fig. 2. 1936: PROSORHYNCHUS.

truonis Dubois, G.; & Fain, A., 1956a, 18, 25-27, figs. 9-10. 1956: APATEMON. 1959: PSEUDOSTRIGEA.

truttae Diesing, K. M., 1858e, 356. 1858: DISTOMA.

truttae von Frölich, J. A., 1789a, 126, 127, pl. 4, figs. 16-17. 1789: FASCIOLA. [1809: Distoma laureatum].

truttae Lal, M. B., 1953a, 130-131, fig. 1953: DIPLOSTOMULUM.

truttae (intestinalis) Roederer, J. G., 1762a, 537. 1762: FASCIOLA. [1810: Ligula nodosa]. [1809: ?Echinorhynchus fusiformis]. [1905: ECHINORHYNCHUS].

trypherus Johnston, S. J., 1912a, 309-313, figs. 4, 5, 6, 43, 44, 45, 47. 1912: DOLICHOSACCUS.

tscherbakovi Petrov, A. M.; & Chertkova, A. N., 1960a, 307-308, 309, 310, 311, figs. 1-2. 1960: TETRASERIALIS.

tschookui Khalil, M., 1932h, 144, for taichui. 1932: HAPLORCHIS.

tschugunovi Isaichikov, I. M., 1927e, 118, 122-127, fig. 1927: APONURUS.

tsengi Ch'in, S. M., 1933b, 385-386, 392, fig. 8. 1933: PROSORHYNCHUS.

tsengi Long, S.; & Lee, W. C., 1964a, 569-570, 578, fig. 2 (Ochelobius elongatus; intestine; Taihu). 1964: RHIPIDOCOTYLOIDES (mt).

tsingkiangpuensis Hsü, H. F.; & Chow, C. Y., 1938d, 441, 443-445, 450, pl. 1, fig. 2, pl. 2, fig. 3. 1938: OPISTHORCHIS.

tuanshanensis Chung, H. L.; Ho, L. Y.; Cheng, L. T.; & Ts'ao, W. C., 1964a, 641, 642-649, 652, 653, 654, 655, 656, 657, 658, figs. 1, 2-13, 13A, 14-20, 24, 37 A-H (Peking cat, puppies, leopard (all exper.), Tricula gregoriana, Potamon; Yunnan Province, China). 1964: PARAGONIMUS.

tuba Braun, J. F. P., (1805a), 49, pl. 5, figs. 5-8. (1805): HIRUDO.

tuba von Linstow, O. F. B., 1878a, 228, fig. 12. 1878: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 44).

TUBANGORCHIS Skrjabin, K. I., 1944c, 299.

UBANGUIA Srivastava, H. D., 1935g, 84 (mt: Haplorchis anguillarum Tubangui, 1933).

barium Rudolphi, C. A., 1819a, 111-112, 410. 1819: DISTOMA. 1926: APHALLUS (tod).

beculata Lutta, A. S., 1934a, 278, for tuberculata. 1934: CERCARIA.

berculata de Filippi, F., 1857c, 8-9, pl. 2, figs. 19-20. 1857: CERCARIA. 1858: CERCARIA (GYMNOCEPHALA). 1961: PSILOTREMA (Kupriianova-Shakhmatova, R. A., 1961a, 141, 142, fig. 11 (syn.: Cercaria tuberculata Fil., 1857, P. spiculigerum (Mühl., 1898), Distomum spiculigerum Mühl., 1898, & Psilostomum spiculigerum Looss, 1899) (Bithynia tentaculata; central Volga Provinces)).

uberculatum Cobbold, T. S., 1875n, 819. 1875: AMPHISTOMA. 1911: PARAMPHISTOMUM.

uberculatum Denton, J. F.; & Byrd, E. E., 1951a, 166, 167-168, 200, fig. 35 f-h. 1951: BRACHYLECITHUM.

uberculatum Zavadovskii, M. M., 1926b, 199-212, figs. 1, 20. 1926: DISTOMA (ASTACOTREMA). 1938: ASTACOTREMA.

uberculatusi Premvati, 1954a, 43-45, figs. 1-2. 1954: CERCARIA.

uberistoma Faust, E. C., 1917a, 123, fig. 9. 1917: CERCARIA.

ubicirrus Paperna, I.; & Kohn, A., 1964a, 246, 247-248, figs. 4-6 (Sargus annularis; gills; Israel coast). 1964: MICROCOTYLOIDES.

ubiporum Braun, M. G. C. C., 1900f, 388-390. 1900: DISTOMA. 1928: LIMATULA. 1942: MAXBRAUNIUM (tod).

ubiporum Diesing, K. M., 1836a, 14-15, pl. 1, figs. 14-16. 1836: TRISTOMA. 1840: CAPSALA. 1964: TROCHOPUS (type).

ubulatum Rudolphi, C. A., 1819a, 675-676. 1819: DISTOMA. 1926: PHYSOCHOERUS (tod, mt).

ubulovagina Yamaguti, S., 1968, 15, 92-93, fig. 68 (Monogenetic trematodes of Hawaiian fishes) (Zanclus canescens; gills; Hawaii). 1968: HALIOTREMA.

UBULOVESICULA Yamaguti, S., 1934a, 252, 474-475 (tod: T. spari).

uckerensis Miller, H. M., 1925c, 16, 17, 18, 19. 1925: CERCARIA.

udes Cordero, E. H., 1944a, 1, 9-13, English abstract, 5, figs. 6-11. 1944: NEOERPOCOTYLE. 1956: SQUALONCHOCOTYLE. 1963: ERPOCOTYLE (Yamaguti, S., 1963a, 306).

UGUMAEA Travassos, L. P., 1934c, 63-64, for Tagumaea [corrected in errata between pp. 32-33].

ulipoides Miller, G. C.; & Harkema, R., 1965a, 21-23, figs. 1-5 (Buteo lineatus; small intestine; Hertford County, North Carolina). 1965: PARASTRIGEA.

UMACLINOSTOMUM van der Kuyp, T., 1953a, 332 (mt: T. multicaecum).

umidulum Dubois, G., 1936a, 513. 1936: PROTERODIPLOSTOMUM.

umidulum Rudolphi, C. A., 1819a, 95, 369. 1819: DISTOMA. 1901: ALLOCREADIUM. 1909: LEBOURIA. 1934: PLAGIOPORUS. 1934: PERACREADIUM. 1958: PLAGIOPORUS (PLAGIOPORUS).

tumidus Ingles, L. G., 1932b, 199-201, figs. 4, 6. 1932: HAEMATOLOECHUS. 1939: HAEMATOLOECHUS (HAEMATOLOECHUS). 1962: PNEUMONOECES (Skrjabin, K. I.; & Antipin, D. N., 1962a, 114).

tumidus Kossack, W. F. K., 1911a, 536. 1911: HYPTIASMUS.

tuniforka Premvati, 1954a, 48-50, figs. 4-5. 1954: CERCARIA.

turanicus Solov'ev, P. F., 1912b, 88, 94-100, figs. 7-8. 1912: UROGONIMUS. 1925: LEUCOCHLORIDIUM.

turbo Mueller, O. F., 1786a, 123-124, pl. 18, figs. 13-16. 1786: CERCARIA. [1827: UROCENTRUM (type)].

turcestanicum Sprehn, C. E. W., 1930s, 260, for turkestanicum. 1930: SCHISTOSOMA.

turchinii Euzet, L.; & Trilles, J. P., 1960a, 504-508, figs. 1-3. 1960: OCTOLABEA (mt).

turdi Rudolphi, C. A., 1819a, 120. 1819: DISTOMA. [1850: D. mesostomum, D. nephrocephalum].

turdi Yamaguti, S., 1939d, 130, 184-185, 209, pl. 26, fig. 53. 1939: LEUCOCHLORIDIUM. 1952: UROGONIMUS.

turdi Yamaguti, S., 1939d, 130, 181-182, 208, pl. 13, fig. 6. 1939: OSWALDOIA.

turdia Ku, C. T., 1938a, 129-130, fig. 1. 1938: OSWALDOIA. 1944: LYPEROSOMUM. [1954: DICROCOELIOIDES]. 1964: ZONORCHIS (Jaiswal, G. P. , 1964a).

turgidum Brandes, G. P. H., 1889b, 247 - 251, pl. 17, figs. 2-3. 1889: DISTOMA. 1899: BRANDESIA (type).

turgidus Leigh, W. H., 1958b, 100-102, pl. I, figs. 1-4. 1958: CARNEOPHALLUS. 1963: MICROPHALLUS (Belopol'skaia, M. M., 1963c, 340).

turicensis Meyer, P. O.; & Dubois, G., 1954a, 82, 88-90, figs. 1-6. 1954: CERCARIA.

turkensis Coil, W. H.; & Kuntz, R. E., 1958a, 62, 63, pl., fig. 1. 1958: MACYELLA.

turkestanicum Kurova, O. A., 1927a, 114, 120-123, 128, pl. 9, fig. 5, pl. 10, fig. 6. 1927: ECHINOSTOMUM.

turkestanicum Layman, E. M., 1926d, 64, 68, fig. 3. 1926: LYPEROSOMUM transversogenitalis. 1940: BRACHYLECITHUM transversogenitalis.

turkestanicum Skrjabin, K. I., 1913f, 339-344, pl., figs. 1-2. 1913: ORCHIPEDUM.

turkestanicum Skrjabin, K. I., 1913g, 457-468, pls. 15-16. 1913: SCHISTOSOMUM. 1929: ORNITHOBILHARZIA. [1957]: ORIENTOBILHARZIA.

turkestanicus Gavrilova, N. G.; Gusev, A. V.; & Dzhalilov, U. D., 1965a, 134, 135, 136, figs. 2-3 (Capoetobrama kuschakewitschi; Vakhsh River, Syr-Dar'ia river, Kaĭrak-Kumskoe reservoir). 1965: DACTYLOGYRUS.

turritellae Hutton, R. F., 1955a, 249-255, figs. 1-2. 1955: CERCARIA.

tursionis Marchi, P., 1873a, 304, pl. 5, fig. B. 1873: DISTOMA. 1896: DISTOMA (DICROCOELIUM). [DISTOMA (DICROCOELIUM) longissimum). 1923: FASCIOLOPSIS. [1926: ORTHOSPLANCHNUS (Odhner, T., 1926a, 4-5)]. 1932: ORTHOSPLANCHNUS. 1932: SYNTHESIUM.

turusigi Yamaguti, S., 1939d, 129, 132-133, 208, pl. 12, fig. 1. 1939: CYCLOCOELUM.

uticorina Thapar, G. S., 1964a, 75-81, figs. 2-3, pl., fig. 1 (Aurelia sp.; Tuticorin, South India). 1964: CERCARIA.

uvensis Sergeeva, T. P.; & Krasnolobova, T. A., 1963a, 91-92, 94, fig. 1 (Sterna hirundo; large intestine; Tuva). 1963: GALACTOSOMUM.

ygarti Talbot, S. B., 1933a, 520, 530, 534-538, 542, 543, 544, figs. 9, 13, 20-21. 1933: LECHRIORCHIS.

'YLODELPHIS Pagenstecher, H. A., 1857a, 38, pl. 4, fig. 7, for Tylodelphys.

'YLODELPHUS Krøyer, H. N., 1838-40a, 579.

'YLODELPHYS Diesing, K. M., 1850a, 287, 304-305 (type: T. clavata).

ylognathi Paperna, I., 1961a, 16-17, 24, 26, figs. 7-8 (Tylognathus steinitziorum, Garra rufus; Lake of Galilee). 1961: DACTYLOGYRUS.

ylogonium Manter, H. W., 1954b, 476, 513, 519-520, 563, fig. 43. 1954: COITOCAECUM.

ylosuri MacCallum, G. A., 1917b, 55-58, fig. 25. 1917: DIPLECTANUM. 1922: ANCYROCEPHALUS.

ylosuri Yamaguti, S., 1938f, 15, 37-39, 72, pl. 5, figs. 31-34. 1938: AXINE (AXINOIDES) (tod of subg.). 1946: AXINOIDES (tod).

'YLOSURICOLA Unnithan, R. V., 1964a, 241, 243, 245 (tod: T. panikkari).

ylosuris Ozaki, H.; & Ozaki, Y., 1952a, 85-90, figs. 1-3. 1952: BUCEPHALOPSIS.

'YMPANOCIRRUS Tripathi, Y. R., [1959a], 65, 67, 68, 70 (tod: T. spirophallus).

ympanotoni Ito, J., 1956c, 223, 224, 231-233, figs. 8-11. 1956: CERCARIA.

yosenense Yamaguti, S., 1939d, 130, 155-156, 209, pl. 20, fig. 31. 1939: ACANTHOPARYPHIUM.

'YPHLOCOELUM Stossich, M., 1902g, 9, 30-32 (tod: T. flavum).

'YPHLOGASTER Houdemer, F. E., 1927a, 198 (? lapsus for Thylogaster Stiles & Goldberger).

'YPHLULTIMUM Witenberg, G. G., 1923b, 85, 93, 99, 129, 131, 133 (mt: T. sarcidiornicola).

ypica Diesing, K. M., 1858e, 366. 1858: TETRACOTYLE. 1919: CERCARIA (TETRACOTYLE).

ypica Gusev, A. V.; & Strelkov, I. A., [1961a], 221-223, fig. 16. [1961]: ANCYLODISCOIDES curvilamellis.

ypica Gusev, A. V.; & Strelkov, I. A., [1961a], 226-227, 229-231, fig. 21A. [1961]: ANCYLODISCOIDES lingmoeni.

'YPICA Layman, E. M., 1933b, 77, pl. 1, figs. 8-10. 1933: CREPIDOSTOMUM baicalensis.

ypicum Nicoll, W., 1912e, 198-200, pl. 9, fig. 1. 1912: ANCYLOCOELIUM (type). 1931: ANCYLOCLADIUM [? lapsus].

ypicum Winfield, G. F., 1929a, 81-87, pl. 8, figs. 1-10. 1929: PLESIOCREADIUM (mt). 1932: MACRODEROIDES.

typicus Johnston, T. H.; & Tiegs, O. W., 1922a, 113-114, pl. 21, figs. 74, 78, 78a. 1922: LAMELLODISCUS (tod).

typicus Odhner, T., 1911g, 104, fig. 1911: HAPLOCLADUS (tod). [1954]: MONASCUS.

TYPLOPHILUS Lal, M. B., 1936c, 45-51, figs. 1-3 (tod: T. shovellus).

tytense Patwardhan, S. S., 1935d, 25-27, fig. 3. 1935: NEODIPLOSTOMUM.

ubiquita Lebour, M. V., 1907a, 439, 440, 444-445, pl. 9, figs. D-E. 1907: CERCARIA.

ubiquitensis Palombi, A., 1940a, 7, 10-13, 29, figs. 2-3. 1940: CERCARIA.

ubiquitoides Stunkard, H. W., 1932c, 321, 334, 335, 336-337, fig. 6. 1932: CERCARIA.

uca Sarkisian, L. N., 1957a, 35-48, pls. 1-2, figs. 1-11. 1957: MARITREMA. 1963: MECYNOPHALLUS (Ching, H. L., 1963a, 883).

uchimii Fujita, T., 1920a, 105-108, pl. II, figs. 1-5. 1920: CREPIDOSTOMUM.

ucremium Brenes Madrigal, R. R.; Arroyo, G.; & Muñoz, G., 1966, 123-124, 130, pl., fig. 1 (Rev. Biol. Trop. Univ. Costa Rica, v. 14 (1)) (Icterus galbula; intestino grueso; Centro de Alajuela, Costa Rica). 1966: STOMYLOTREMA.

UDONELLA Johnston, G., 1835a, 487 (mt: U. caligorum).

udonensis Ito, J.; Papasarathorn, T.; & Tongkoom, B., 1962c, 251, 257-259, 266, fig. 6 (Indoplanorbis exustus; Udon Province, Thailand). 1962: CERCARIA.

UGANDOCOTYLE Näsmark, K. E. J., [1937a], 326, 445, 512 (mt: U. pisum).

uhlwormii Massino, B. G., 1927c, 108, 111, 113, fig. 4. 1927: PLAGIORCHIS. 1931: PLAGIORCHIS (PLAGIORCHIS). 1937: LEPODERMA (LEPODERMA). 1959: PLAGIORCHIS (PLAGIORCHIS) elegans.

uigurica Evranova, V. G. in Skrjabin, K. I.; & Evranova, V. G., [1953a], 206, fig. 76. [1953]: BRACHYLECITHUM. 1957: LYPEROSOMUM (BRACHYLECITHUM) (Jaiswal, G. P., 1957a, 18).

uitalica Gagarin, V. G., 1954a, 101, 106, 108, 109, figs. 22, 22a. 1954: ECHINOSTOMA.

uku Yamaguti, S., 1965, 55, 60-61, fig. 3 (Pacific Science, v. 19 (1), Jan.) (Aprion virescens; gill; Hawaii). 1965: PSEUDONITZSCHIA (tod).

ulari Gvozdev, E. V., 1953a, 176, 177-178, fig. 2. 1953: CORRIGIA.

ularicum Kuraschvili, B. E., 1956c, 110-112, 140, fig. 1. 1956: POSTHARMOSTOMUM.

uluri Kasimov, G. B., 1956b, 278. 1956: POSTHARMOSTOMUM gallinum.

umadasi Saksena, J. N., 1960a, 83-85, fig. 1 (Clarias magur; intestine; Raipur, India). 1960: ORIENTOCREADIUM.

umbellus Van Cleave, H. J.; & Mueller, J. F., 1932a, 21-25, pl. 3, figs. 1-3. 1932: NEOCHASMUS (tod).

umbilicatum Travassos, L. P.; Teixeira de Freitas, J. F.; & Bührnheim, P. F., 1965, 49-51, fig. 1 (Atas Soc. Biol. Rio de Janeiro, v. 9 (4), Sept. 30) (Oxylabrax undecimalis; intestine; Estado do Espirito Santo, Brasil). 1965: ACANTHOCOLLARITREMA (tod).

umblae Fabricius, O., 1780a, 329. 1780: FASCIOLA. 1803: DISTOMA.

umbonatum Odhner, T., 1902e, 21-22. 1902: ECHINOSTOMA.

nbrae Wu, K., 1938b, 7 [nomen solum]. 1938: PHYLLODISTOMUM.

nbraensis Mizelle, J. D., 1938b, 466-467, 469, figs. 15-21. 1938: UROCLEIDUS. 1938: ONCHOCLEIDUS.

nbratilis Kimpel, H. G., 1939a, 3 [nomen nudum]. 1939: NEODACTYLOGYRUS. 1955: DACTYLOGYRUS.

nbrinae Manter, H. W.; & Van Cleave, H. J., 1951a, 322-323, 337, 340, pl. 12, figs. 8-9. 1951: PSEUDOPECOELUS.

nbrinae Stossich, M., 1885b, 159, pl. 4, fig. 18. 1885: DISTOMA. 1905: ALLOCREADIUM.

nbrinum Tripathi, Y. R., 1957a, 5, 12-13, figs. 18-20. 1957: DIPLECTANUM.

nhlotia Porter, A., 1938a, 4, 8, 201-203, 464, pl. 19, figs. 2-3. 1938: CERCARIA.

nhlotuzana Porter, A., 1938a, 6, 9, 338-339, pl. 53, fig. 5. 1938: CERCARIA.

nigarasu Yamaguti, S., 1939d, 130, 191-192, 210, pl. 28, fig. 64. 1939: RENICOLA.

nvuna Porter, A., 1938a, 5, 9, 303-307, pl. 44, figs. 1-4, pl. 45, figs. 1-2. 1938: CERCARIA.

ami Peláez, D.; & Cruz Lozano, F., 1953a, 272, 276-280, figs. 17-22. 1953: ACANTHOSTOMUM.

catum Dietz, E., 1909b, 12. 1909: ECHINOSTOMA.

ciforme Rudolphi, C. A., 1819a, 674, 793. 1819: AMPHISTOMA. 1888: HOLOSTOMUM. 1928: STRIGEA.

cinata Diesing, K. M., 1850a, 412, lapsus for uncinulata. 1850: FASCIOLA.

cinatum Braun, M. G. C. C., 1890a, 511, 538, 548, 552, for uncinulatum. 1890: POLYSTOMA.

cinatum Monticelli, F. S., 1889h, 117-118, pl. 4, figs. 1-7. 1889: TRISTOMA. 1929: CAPSALA.

cinatum Zeder, J. G. H., 1803a, 221. 1803: DISTOMA. 1860: ECHINOSTOMA. [1892: E. cinctum].

cinatus Wagener, G. R., 1857a, 98, pl. 13, fig. 2. 1857: DACTYLOGYRUS.

cinulata Braun, M. G. C. C., [1790a], 58-61, pl. 3, figs. 1-3. [1790]: PLANARIA. [1790]: FASCIOLA.

cinulatum Macé, E., 1880a, 66, 74-75, 88, pl. 1, figs. 4-5. 1880: POLYSTOMA.

NCIOLA Rafinesque [Rafinesque-Schmaltz], C. S., 1815a, 151.

decima Faust, E. C., 1924e, 291. 1924: CERCARIA.

decima Sudarikov, V. E. in Skrjabin, K. I., 1947a, 273-274. 1947: RENICOLA.

dulans Mödlinger, G., 1934b, 58, 59, fig. 3. 1934: CERCARIA.

dulans Steen, E. B., 1938b, 201-206, figs. 1-3. 1938: PHYLLODISTOMUM.

dulatus Canavan, W. P. N., 1934a, 117, 118-119, fig. 1. 1934: ALLOPYGE. 1948: CYCLOCOELUM (PSEUDHYPTIASMUS. 1958: MORISHITIUM.

undulatus Looss, A., 1899b, 594, 711-712, figs. 32-34. 1899: CYMATOCARPUS

unexpecta Chin, T. H., 1963a, 397-398, 401, 402, figs. 1-2 (Rana nigromaculata; urinary bladder; Kweiyang, China). 1963: GORGODERA (EXTREMODERA).

unguicolatus Monticelli, F. S., 1888a, 90, for unguiculatus. 1888: TETRAONCHUS.

unguiculatum Rudolphi, C. A., 1819a, 91, 360, 793. 1819: AMPHISTOMA. 1836: DIPLODISCUS.

unguiculatus Wagener, G. R., 1857a, 61, 62, 64, 65. 1857: DACTYLOGYRUS. 1858: TETRAONCHUS.

unguis Mizelle, J D.; & Cronin, J. P., 1943a, 204-205, 216, pl. 1, figs. 55-64. 1943: ACTINOCLEIDUS. 1956: CLAVUNCULUS.

unibulbosum Ozaki, Y., 1929a, 77, 86-88, 89, fig. 6. 1929: COITOCAECUM. 1933: OZAKIA.

UNICAECUM Stunkard, H. W., 1925b, 317 (mt: U. ruszkowskii).

unicirrus Tripathi, Y. R., [1959], 23, 39-41, 59, fig. 19. [1959]: ANCYROCEPHALUS.

unicopula Glukhova, V. M., 1955a, 36-38, fig. 1955: GYRODACTYLUS.

unicum Looss, A., 1896b, 44-49, pl. 3, figs. 20-24. 1896: DISTOMA.

unicum Molin, R., 1859f, 835-837, pl. 3, fig. 1. 1859: DISTOMA. 1886: DISTOMA (PODOCOTYLE).

unicum Odhner, T., 1902b, 66. 1902: PHYLLODISTOMUM. 1953: PHYLLODISTOMUM (PHYLLODISTOMUM).

unicum Szidat, L., 1936a, 313, 314, figs. 18-19. 1936: PSEUDHEMISTOMUM.

unicus Szidat, L., 1943a, 51-52, 55, 58-59, figs. 18, 24h, 25c. 1943: PALAEORCHIS.

uniformis Mizelle, J. D., 1936a, 792, 794-795, fig. 5. 1936: CLEIDODISCUS.

unii Kupriianova-Shakhmatova, R. A., 1961b, 197 (nomen nudum) (Unio pictorum; Middle Volga). 1961: CERCARIA.

UNILATERILECITHUM Oshmarin, P. G. in Skrjabin, K. I.; & Evranova, V. G., [1953a], 544 (mt: U. beloussi).

UNILATUS Mizelle, J. D.; & Kritsky, D. C., 1967, 1113-1114 (J. Parasitol., v. 53 (5), Oct.) (tod: U. unilatus).

unilatus Mizelle, J. D.; & Kritsky, D. C., 1967, 1113-1114, figs. 1-8 (J. Parasitol., v. 53 (5), Oct.) (Plecostomus sp.; gills; Amazon River Basin, Brasil). 1967: UNILATUS (tod

uniplexus Harwood, P. D., 1932b, 18-19, 65, pl. 2, fig. 1. 1932: HAEMATOLOECHUS. 1939: HAEMATOLOECHUS (OSTIOLUM). 1962: PNEUMONOECES (Skrjabin, K. I.; & Antipin, D. N., 1962a, 116).

uniporus Ozaki, Y., 1924b, 173, 176, 178-180, 188, 191, 192, 193, 201, fig. 1, pl., figs. 3, 8. 1924: PROSORHYNCHUS. 1931: SKRJABINIELLA.

UNISERIALIS Beverley-Burton, M., 1958a, 412, 413, 414 (tod: U. gippyensis).

UNITUBULOTESTIS Yamaguti, S., 1953c, 258, 291, 293 (tod: U. carangis).

univaginalis Ramalingam, K., 1960a, 352-353, fig. 2. 1960: KANNAPHALLUS.

NNITHANAXINE Price, E. W., 1962, 2, 8-9 (tod: U. parawa (Unnithan, 1957)).

papai Chatterji, P. N., 1952a, 73-76, fig. 1952: PLATYNOTREMA. 1958: EUPARADISTOMUM (spelled upupai).

penei Yamaguti, S., 1953b, 203, 214-215, 255, pl. II, fig. 5. 1953: HALIOTREMA.

penoidis Nagaty, H. F., 1954a, 368, pl., fig. 4. 1954: OPECOELUS. 1966: PAROPECOELUS (Pritchard, M. H., 1966b, 182).

pupae Schrank, F. von P., 1790a, 123. 1790: FASCIOLA. [1809: Distoma involutum].

pupae Shtrom, Z. K., 1940a, 193-194, 216, 220, fig. 6. 1940: PLAGIORCHIS. [1959]: PLAGIORCHIS (MULTIGLANDULARIS).

ralensis Skrjabin, K. I., 1915k, 395, 396, 397, 400, 402-405, 409, pl. 6, fig. 2. 1915: ECHINOSTOMA.

ranoscopi Yamaguti, S., 1934a, 249, 274-275, figs. 10-11. 1934: BUCEPHALUS.

RAXINE Unnithan, R. V., 1957a, 32, 33, 37, 44, 77-78, 118 (tod: U. chura).

rayasensis Ogata, T., 1951a, 27-33, 34, figs. 9-13. 1951: MARITREMA (MARITREMINOIDES).

rbanensis Cort, W. W., 1914a, 65, 66, 67, 75, fig. 1. 1914: CERCARIA. 1922: NOTOCOTYLUS. 1931: NOTOCOTYLE.

rcatum Luehe, M. F. L., 1900u, 489, for furcatum. 1900: DISTOMA.

rceus Nasir, P.; & Acuña Cedeño, A., 1966, 96-97, figs. 1-2 (Proc. Helminth, Soc. Washington, v. 33 (1)) (Pomacea urceus; Territorio Delta Amacuro, Venezuela). 1966: CERCARIA.

reteroecetes Fischthal, J. H.; & Allison, L. N., 1940a, 34-35. 1940: ACOLPENTERON (mt).

riae Yamaguti, S., 1939d, 130, 172-173, 209, pl. 24, fig. 45. 1939: PSEUDOSPELOTREMA. 1953: MARITREMA.

rinae Simon, C. E., 1897a, 553. 1897: DISTOMA.

RINATREMA Yamaguti, S., 1934a, 251, 397, 401-404 (tod: U. hispidum).

rna Linton, E., 1910b, 18, 22, 47-48, 91, pl. 11, figs. 88-93. 1910: MESORCHIS (type). 1911: ANTORCHIS (type). 1926: STEPHANOPRORA.

rna Looss, A., 1907b, 485-486, fig. 5 a-b. 1907: LECITHODENDRIUM. [1919: MESODENDRIUM]. 1921: PARALECITHODENDRIUM. 1926: MESODENDRIUM. 1936: PROSTHODENDRIUM. 1948: LECITHODENDRIUM (LECITHODENDRIUM). 1955: PROSTHODENDRIUM (PROSTHODENDRIUM). 1960: ACANTHATRIUM (PROSTHODENDRIUM) (Etges, F. J., 1960c, 527).

rna loosii (Pande, B. P., 1935b, 88-89, 97, 98, fig. 1). 1955: PROSTHODENDRIUM (PROSTHODENDRIUM).

rniceps Schlotthauber, 1860a, 129. 1860: HOLOSTOMUM.

rnigerum Rudolphi, C. A., 1819a, 89, 356-357, 793. 1819: AMPHISTOMA. 1845: HOLOSTOMUM. [1850: Codonocephalus mutabilis (type)]. 1909: CODONOCEPHALUS.

ROCENTRUM Nitzsch, C. L., 1827a, 68 (mt: Cercaria turbo).

rocissae Yamaguti, S., 1939d, 130, 182-183, 208, pl. 17, fig. 19. 1939: LYPEROSOMUM.

UROCLEIDOIDES Mizelle, J. D.; & Price, C. E., 1964b, 579, 583 (tod: U. reticulatus).

UROCLEIDUS Mueller, J. F., 1934c, 366, 368-369 (tod: U. aculeatus (Van Cleave & Mueller, 1932)).

urocotyle Parona, C., 1899b, 90, fig. 1899: PLEORCHIS. 1905: DEROGENES.

UROGONIMUS Monticelli, F. S., 188a, 15, 92, 104 (tod: U. macrostomus).

urophyci Szidat, L., 1961a, 15, 26-27, fig. 18 (Urophycis brasiliensis; appendices pyloricae; Puerto Quequén, Provinz Buenos Aires). 1961: BUCEPHALUS.

UROPROCTINELLA Skrjabin, K. I.; & Gushanskaia, L. K., 1956a, 154, 158; 1957b, 602, 603, 637-638 (type: U. spinulosa).

uroproctoferum Sogandares-Bernal, F., 1959b, 84, 85, 86, 115, fig. 31. 1959: APOCREADIUM.

URORCHIS Ozki, Y., 1927a, 163 (tod: U. goro).

URORYGMA Braun, M. G. C. C., 1901g, 942 (mt: U. nanodes).

UROTOCUS Looss, A., 1899b, 654-656 (tod: U. rossittensis).

UROTREMA Braun, M. G. C. C., 1900f, 390-391 (mt: U. scabridum).

UROTREMATULUM Macy, R. W., 1933a, 247, 249 (tod: U. attenuatum).

UROTROMA Macy, R. W., 1933a, 252, for Urotrema.

uruguayensis Szidat, L., 1954a, 5, 7, 12-14, fig. 2. 1954: PROCAUDOTESTIS (tod).

uruguayensis Teixeira de Freitas, J. F.; & Lent, H., 1939c, 313-314, figs. 15-20. 1939: CATADISCUS.

urus Mueller, J. F., 1938b, 226, 230, 245, pl. 5, figs. 1-5. 1938: DACTYLOGYRUS. 1938: NEODACTYLOGYRUS.

usaquenensis Uribe Piedrahita, C., 1950a, 529-530, pl. 9, figs. 1-6, for ubiquitensis. 1950: CERCARIA.

ussuriensis Layman, E. M., 1930a, 67, 94-95, fig. 17. 1930: CREPIDOSTOMUM.

ussuriensis Oshmarin, P. G., 1963b, 68-70, fig. 27 (Sterna albifrons; intestine; Man'chzhursko-Iuzhno-Primorskii Okrug). 1963: GALACTOSOMUM.

ussuriensis Oshmarin, P. G., 1963b, 65-66, fig. 25 (Chlidonias leucoptera; renal tubule; Amursko-Ussuriiskii Okrug). 1963: RENICOLA.

utahensis Olsen, O. W., 1937d, 13-28, pls. 1-2, figs. 1-19. 1937: HAPLOMETRANA.

uteriposta Belopol'skaia & Ryzhikov in Belopol'skaia, M. M., 1963c, 268, 276, 462, 463, 464, figs. 137g, 223 (Numenius phaeopus; small intestine; Khabarovsk Krai). 1963: NUMENIOTREMA.

UTEROVESICULURUS Skrjabin, K. I.; & Gushanskaia, L. K., 1954a, 344, 476 (tod: U. hamati (Yamaguti, 1934)).

utriculata Lutz, A., 1933b, 366-367, 376, 394-395, 402, pl. 80, figs. 15-15a. 1933: DICRANOCERCARIA. 1935: CERCARIA.

UVITELLINA Witenberg, G. G., 1923b, 85, 99, 102, 104, 105, 120, 125, 126, 127 (tod: U. pseudocotylea).

VULER Yang, F. H., 1959a, 494, for Uvulifer.

VULIFER Yamaguti, S., 1934b, 544, 577-580 (tod: U. gracilis).

aalensis Porter, A., 1938a, 4, 8, 199-201, 203, 464, 470, pl. 19, fig. 1. 1938: CERCARIA.

acha Tripathi, Y. R., [1959a], 23, 34-35, fig. 16. [1959]: SILONDITREMA.

achi Tripathi, Y. R., [1959a], 23, 52-53, fig. 26. [1959]: HAPLOCLEIDUS.

achius Dayal, J., 1949a, 96-100, figs. 4-5. 1949: PHYLLODISTOMUM.

rachius Jain, S. L., 1958b, 450 (nomen nudum); 1959d, 162. 1959: UROCLEIDUS.

rachoni Richard, J., 1963a, 63-68, figs. 2-4, pl., fig. 1 (Ardeola ralloides; intestine, Corvus scapulatus; cloaque, Ardea cinerea; all from Madagascar). 1963: STOMYLOTREMA).

raga Szidat, L.; & Szidat, U., 1933a, 413, 414, 415, 416, 417, 418, 419, 421, figs. 1b, 2-3. 1933: CERCARIA.

ragans Ishii, N., 1936a, 781, 787-788, figs. 9-10. 1936: PSEUDAXINE. 1962: ALLOPSEUDAXINE (Price, E. W., 1962b, 299). 1967: ALLOPSEUDAXINOIDES (Yamaguti, S., 1968, 164 (Monogenetic trematodes of Hawaiian fishes).

ragans Leidy, J., 1850a, 304-309, pl. 43, figs. 2-16, Distoma helicis renamed. 1850: DISTOMA. 1855: CERCARIAEUM.

raginata Oshmarin, P. G., 1964a, 657, 659, 661, figs. 2-3 (Artamus fuscus; intestine; Viet-Nam). 1964: LATEROTREMA.

raginatum Brandes, G. P. H., 1888a, 64. 1888: HOLOSTOMUM. 1928: STRIGEA. 1933: GONGYLURA (type). 1938: TETRACOTYLE.

raginicola Dollfus, R. P. F., 1937b, 264-268, 272, figs. 4-7. 1937: PARONATREMA (mt).

raginispina Unnithan, R. V., 1961a, 113-117, 119, 120, 121, 122, 144, figs. 1-16 (Carangoides malabaricus; gills; Trivandrum & Neendakara, Kerala). 1961: HETEROMICROCOTYLA).

ragum Morishita, K., 1924b, 158-161, 163, pl. 20, figs. 1-5. 1924: CYCLOCOELUM. 1928: MORISHITIUM (tod).

raldefissa Lutz, A., 1919a, 154, pl. 41, figs. 67-68. 1919: DICRANOCERCARIA. 1926: CERCARIA.

raldeinflatum Stossich, M., 1883a, 114, pl. 1, fig. 4. 1883: DISTOMA. 1898: AGAMODISTOMA. [1899: Stephanostomum cesticillus]. 1911: ADOLESCARIA. 1940: STEPHANOSTOMUM.

raldemflatum Nicoll, W., 1907a, 69, for raldeinflatum. 1907: DISTOMA.

raldevaginatus Travassos, L. P., 1922f, 190. 1922: NUDACOTYLE.

ralenciae Pearse, A. S., 1920a, 31, 32, 44, fig. 6. 1920: WALLINIA (mt).

ralida Teixeira de Freitas, J. F., 1951b, 84-86, pl. 31, figs. 77-79, pl. 32, figs. 80-81, pl. 33, fig. 82, pl. 67, figs. 174-175, pl. 69, fig. 197. 1951: TANAISIA. 1958: TANAISIA (TAMERLANIA).

ralidum von Linstow, O. F. B., 1886a, 124-128, figs. 23-27. 1886: DISTOMA. 1892: DISTOMA (BRACHYLAIMUS).

validus Nicoll, W., 1911c, 677-681, pl. 27, figs. 1-5. 1911: LECHRIORCHIS. 1934: RENIFER. 1938: NEORENIFER. 1957: OCHETOSOMA.

VALLASIOPOS Tripathi, Y. R., [1959a], 113, ? for Vallisiopsis.

vallei Llewellyn, J., 1960a, 562, 563, 565, 569, 570, 571, 574, 577, 581, 582, 586, figs. 2, 9A-C, 17, 24, pl. 1, fig. 3. 1960: AMPHIBDELLOIDES.

vallei Monticelli, F. S., 1907a, 3, 4, 6, 7, 10, pl. 10, figs. 4-9. 1907: ENCOTYLLABE.

vallei Parona, C.; & Perugia, 1895b, 3-4, figs. 1895: PLACUNELLA. 1903: ANCYROCOTYLE (type).

vallei Stossich, M., 1896c, 129, fig. 2. 1896: DISTOMA.

vallei Stossich, M., 1899a, 3-4, figs. 6-8. 1899: ASPIDOGASTER. [1901: Lophotaspis adhaerens]. 1902: LOPHOTASPIS (type). 1902: AMPHISTOMA [probably lapsus].

VALLISIA Perugia, A.; & Parona, C., 1890a, 21 (mt: V. striata).

VALLISIOPSIS Subhapradha, C. K., 1951b, 162 (tod: V. contorta).

VALLISNIA Gamble, F. W., 1896a, 73, for Vallisia.

valvatae Ginetsinskaia, T. A., 1959a, 65, 73 [nomen nudum]. 1959: CERCARIA.

valvatae Lal, M. B., 1959a, 697-698, figs. 1-2. 1959: CERCARIA.

vanbenedeni Witenberg, G. G., 1923b, 85, 95, 99 (=Monostomum mutabile Zed. of van Beneden, 1858). 1923: PROMPTENOVUM.

van benedenii Parona, C.; & Perugia, A., 1890b, 64-65. 1890: TETRAONCHUS.

vanbenedenii Parona, C.; & Perugia, 1895b, 2. 1895: DACTYLOGYRUS. 1922: ANCYROCEPHALUS. 1949: HAPLOCLEIDUS.

vancleavei Agersborg, H. P. v. W. K., 1925a, 315-316. 1925: DIPLOSTOMUM. 1928: NEASCUS. 1937: POSTHODIPLOSTOMULUM.

vancleavei Manter, H. W., 1940a, 326, 416-417, 449, 486, 487, pl. 45, figs. 101-102. 1940: SIPHODEROIDES (mt).

vancleavei Mizelle, J. D., 1936a, 792, 795-796, 806, fig. 10. 1936: CLEIDODISCUS.

vancleavei Monaco, L. H.; & Mizelle, J. D., 1955a, 460, 465, 469, 475, pl., figs. 35-36. 1955: DACTYLOGYRUS.

vandenbroekae Dubois, G., 1966a, 19, 27-29, 51, 52, fig. 2 (Pernis apivorus; duodenum; Losser, Netherlands). 1966: STRIGEA.

van der horsti Ortlepp, R. J., 1935b, 51-58, figs. 1-6. 1935: CLINOSTOMUM.

vanderkuypi Fischthal, J. H.; & Kuntz, R. E., 1963g, 339, 341 (syn.: E. heterostomum (metacercaria) of van der Kuyp, 1953, nec Rudolphi, 1809) (Anabas testudineus; muscles). 1963: EUCLINOSTOMUM.

vanelli Rudolphi, C. A., 1819a, 87, 350. 1819: MONOSTOMA. 1948: HAEMATOTREPHUS (Uvitellina). 1950: UVITELLINA.

vanelli Yamaguti, S., 1935c, 159, 174-176, fig. 13. 1935: DIPLOSTOMUM.

vanelli Yamaguti, S., 1939d, 129, 141-142, 208, pl. 16, fig. 16. 1939: ECHINOPARYPHIUM recurvatum.

vanellicola Layman, E. M., 1922a, 570, 571, 572, fig. 2. 1922: LYPEROSOMUM. 1940: BRACHYLECITHUM. 1944: OLSSONIELLA. 1957: LYPEROSOMUM (BRACHYLECITHUM) (Jaiswal, G. P., 1957a, 17).

vaneyi Tseng, Shen, 1930b, 555, 558, 559, 560-561. 1930: PROSORHYNCHUS. [1932: DOLLFUSINA (tod) (spelled D. vannei)]. [1934: DOLLFUSTREMA (mt)]. 1937: DOLLFUSTREMA.

vanissima Africa, C. M., 1938b, 301-302, 307, pl. 2, figs. 1-4. 1938: HAPLORCHIS.

vannus Mizelle, J. D.; & Klucka, A. R., 1953a, 730-731, pl., figs. 87-93. 1953: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 44).

vanoverstraeteni Vercammen-Grandjean, P. H., 1960d, 50, 116, 134-135, pl. 51, figs. 332-336. 1960: CERCARIA.

varani Fischthal, J. H.; & Kuntz, R. E., 1964e, 233, 236-238, fig. 5 (Varanus salvator; stomach, lungs; Palawan Island, Philippines). 1964: MERISTOCOTYLE (mt).

varani Price, E. W., 1936d, 67, 68, fig. 18B. 1936: CYCLORCHIS.

varani Tubangui, M. A., 1931c, 420-422, pl. 1, fig. 2. 1931: EUPARADISTOMUM (tod). [1948: PLATYNOTREMA]. [1957]: PLATYNOTREMA.

varani madagascariensis Capron, A.; Deblock, S.; & Brygoo, E. R., 1961a, 3, 16, 50-51, 67, fig. 12 (Chamaeleo verrucosus, C. lateralis, C. pardalis; vésicule biliaire; all from Madagascar). 1961: EUPARADISTOMUM.

varanum Simha, S. S.; & Deshpande, P., 1964a, 24-25, figs. 1-2 (Varanus bengalensis; intestine; Hyderabad-India). 1964: ARTYFECHINOSTOMUM.

varanum Verma, S. C., 1930a, 302-312, figs. 1-10, pl. 31, figs. A-B. 1930: TREMIORCHIS.

varia Linton, E., 1910b, 17, 21, 65, 94, pl. 19, figs. 156-157. 1910: HAPLADENA (tod).

varia Nicoll, W., 1910d, 329, 333, 334. 1910: LEBOURIA. 1934: PLAGIOPORUS. 1958: PLAGIOPORUS (PLAGIOPORUS).

variabile Leidy, J., 1856b, 44. 1856: DISTOMA. 1903: RENIFER. 1910: PNEUMATOPHILUS (type). 1952: NATRIODERA.

variabile Nitzsch, C. L., 1819a, 400, pl. 4, figs. 11-16. 1819: HOLOSTOMUM. 1860: MONOSTOMA.

variabilis van den Broek, E., 1960a, 243-246, figs. 1-2. 1960: CATHAEMASIA.

variabilis Chandler, A. C., 1932c, 1-4, figs. 1-2. 1932: PROALARIA. 1937: DIPLOSTOMUM. [1945]: DIDELPHODIPLOSTOMUM.

variabilis Mizelle, J. D.; & Cronin, J. P., 1943a, 213-214, 216, pl. 2, figs. 39-46. 1943: UROCLEIDUS.

variabilis Mizelle, J. D.; & Webb, F. O., 1953a, 206, 211-212, 216, pl., figs. 27-49. 1953: TETRAONCHUS. [1959]: SALMONCHUS. 1963: TETRAONCHUS (SALMONCHUS).

variae McIntosh, A., 1932d, 34-36, 41, 52, fig. 2. 1932: LEUCOCHLORIDIUM.

varians Linton, E., 1940a, 163-166, pl. 24, fig. 331, pl. 25, figs. 332-340. 1940: GARGORCHIS (mt).

varians Mola, P., 1912b, 494 (? for varicus). 1912: DEROGENES.

varica Mueller, O. F., 1780a, 4, pl. 72. 1780: FASCIOLA. 1803: DISTOMA. 1899: HEMIURUS. 1901: DEROGENES.

varicans Abildgaard, P. C., 1793b, 89, pl. 3a, figs. 1-4. 1793: CERCARIA. 1850: CHEILOSTOMUM (type).

varicorhini Bykhovskii, B. E., [1958a], 112-114, 122, figs. 5-6. [1958]: DACTYLOGYRUS.

varicus Akhmerov, A. Kh., 1952a, 199, 200, 210, 211, figs. 6v, g, 7 a-b. 1952: ANCYLODISCOIDES.

varicus Manter, H. W., 1940a, 325, 335-337, 339, 448, 452, 460, 461, pl. 32, figs. 3-9. 1940: BUCEPHALUS.

varie Musselius, V. A., 1957a, 213, for variegata. 1957: TETRACOTYLE.

varieechinata Boscardi, F., 1947b, 105-111, figs. 1-5. 1947: METACERCARIA.

variegata Sinitsin, D. F., 1911a, 113. 1911: ADOLESCARIA.

variegatum Creplin, F. C. H., 1825a, 38-39, figs. 4-6. 1825: AMPHISTOMA. 1845: HOLOSTOMUM. 1909: STRIGEA. 1928: COTYLURUS. 1928: TETRACOTYLE.

variegatum Rudolphi, C. A., 1819a, 99, 378, 379. 1819: DISTOMA. 1845: DISTOMA (BRACHYLAIMUS). 1847: BRACHYLAEMUS. 1850: BRACHYLEMUS. 1899: HAEMATOLOECHUS (type). 1902: PNEUMONOECES (type). 1931: HALIPEGUS. 1932: PNEUMOBITES [? for Pneumonoeces].

variegatus abbreviatus Bykhovskii, B. E., 1932a, 51, 53-56, 65, 67, figs. 1-2. 1932: PNEUMONOECES. 1939: HAEMATOLOECHUS (HAEMATOLOECHUS).

variegatus almorai (Pande, B. P., 1937c, 113, 114-116, 119, figs. 3-4). 1958: HAEMATOLOECHUS (HAEMATOLOECHUS).

variegatus capyristes (Klein, W., 1905a, 60-65, pl. 5, figs. 1-2). 1958: HAEMATOLOECHUS (HAEMATOLOECHUS).

variegatus dubininae Odening, K., 1958a, 63, 69, 81-82, 104, 105, figs. 3-4. 1958: HAEMATOLOECHUS. 1962: PNEUMONOECES (Skrjabin, K. I.; & Antipin, D. N., 1962a, 65).

variegatus obbrevitatus Bykhovskii, B. E., 1932a, 65, for variegatus abbrevitatus. 1932: PNEUMONOECES.

variegatus variegatus (Rudolphi, C. A., 1819a, 99). 1957: HAEMATOLOECHUS (HAEMATOLOECHUS). 1962: PNEUMONOECES (Skrjabin, K. I.; & Antipin, D. N., 1962a, 60).

varies Skrjabin, K. I., 1926b, 307, ? for rarus Braun. 1926: SCHISTOGONIMUS.

varigatum Looss, A., 1892a, 93, for variegatum. 1892: DISTOMA.

variglandis Miller, H. M.; & Northup, F. E., 1926a, 492, 495, 496, 500-501, pl. 2, figs. 15-17. 1926: CERCARIA. 1951: MICROBILHARZIA. 1953: AUSTROBILHARZIA.

variglandis pyrazi Bearup, A. J., 1955a, 956-959, figs. 1 a-d. 1955: CERCARIA.

variolaris Fuhrmann, O., 1904h, 59-61, figs. 1-2. 1904: BOTHRIOGASTER (mt). 1927: SPANIOMETRA. 1934: OPHTHALMOPHAGUS. 1948: BOTHRIGASTER.

varioplexus Stafford, J., 1902c, 901, 906, pl. 33, fig. 3. 1902: HAEMATOLOECHUS. 1905: PNEUMONOECES. 1939: HAEMATOLOECHUS (HAEMATOLOECHUS).

variospinosum Odhner, T., 1910d, 121-124, 158, pl. 5, figs. 2-3. 1910: ECHINOSTOMUM. 1933: PETASIGER. 1947: PETASIGER (NEOPETASIGER). 1957: PARYPHOSTOMUM. 1943: NAVICULARIA (Mendheim, H., 1943a, 253).

varium Eysenhardt, H. W., 1829a, 148-151. 1829: DISTOMA.

varium Linton, E., 1928b, 5-6, pl. 2, fig. 9. 1928: PSILOSTOMUM. 1958: PSEUDOPSILOSTOMA.

varium Onji, Y.; & Nishio, T., [1924b], 376-378, pl. 1, figs. 17-18, German summary, 809. [1924]: PROCEROVUM.

varius Van Cleave, H. J., 1922a, 4-7, figs. 1-2. 1922: ALLACANTHOCHASMUS (tod).

varschaviensis Bykhovskii, B. E., 1932b, 27, 29, 34, 35, 38 for varsoviensis. 1932: GORGODERA.

varsoviensis Sinitsin, D. F., 1905a, 36-37. 1905: GORGODERA. 1906: CERCARIA.

varsoviensis Sinitsin, D. F., 1905a, 47-49, pl. 1, fig. 5, pl. 2, figs. 16, 18. 1905: CERCARIA gorgoderae.

varunae Baugh, S. C., [1957b], 421-422, 428, pl., fig. 3. [1957]: MESOCOELIUM.

VASATREMA Stunkard, H. W., 1926b, 165 (mt: V. amydae); 1928c, 303 (changed to Vasotrema).

VASOTREMA Stunkard, H. W., 1928c, 303-320 (changed from Vasatrema).

vastator Nybelin, O., 1924a, 1-2, figs. 1-3. 1924: DACTYLOGYRUS. [1949]: DACTYLOGYRUS intermedius.

vastator minor Radulescu, I., (1952). (1952): DACTYLOGYRUS.

vastetesticulorum Mituch, J., 1964d, 37, 38, 39, 40, 43, 47, 48, fig. 2 (Rhinolophus ferrum-equinum; Slovakia (CSSR)). 1964: PROSTHODENDRIUM (P.).

vastus Shtrom, Z. K., 1940a, 212-216, 223-224, figs. 35-37. 1940: BRACHYLAEMUS.

vaullegeardi Pelseneer, P., 1906a, 175-176, pl. 11, figs. 41-43, 45. 1906: CERCARIA.

vegrandis La Rue, G. R., 1917a, 8-11, pl. 1, figs. 3-4. 1917: CERCARIA. 1929: DIPLOSTOMULUM.

VELAMENOPHORUS Mendheim, H., 1940a, 489, 504, 557, 576 (mt: V. oligolecithosus).

velellae von Koelliker, A., 1849c, 53, based on Distoma sp. Philippi of Cassel, 1843a, 66 from Magen of Velella spirans; Naples). 1849: DISTOMA. [1850: MEGACOTYLE]. 1912: AGAMODISTOMUM.

velesunionis Angel, L. M., 1961a, 63-70, figs. 1-13 (Velesunio ambiguus; Australia, Gambusia affinis, Carassius auratus, Oryzias latipes, Galaxias sp. (exper.)). 1961: CERCARIA.

veliporium Johnston, S. J., 1902a, 329, for veliporum. 1902: DISTOMA.

veliporum Creplin, F. C. H., 1837a, 310, 318. 1837: DISTOMA. 1886: DISTOMA (CLADOCOELIUM). 1904: OTODISTOMUM (type).

veliporum leptotheca Dollfus, R. P. F., 1937b, 168 [nomen solum]; [1937c], 429, 434-440, 450. [1937]: OTODISTOMUM.

veliporum pachytheca Dollfus, R. P. F., 1937b, 168 [nomen solum]; [1937c], 430, 434, 440, 441-445, 450, figs. 31-39. [1937]: OTODISTOMUM.

veliporum veliporum Dollfus, R. P. F., [1937c], 429, 434, 439, 440-441, 445, figs. 28-30d. [1937]: OTODISTOMUM.

vellavoli Unnithan, R. V., 1961a, 112, 122-127, 145, figs. 30-40 (Chondroplites (Stromateus) chinensis; gills; Trivandrum & Vizhinjam, S. Kerala). 1961: DICOTYLE.

venardi Mizelle, J. D.; & Jaskoski, B. J., 1942a, 147, 152, 153, pl., figs. 49-61. 1942: CLEIDODISCUS.

venarum Treutler, F. A., 1793a, iv, 23-25, pl. 4, figs. 1-3. 1793: HEXATHYRIDIUM. 1803: FASCIOLA. 1803: POLYSTOMA. 1828: HEXATHIRIDIUM. 1836: POLYSTOMA (HEXATHIRIDIUM). 1840: LINGUATULA. 1850: HEXACOTYLE.

vendriticum Leese, A. S., [1928?b], 311, for dendriticum. [1928?]: DICROCOELIUM.

venezuelensis Cordero, E. H.; & Vogelsang, E. G., 1940a, 3, 4-6, 14, fig. 1. 1940: ALLASSOSTOMA. 1958: NEMATOPHILA.

ventricolum Rudolphi, C. A., 1809a, 334, for ventricosum. 1809: MONOSTOMA.

ventricosa van Beneden, P. J., 1871a, 68, pl. 4, fig. 11. 1871: DISTOMA. [Apoblema ocreatum Rudolphi].

ventricosa Pallas, P. S., 1774, 17-18, pl. 1, figs. 9-10. 1774: FASCIOLA. 1853: HIRUDINELLA. 1893: DISTOMA.

ventricosa Rudolphi, C. A., 1802a, 20-21. 1802: FESTUCARIA. 1809: MONOSTOMA. 1809: MONOSTOMA (MONOSTOMA). 1911: DICROCOELIUM. 1918: PLATYNOSOMUM.

ventricosum Rudolphi, C. A., 1819a, 108, 398. 1819: DISTOMA. 1893: APOBLEMA. 1911: PRONOPYGE. 1926: PRONOPRYMNA (tod).

ventricosum Yamaguti, S., 1942b, 131, 155-157, fig. 7. 1942: MONILICAECUM.

ventricosum lanceolatum (Wedl, C., 1858a, 251-252, pl. 1, figs. 15-17). 1881: MONOSTOMA.

ventricosum minor Shipley, A. E., 1900c, 540. 1900: DISTOMA.

ventricosum mutabile (Zeder, J. G. H., 1800a, xvi, 150, 154-155). 1881: MONOSTOMA.

ventroplicatum Heidegger, E.; & Mendheim, H., 1938b, 674. 1938: PLATYNOSOMUM.

venusta Teixeira de Freitas, J. F., 1948b, 490-492, figs. 1-6. 1948: IGNAVIA (tod).

venusti Rogers, W. A., 1967, 501, 517-518, figs. 182-188 (J. Parasitol., v. 53 (3)) (Notropis venustus; Alabama). 1967: DACTYLOGYRUS).

venustus Ransom, B. H., 1920 1, 555-558, figs. 22-24. 1920: COTYLOPHALLUS (tod). 1924: ROSSICOTREMA. 1931: CRYPTOCOTYLE. 1936: APOPHALLUS.

VERDUNIA Lahille, F.; & Joan, T., 1917a, 216 (mt: V. tricoronata).

vereticolle lucii Rudolphi, C. A., 1809a, 440, for tereticolle lucii. 1809: DISTOMA.

verlatum Talbot, S. B., 1934a, 42, 43-44, 45, 54, pl. 4, fig. 1. 1934: MACRODERA. 1937: NATRIODERA (tod).

vermai Gupta, S. P., 1951e, 32-35, 39, 40, figs. 3-4. 1951: GANADOTREMA. 1958: ORIENTOCREADIUM.

vermai Srivastava, C. B., 1963b, 45-47, fig. 1 (Eutropiichthys vacha; intestine; Allahabad & Bhagalpur, India). 1963: FOLLIORCHIS.

vermicularis Müller, O. F., 1786a, 133-134, pl. 20, figs. 18-20. 1786: CERCARIA. 1827: DICRANOPHORUS.

verminosa von Ostertag, R., 1932a, 497. [lapsus for C. verrucosa?]. 1932: CATATROPIS.

verrilli Goto, S., 1899a, 283-286, pl. 21, figs. 25-26. 1899: ACANTHOCOTYLE. 1963: PSEUDACANTHOCOTYLA (Yamaguti, S., 1963a, 113).

verrocosum Monticelli, F. S., 1892m, 40, for verrucosum. 1892: NOTOCOTYLE.

verrucosa von Froelich, J. A., 1789a, 112-115, pl. 4, figs. 5-7. 1789: FASCIOLA. 1800: MONOSTOMA. 1809: MONOSTOMA (MONOSTOMA). [1839: NOTOCOTYLUS triserialis]. 1892: NOTOCOTYLE. 1900: DISTOMA. 1905: CATATROPIS (type).

verrucosum Busch, W., 1851a, 99, 100, 142, pl. 15, fig. 11. 1851: DISTOMA. 1886: DISTOMA (CROSSODERA).

verrucosum Linton, E., 1892 1, 96-97, pl. 6, figs. 33-35. 1892: DISTOMA.

verrucosum Molin, R., 1859f, 842-844. 1859: DISTOMA. 1886: DISTOMA (DICROCOELIUM).

verrucosum Poirier, J., 1885b, 10-11, 16, 29, 60, 74, 79. 1885: DISTOMA.

verrucosum Travassos, L. P., 1941d, 341-342, pl. 1, fig. 3. 1941: LUTZTREMA.

verschureni Baer, J. G., 1959b, 8, 40, 41-42, 160, fig. 21. 1959: PLATYNOSOMUM.

vertebraeformis Faust, E. C., 1921d, 15, pl. 3, fig. 8. 1921: CERCARIA.

verulamia Porter, A., 1938a, 6, 9, 363-364, 467, pl. 61, figs. 3-4. 1938: CERCARIA.

vesicalis Ruiz, J. M.; & Leao, A. T., [1943d], 209-217, pls. 1-3. [1943]: CHOLEDOCYSTUS. 1958: GLYPTHELMINS.

vesicata Uličný, J., 1878a, 211-217, pl. 6, figs. 1-5. 1878: CERCARIA.

vesicaudatus Stunkard, H. W., 1924b, 108, 1924: CEPHALOGONIMUS. (? for vesicaudis Nickerson).

vesicaudus Nickerson, W. S., 1912a, 249-256, pl. 8, figs. 1-8. 1912: CEPHALOGONIMUS.

vesiculata Belopol'skaia, M. M., [1954a], 49, 53-55, fig. 2. [1954]: SKRJABINOVERMIS (tod).

vesiculifera Diesing, 1855a, 378, 389. 1855: CERCARIA (XIPHIDIOCERCARIA). 1858: CERCARIA (ACANTHOCEPHALA).

vesiculosa Diesing, 1850a, 295, Cercaria I Baer, renamed. 1850: CERCARIA. 1855: CERCARIA (EUCERCARIA). 1858: CERCARIA (ACANTHOCEPHALA).

vesiculosa Filippi, 1854a, 12, 13, 22, 30, pl., figs. 12-14. 1854: CERCARIA. [1855: CERCARIA (XIPHIDIOCERCARIA) vesiculifera].

vesiculosus Murray, F. V., 1931a, 494-495, fig. 1, pl. 20, fig. 1. 1931: ANCYROCEPHALUS.

vespertilionis Bhalerao, G. D., 1935f, 51. 1935: NOTOCOTYLUS.

vespertilionis Macy, R. W., 1940d, 48-51, pl., fig. 1940: ALLASSOGONOPORUS.

vespertilionis Mödlinger, G., 1930a, 185, 200-201, pl. 21, fig. 2. 1930: PROSOTOCUS.

vespertilionis Müller, O. F., 1780a, 4, pl. 72. 1780: FASCIOLA. 1803: DISTOMA. 1809: PLANARIA. 1900: PLAGIORCHIS. 1924: LEPODERMA. 1931: PLAGIORCHIS (PLAGIORCHIS).

vespertilionis Rudolphi, C. A., 1819a, 87. 1819: MONOSTOMA. 1928: OGMOGASTER.

vespertilionis marii (Skrjabin, K. I., 1921a, 1-3, fig.). 1959: PLAGIORCHIS (PLAGIORCHIS).

vespertilionis micracanthos (Macy, R. W., 1931b, 28-29, pl. 2, figs. 6-7). 1959: PLAGIORCHIS (PLAGIORCHIS).

vespertilionis parorchis Macy, R. W., 1960a, 337, 338-342, 343, 344, 345, pl. I, figs. 1-6, pl. II, figs. 7-15. 1960: PLAGIORCHIS.

vespertilionis vespertilionis (Müller, O. F., 1780a, 4, pl. 72). 1959: PLAGIORCHIS (PLAGIORCHIS).

VESPERUGIDENDRIUM Pande, B. P., 1937b, 235, 237-238 (tod: V. indicum).

vestsibericum Skrjabin, K. I.; & Shul'ts, R. E. S., 1934b, 388 (for westsibiricum Isaichikov, 1925). 1934: ECHINOPARYPHIUM.

veta Porter, A., 1938a, 6, 9, 334-336, pl. 52, figs. 2-3. 1938: CERCARIA.

vetastai Kaw, B. L., 1950a, 69, 118-120, fig. 22. 1950: NEASCUS.

vetustum Stafford, J., 1904b, 487. 1904: STENAKRON.

vexans Braun, M. G. C. C., 1901b, 947. 1901: DISTOMA. 1927: LATEROTREMA.

vibex Linton, E., 1900a, 269, 281, 291-292, pl. 38, figs. 48-51. 1900: DISTOMA. 1930: LINTONIUM (tod). 1934: LINTONIA [lapsus].

vicarium Arnsdorff, A., 1908a, 363-366, figs. 1-2. 1908: MONOSTOMA. 1911: CYCLOCOELUM. 1950: CYCLOCOELUM (CYCLOCOELUM).

vicarium Braun, M. G. C. C., 1901g, 896. 1901: STOMYLOTREMA.

vicinius Bykhovskii, B. E., [1958a], 116-117, 123. [1958]: GYRODACTYLUS.

vicinus Odhner, T., 1902, 24-25. 1902: ACANTHOCHASMUS. 1942: ACANTHOSTOMUM.

victoriae Woolcock, V., 1936b, 79, 85, 88-91, figs. 2b, 3,4a. 1936: MICROCOTYLE.

victoriani Vercammen-Grandjean, P. H., 1960d, 59-60, pl. 3 & 5, figs. 24-32. 1960: POLYSTOMA xenopi.

victoriani Vercammen-Grandjean, P. H., 1960d, 18, 21-23, 48, 61-63, 65-66, pl. 6, figs. 33-41, pl. 7, figs. 42-46, 48-53, pl. 8, fig. 47. 1960: PROGONIMODISCUS doyeri.

victorianus Vercammen-Grandjean, P. H., 1960d, 50, 141, pl. 54, fig. 351a. 1960: DIPLOSTOMULUM.

vidyarthii Yamaguti, S., 1958a, 601, n. n. for P. indicum (Vidyarthi, 1948). 1958: PROHEMISTOMUM.

vietnamense Odening, K., 1961g, 696, 699-703, figs. 1-4 (Egretta g. garzetta; enddarm; Hanoi, Dem. Rep. Vietnam). 1961: ECHINOCOLLUM (mt). 1962: SAAKOTREMA (Odening, K., 1962b, 62).

vietnamense Odening, K., 1963f, 171, 182, fig. 6 (Ketupa zeylonensis orientalis; Dünndarm bis Enddarm; Berlin Tierpark). 1963: NEODIPLOSTOMUM (NEODIPLOSTOMUM).

vietnamensis Odening, K., 1962b, 50, 51, 52, 53, 56, 59, 62, figs. 3-4 (Nycticorax n. nycticorax; Nieren; Berlin Tierpark). 1962: RENICOLA (R.).

vietnamiae Odening, K., 1964f, 171, 179, 180-181, fig. 5. 1964: DIPLOSTOMUM (DOLICHORCHIS) ketupanense.

VIETOSOMA Van Cleave, H. J.; & Mueller, J. F., 1932a, 13 (tod: V. parvum).

vigi Bashkirova, E. I., 1941b, 250, pl. 12, fig. 32. 1941: HYPODERAEUM.

VIGINTISPINIS Pearse, A. S., 1920a, 43.

vigisi Davydova, I. V., 1963, 3-5, figs. 1-2 (Trudy Vsesoiuz. Inst. Gel'mintol. i. Skriabina, v. 10) (cattle; paunch; Primorski Krai). 1963: COTYLOPHORON.

vigisi Petrov, A. M.; & Merkusheva, I. V., 1963a, 145-146, 147, fig. 1 (Apodemus sylvaticus; liver; Zapadnaia Dvina River Bank, Poltevo Village, Sirotinsk Region, Vitebsk Oblast, Byelorussia). 1963: SKRJABINOPLAGIORCHIS.

vigisi Savinov, V. A., (1960), 74-77 (Nauchn. Trud. Kalininsk. Otd. Mosk. Obsh. Ispyt. Prirody (2)). (1960): HYPTIASMUS.

viguerasi Baruš, V.; & Moravec, F., 1967, 5-7, fig. 3 (Věstník Československ. Společ. Zool., v. 31 (1)) (Lepisosteus tristoechus; intestine; Santo Tomás, Cuba). 1967: PEREZITREMA (tod).

viktori Gushanskaia, L. K., 1952b, 181, 183, 184, fig. 4. 1952: CORRIGIA. 1964: LYPEROSOMUM (CORRIGIA) (Jaiswal, G. P., 1964a).

vilanoviensis Zdun, W., 1959b, 97, 109, 112-113, fig. 9. 1959: CERCARIA.

vilelae Tendeiro, J.; & Valdez, V., 1955a, 49, 51-55, fig. 1, pls., figs. 1-4. 1955: MAZOCRAES.

villicaeca Byrd, E. E., 1935a, 197, 198-202, 208-215, 218, 220, 222-225, fig. 1, pls. 35-36, figs. 18-28. 1935: DASYMETRA.

villoti Monticelli, F. S., 1888a, 194, 195, 197 (C. setifera Mueller, of Villot, 1879 renamed). 1888: CERCARIA.

vimbi Shul'man, S. S., [1954c], 779, figs. 2-3. [1954]: GYRODACTYLUS.

vinaledwardsii Linton, E., 1901b, 416, 470, figs. 373-376. 1901: MONOSTOMUM. 1910: SIPHODERA (type).

vioscai Lumsden, R. D., 1962, 301-304, 307, figs. 1-4 (Eudocimus albus; small intestine; near Norco & Pass Manchac, Louisiana). 1962: PATAGIFER.

viperae van Beneden, P. J., 1871a, 26, pl. 3, fig. 17. 1871: GASTEROSTOMUM. 1914: RHIPIDOCOTYLE. 1958: BUCEPHALUS.

viperae von Linstow, O. F. B., 1877b, 186. 1877: DISTOMA. 1895: AGAMODISTOMA.

virens Linton, E., 1910b, 17, 22, 58, 93, pl. 16, figs. 130-136. 1910: DICTYSARCA.

virens Sinitsin, D. T., 1931d, 415-419, figs. 4-5. 1931: PLAGIOPORUS. [1954]: PODOCOTYLE. 1958: PLAGIOPORUS (PLAGIOPORUS). 1966: ALLOPODOCOTYLE (Pritchard, M. H., 1966a, 163).

vireonis McIntosh, A., 1927b, 359, 362, 363, fig. 4. 1927: LEUCOCHLORIDIUM. 1952: UROGONIMUS.

virgatarum Tubangui, M. A., 1931d, 114-116, pl. 3, figs. 1-3. 1931: MICROCOTYLE. 1963: ASPINATRIUM (Yamaguti, S., 1963a, 246).

virginiana Dickerson, L. M., 1930, 37-46, figs. 1-3. 1930: HARMOSTOMUM opisthotrias. 1934: BRACHYLAEMUS. 1934: BRACHYLAIMA (B.) opisthotrias. 1952: BRACHYLAIMA. 1958: BRACHYLAEMA.

virgula de Filippi, F., 1837a, 338. 1837: DISTOMA. 1850: CERCARIA. 1855: CERCARIA (EUCERCARIA). 1858: CERCARIA (ACANTHOCEPHALA). [1858: D. maculosum].

virgula Lebour, M. V., 1909b, 440-445, pl. 11, figs. 1-3. 1909: ECHINOSTEPHILLA (tod). 1909: STREPSORCHIS (name appearing on plate).

virgula Linton, E., 1910b, 17, 22, 63, 93, pl. 18, fig. 148. 1910: ECTENURUS.

virgula Looss, A., 1907e, 592. 1907: APHANURUS.

virguloides Porter, A., 1938a, 6, 9, 351-353, pl. 59, figs. 1-4. 1938: CERCARIA.

viridis Müller, O. F., 1774a, 59-60. 1774: FASCIOLA.

viridis Mueller, O. F., 1786a, 126-127, pl. 19, figs. 6-13. 1786: CERCARIA. 1815: FURCOCERCA.

virilis Unnithan, R. V., 1957a, 35, 36, 52-60, 118, fig. 2 a-e. 1957: KANNAPHALLUS (tod).

viriosus Wellborn, T. L.; & Rogers, W. A., 1967, 11, 13-14, figs. 23-27 (J. Parasitol., v. 53 (1)) (Hypentelium etowanum; Coosawattee River, Gilmer Co., Georgia, H. nigricans; Transylvania Co., North Carolina). 1967: GYRODACTYLUS.

vistulae Prost, M., 1957a, 107-111, 115, figs. 1-2. 1957: DACTYLOGYRUS.

vistulensis Siwak, J., 1931b, 10-11. 1931: ANCYROCEPHALUS. 1937: HAPLOCLEIDUS. 1946: UROCLEIDUS. [1958]: ANCYLODISCOIDES.

vitallani Gupta, S. P., 1962c, 71-73, fig. 1 (Chelone mydas; intestine; Caribbean Sea). 1962: NEOCRICOCEPHALUS (tod).

VITELLARINUS Zmeev, G. I., 1936d, 423 (tod: V. pawlovskii).

vitellariolateralis Rohde, K., 1963d, 131-134, fig. 1 (Callosciurus notatus; intestine; Malaya). 1963: LEIPERTREMA.

vitellata Gupta, N. K., 1954d, 139-141, pl., fig. 1. 1954: ENCYCLOMETRA.

vitellatum von Linstow, O. F. B., 1875a, 189-190. 1875: DISTOMA. 1892: DISTOMA (BRACHYLAIMUS). 1901: PLAGIORCHIS. 1928: LEPODERMA. 1931: PLAGIORCHIS (PLAGIORCHIS).

vitellatus Chin, T. H., 1950a, 20-21, 23, 24, figs. 1-4. 1950: OPISTHORCHIS.

vitellatus Nicoll, W., 1914h, 345-346, pl. 24, fig. 8. 1914: PROSTHOGONIMUS.

VITELLIBACULUM Montgomery, W. R., 1957a, 28, 30, 33 (tod: V. girellae).

vitelliloba olssoni Sandner, H., 1949a, 8, 15, 17, 18, 27. 1949: GORGODERINA.

vitellilobae Sinitsin, D. F., 1905a, 49-51. 1905: CERCARIA gorgoderinae.

vitellilobum Olsson, P., 1876b, 14. 1876: DISTOMA. 1889: DISTOMA (DICROCOELIUM). 1902: GORGODERINA. 1906: CERCARIA. 1906: GORGODERA. 1937: PHYLLODISTOMUM. 1940: GORGODERINA (GORGODERINA) (type).

vitellinophilum Dobbin, J. E., 1958a, 153-161, pls. 1-2, figs. 1-11. 1958: GLYPTHELMINS.

vitelloba Faust, E. C., 1918d, 184, 185, 186-188, 195, 196. 1918: STEPHANOPHIALA. 1931: CREPIDOSTOMUM.

vitelloconfluentum Rai, S. L., 1962i, 379, 380-381, 382, 383, 384, pl., fig. 2 (Rana tigrina; small intestine; Piparia, 111 miles from Jabalpur (M. P.)). 1962: TREMIORCHIS.

vitellograndis Layman, E. M., 1930a, 72-73, 97-98, fig. 27. 1930: APONURUS. 1934: STERRHURUS. 1954: HYSTEROLECITHA.

vitellosa Sogandares-Bernal, F., 1961a, 911-912, figs. 1-3 (Mustela vison vulgivaga; small intestine; near Valentine, Louisiana). 1961: SELLACOTYLE.

vitellosum Linton, E., 1900a, 269, 282, 290, pl. 37, figs. 38-39. 1900: DISTOMA. 1934: CYMBEPHALLUS (tod). 1946: OPECOELOIDES.

vitellosum Manter, H. W., 1934c, 258, 290-292, 340, 342, pl. 10, fig. 64. 1934: EURYCREADIUM (tod).

vitellosum Manter, H. W., 1940a, 325, 363-364, 450, 468, 469, pl. 36, fig. 35. 1940: DACTYLOSTOMUM.

vitellosum Ozaki, Y., 1936b, 514, 516-517, fig. 1936: LEPTOCREADIUM. 1940: PSEUDOCREADIUM. [1946]: LEPOCREADIUM.

vitellosum Sogandares-Bernal, F.; & Hutton, R. F., 1959d, 338-339, 345, fig. 2. 1959: DIPLOPROCTODAEUM.

vitellosus Bennett, H. J., 1935a, 83-84, 89, 90, pl., fig. 1. 1935: PROTENES.

vitellosus Lumsden, R. D.; & Zischke, J. A., 1963a, 323, 324, 326, 360, fig. 8 (Gallinula chloropus cachinnans; intestine; Bonnet Carre Spillway & Lake Penchant, Louisiana). 1963: COTYLURUS.

vitellosus Manter, H. W., 1934c, 258, 299-300, 335, 339, 341, 342, pl. 10, figs. 62-63. 1934: MYZOXENUS.

vitellosus Manter, H. W., 1940a, 326, 377-379, 447, 474, 475, pl. 39, figs. 59-60. 1940: MYZOTUS (tod).

vitellosus Pritchard, M. H., 1963a, 578, 579, 580, 581, pl. I, figs. 1-2 (Naso unicornis, N. brevirostris, N. hexacanthus, Melichthys vidua; intestine; Hawaii). 1963: OPISTHOGONOPORUS.

VITELLOTREMA Guberlet, J. E., 1928c, 211-216 (mt: V. fusipora).

vitellozonatus Pritchard, M. H., 1966b, 180, 181, 187-188, figs. 11-12 (Naso unicornis, Holocentrus xantherythrus; intestine; Hawaii). 1966: PSEUDOPECOELUS.

vitrina von Linstow, O. F. B., 1887d, 105-106, pl. 2, figs. 8, 17c. 1887: CERCARIA. 1934: DICROCOELIUM.

vitrinae Targioni-Tozzeti, A., 1873a, 335-336. 1873: DISTOMA. 1912: AGAMODISTOMUM.

vitta Dujardin, F., 1845a, 418. 1845: DISTOMA (BRACHYLAIMUS). 1927: LYPEROSOMUM. 1940: CORRIGIA (?). 1944: ORTHORCHIS. 1956: CORRIGIA (ORTHORCHIS).

vittalani Dayal, J.; & Gupta, S. P., 1954e, 189. 1954: THAPAROTREMA.

vittatusi Gupta, S. P., [1955b], 2, 20-23, figs. 10-11. [1955]: PHYLLODISTOMUM.

vittatusia Agrawal, V., 1963b, 138-140, 143, 144, fig. 1 (Mystus vittatus intestine; Lucknow, India). 1963: MASENIA.

vitus Brumpt, E., 1927, 423, for avitus. 1927: PARORCHIS.

vivacis Iles, C., 1959a, 495, 496, 497, 498, fig. 5 (a-c). 1959: CERCARIA.

vivae van Beneden, P. J., 1871a, 25. 1871: GASTEROSTOMUM. 1958: BUCEPHALUS.

vivata Holliman, R. B., 1961a, 49, 50, 52, figs. 103-105 (Cerithidea scalariformis; St. Marks Light & Shell Point, Wakulla County, Florida). 1961: CERCARIA.

vivata Hunt, J. S., 1952b, 233-234. 1952: GORGODERA.

vivax Sonsino, P., 1892c, 137-138, pl. 18, fig. 3. 1892: CERCARIA. 1933: PROHEMISTOMUM. 1935: DICRANOCERCARIA.

viverrini Poirier, J., 1886a, 27-29, pl. 3, figs. 1-3. 1886: DISTOMA. 1892: DISTOMA (DICROCOELIUM). 1896: OPISTHORCHIS.

vividus Nicoll, W., 1912e, 200-202, pl. 9, fig. 2. 1912: ZOONOGENUS. [1954]: ZOOGONOIDES.

vivipara van Beneden, P. J., 1871a, 28, pl. 3, figs. 3-4. 1871: DISTOMA.

viviparae Diesing, K. M., 1850a, 298. 1850: CERCARIA helicis.

viviparae Linstow, O. F. B., 1877b, 185, pl. 13, fig. 16. 1877: MONOSTOMA. 1892: MONOSTOMULUM. 1933: CERCARIA monostomi. 1933: LINSTOWIELLA (tod). 1947: PROHEMISTOMUM. 1956: PARACOENOGONIMUS.

viviparae Szidat, L., 1933d, 443, 446, 447-454, 456, 457, 459, figs. 1C, 2C, 3-7. 1933: CERCARIA monostomi.

viviparae Zdun, V. I., 1951a, 171, 177-178. 1951: CERCARIA.

viviparae fasciatae von Linstow, O. F. B., 1877b, 186. 1877: DISTOMA.

viviparae secunda Bidulina, M. I., 1956a, 25. 1956: CERCARIA.

viviparum Faust, E. C., 1924e, 293. 1924: CERCARIA.

viviparum Olsson, P., 1867-68a, 28-29, pl. 4, figs. 73-75. 1867-68: DISTOMA. 1886: DISTOMA (ECHINOSTOMA). 1901: ZOOGONUS. 1902: ZOOGONOIDES (type).

vjetnamensis Oshmarin, P. G.; & Mamaev, I. L., 1963a, 665-667, 668, 669. figs. 1-2 (Therapon theraps; intestine; North-Viet-Nam Bay). 1963: COMPLEXOBURSA (mt).

vladika Oshmarin, P. G., 1950b, 168-170, fig. 2. 1950: RENICOLA.

VOELKERIA Travassos, L. P.; & Kohn, A., 1966, 17 (Mem. Inst. Oswaldo Cruz, v. 64) (tod: V. lutea).

vogeli Cable, R. M., 1935b, 436. 1924: CERCARIA.

vogeli Szidat, L., 1932, 516-519, fig. 5. 1932: CYCLOCOELUM. 1950: CYCLOCOELUM (CYCLOCOELUM). 1958: SZIDATIELLA.

vogelsangi Caballero y C., E.; & Bravo Hollis, M., [1953a], 155-165, pls. 1-3. [1953]: ICHTYOTREMA (tod).

vogtianum Baudon, A., 1881a, 145-147, pl. 5, fig. 5. 1881: LEUCOCHLORIDIUM.

volgaensis Zasukhin, D. N.; Tiflov, V. E.; & Shul'ts, R. E. S., 1934a, 85, for wolgaensis. 1934: NOTOCOTYLUS.

volgensis von Linstow, O. F. B., 1907 1, 201. 1907: PTYCHOGONIMUS. 1909: DISTOMA. 1911: AZYGIA.

volgensis Rašín, K., 1929a, 1, 3, 4-12, 13, 14, 15-16, 18, 19, 20-21, figs. 1-6. 1929: JANICKIA (mt). 1934: SANGUINICOLA.

volgensis Sudarikov, V. E., 1950b, 139, 140, fig. 5. 1950: SKRJABINOECES. 1958: HAEMATOLOECHUS. 1958: SKRJABINOECES similis.

volgensis Sudarikov, V. E., 1962, 187-190, fig. 1 (Trudy Astrakhansk. Zapovednik (6)) (Rana ridibunda; body cavity, under skin, mesentery; Volga Delta. 1962: PROHEMISTOMULUM.

voltanum Thomas, J. D., 1957a, 1-9, figs. 1-4. 1957: ALLOCREADIUM.

volubilis Nagaty, H. F., 1956b, 523-524, 526, 527, pl. I, figs. 1-3. 1956: GYLIAUCHEN.

voluptarium Braun, M. G. C. C., 1901g, 945. 1901: DICROCOELIUM. 1916: PLATYNOSOMUM.

volvens von Nordmann, A., 1832a, 28-41, 43, pl. 1, fig. 3, pl. 2, figs. 1-10, pl. 3, figs. 1-4, pl. 4, fig. 6. 1832: DIPLOSTOMUM (type). 1833: DISTOMUM [lapsus]. 1909: TETRACOTYLE. 1918: DIPLOSTOMULUM. [1937]: PROALARIA.

volvulus Odhner, T., 1910d, 114-116, 117, 118, 157, 160, pl. 3, figs. 4-6, pl. 6, figs. 6-7. 1910: ECHINOSTOMUM. 1910: ECHINOPARYPHIUM. 1927: DISTOMA. 1956: DIETZIELLA.

vranoviensis Ergens, R., 1956b, 350, 368, 370, 371, 372, 375, pl. XIII, figs. 79-86. 1956: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 44).

vulgaris Cerfontaine, P., 1899a, 375, 379, 382, 403, 406, 409, 419, 427, 437, 438, 444, 446, 450, 457-458, pl. 18, figs. 3, 4, 9, pl. 19, fig. 1, pl. 20, figs. 5, 8-11, pl. 21, figs. 3, 5, 7. 9. 1899: SQUALONCHOCOTYLE. 1926: ONCHOCOTYLE.

vulgaris Diesing, K. M., 1858e, 341. 1858: DISTOMA merlangi.

vulgaris Manter, H. W., 1934, 258, 293-295, 296, 329, 330, 334, 339, 340, 341, pl. 7, figs. 42-47. 1934: CYMBEPHALLUS. 1946: PSEUDOPECOELUS (tod).

vulgaris Zdun, V. I., 1956b, 58. 1956: CERCARIA.

vulpina Abildgaard, P. C., 1790a, 63-64, pl. 5, figs. 6 a-c. 1790: DISTOMA.

vulpis Gmelin, J. F., [1790a], 3053. [1790: FASCIOLA].

vulpis Paggi, L.; & Biocca, E., 1959a, 266-271, fig. 1. 1959: LYPEROSOMUM.

vulpis Schrank, 1788a, 52. Planaria alata vel dubia Goeze, 1782a, 176, pl. 14, figs. 11-13 renamed. 1788: ALARIA (type).

vulpis Stunkard, H. W., [1948b], 459-466, pl., figs. 1-3. [1948]: EURYTREMA.

vuurensis Porter, A., 1938a, 6, 9, 325-327, pl. 50, figs. 1-5. 1938: CERCARIA.

wabashensis Coil, W. H., 1955a, 64-66, pl., figs. 1-8. 1955: CERCARIA.

wachniae Rudolphi, C. A., 1819a, 122, 427, based on Tilesius, 1810a, 363, 374, pl. 19, figs. 8-10. 1819: DISTOMA. 1878: TREMATODUM.

wadei Seamster, A., 1948a, 165-168, figs. 1-7. 1948: UROCLEIDUS.

wagandi Leiper, R. T., 1910c, 250-251, fig. 35. 1910: PARAMPHISTOMUM. [1937]: NILOCOTYLE. 1958: NILOCOTYLE (NILOCOTYLE).

wageneri aphyae Malmberg, G., (1957a), 29, 34, 51, fig. 3A. (1957): GYRODACTYLUS.

wageneri cernuae Malmberg, G., (1957a), 29, 34, 52, 53, figs. 3A, 7. (1957) GYRODACTYLUS.

wageneri lucii Malmberg, G., (1957a), 29, 34, 52, 53, fig. 3A. (1957): GYRODACTYLUS.

wageneri scardinii Malmberg, G., (1957a), 29, 34, 51, 52, figs. 3A, 5 a-b. (1957): GYRODACTYLUS.

wageneri tincae Malmberg, G., (1957a), 5, 34, 52, fig. 3A. (1957): GYRYODACTYLUS.

wakullata Premvati, G., 1967, 743, 744, 745-746, figs. 4-5 (J. Parasitol., v. 53 (4), Aug.) (Micropterus salmoides; pyloric ceca; Wakulla River, Leon County, Florida). 1967: CAECINCOLA.

wallagonia Jain, S. L., 1959a, 153, 157-160, 166, figs. 6-11. 1959: SPROSTONIA. [1961]: ANCYLODISCOIDES (Gusev, A. V.; & Strelkov, I. A., [1961a], 200).

WALLAGOTREMA Tripathi, Y. R., [1959a], 23, 35-37, 60 (tod: W. longicirrus).

wallini Pearse, A. S., 1920a, 32-33, 43, fig. 7. 1920: ALLOCREADIUM. [1957: CRASSICUTIS]. 1958: CRASSICUTIS.

WALLINIA Pearse, A. S., 1920a, 31 (tod: W. valenciae).

wallooni Olivier, L. J., 1941a, 45, 46, 47, 51-52, figs. 1-2, 7. 1941: CERCARIA.

walteri Travassos, L. P.; Teixeira de Freitas, J. F.; & Bührnheim, P. F., 1965, 79-81, fig. 1 (Atas Soc. Biol. Rio de Janeiro, v. 9 (5), Dec. 6) (Oligoplites saurus; intestine; Estado do Espirito Santo, Brasil). 1965: ACANTHOCOLPOIDES.

waltheri Sprehn, C. E. W., 1932c, 184-186, 832, figs. 121-123. 1932: STICHORCHIS. 1934: CHIOSTICHORCHIS.

waltoni Pereira, C.; & Cuocolo, R., 1940b, 402-404, 410, 411, fig. 7. 1940: MESOCOELIUM.

wansoni Fain, A., 1953e, 21, 42, 161, 209-212, 302, 303, pl. XXXII, figs. 1-3. 1953: CERCARIA.

wardi Byrd, E. E., 1936b, 229-231, fig. 1. 1936: RENIFER. 1938: NEORENIFER. 1957: OCHETOSOMA.

wardi Hunter, W. S., 1928a, 104-114, pl. 9, figs. 1-8. 1928: NEASCUS.

wardi Manter, H. W., 1934c, 258, 276-277, 278, 280, 332, 341, pl. 3, figs. 17-19. 1934: LOMAPHORUS.

wardi Manter, H. W., 1935c, 220. 1935: LOMASOMA.

wardi Miller, H. M., 1923a, 39-40, 44, fig. 4, pl. 4, figs. 11-12. 1923: CERCARIA.

wardi Pérez Vigueras, I., 1940b, 217-220, pls., fig. 1, fotomicr. 1-2. 1940: UROTREMA.

wardi Wharton, L. D., 1921a, 243-244, pl. 1, figs. 1-2. 1921: OPISTHORCHIS.

WARDIANUM Witenberg, G. G., 1923b, 135.

WARDIUS Barker, F. E.; & East, A. M., 1915a, 192-193 (mt: W. zibethicus).

wardlei McLeod, J. A., 1934a, 394, 396-398, 401, figs. 1-2, pl., figs. 2-3. 1934: CERCARIA.

WARDULA Poche, F., 1926b, 168 (tod: W. capitellata (Rudolphi)).

WARETREMA Srivastava, 1937c, 399-400 (mt: W. piscicola).

warreni Schell, S. C., 1967, 1000, 1001, 1002 (J. Parasitol., v. 53 (5), Oct.) (Anas platyrhynchos; kidneys & ureters; Latah County, Idaho). 1967: EUCOTYLE.

watsoni Conyngham, H. F., 1904b, 464. 1904: AMPHISTOMA. 1905: CLADORCHIS. 1907: GASTRODISCUS. 1907: PARAMPHISTOMUM. 1910: WATSONIUS. 1923: PSEUDODISCUS.

WATSONIUS Stiles, C. W.; & Goldberger, J., 1910a, 62, 212 (tod: W. watsoni).

waubesensis Brackett, S., 1942b, 27-28, 30, 31, 40, 41, pl. 1, figs. 1-2. 1942: PSEUDOBILHARZIELLA. 1945: TRICHOBILHARZIA.

wedli Ariola, V., 1902a, 105-107, figs. 7-10. 1902: DIDYMOCYSTIS. 1926: DIDYMOZOON [? lapsus].

WEDLIA Cobbold, T. S., 1860a, 37-38 (W. bipartita Wedl, from Thynnus vulgaris, was clearly intended as type).

wedlii Cobbold, T. S., 1860a, 18, D. pelophylacis esculenti renamed. 1860: DISTOMA.

wedlii Cobbold, T. S., 1860a, 43. 1860: MONOSTOMA.

wedlii Szidat, L., 1928d, 205, 208, 212. 1928: OPHIOSOMA (tod).

wegeneri Kulwieć, Z., 1927a, 115, 132-134, 143, fig. 9, pl. 21, figs. 12-13. 1927: DACTYLOGYRUS.

wehri McIntosh, A., 1937c, 21-22, 23, fig. 8A. 1937: ATHESMIA.

wehri Price, E. W., 1930i, 3-4, fig. 2. 1930: EUCOTYLE.

wehri Price, E. W., 1942a, 42, 44, 46, 51, 52, fig. 1L, 2N, 3L. 1942: RAJONCHOCOTYLE.

WEIDLIA Scudder, S. H., 1884, 335, for Wedlia.

welakae Rogers, W. A., 1967, 501, 518, figs. 189-195 (J. Parasitol., v. 53 (3)) (Notropis welaka; Alabama). 1967: DACTYLOGYRUS.

welleri McMullen, D. B., 1938a, 300, 302-303, 305, pl. 2, figs. 1-5. 1938: CERCARIA.

wellmani Stiles, C. W.; & Goldberger, J., 1910a, 16, 51-60, figs. 33-42. 1910: WELLMANIUS (tod). 1925: CARMYERIUS.

WELLMANIUS Stiles, C. W.; & Goldberger, J., 1910a, 16, 51 (tod: W. wellmani).

wellsi Pearson, J. C., 1964a, 602, 612, 644-648, figs. 25-27 (Halcyon coromanda major; small intestine; Yong Foh Lee, Yang Min Shan, & Kuan-yin Shan, Taipei, Hsien, Taiwan). 1964: HAPLORCHIS.

wenningeri Mizelle, J. D.; & Blatz, V., 1941a, 106, 107-108, 109, figs. 11-21. 1941: NEODIPLECTANUM.

wenyoni Leiper, R. T., 1909i, 195, 196-197, figs. 46-48. 1909: GASTROTHYLAX. 1923: CARMYERIUS.

wernickii Marcó del Pont, A., 1926a, 20-21, figs. 8-9. 1926: ECHINOSTOMUM. 1943: NAVICULARIA (Mendheim, H., 1943a, 253).

wesenburg-lundi Etges, F. J., 1956b, 89-90, 91, 92, 93, pl. I, figs. 8-10. 1956: CERCARIA.

wesermani Travassos, L. P., 1920 1, 208, for westermanii. 1920: PARAGONIMUS.

wesleyi Verma, S. C., 1936c, 160-162. 1936: PATAGIFER.

WESTELLA Artigas, P. de T.; Ruiz, J. M.; & Leão, A. T., [1943b], 160, 162, 163, 164 (tod: W. sulina).

westermain Kobayashi, H., 1920c, 1104, for westermanii. 1920: PARAGONIMUS.

westermani Kerbert, C., 1881a, 529-578, for westermanii. 1881: DISTOMA.

westermani Looss, A., 1905, 81, 82, for westermanii. 1905: PARAGONIMUS.

westermanii Kerbert, C., 1878a, 271. 1878: DISTOMA. 1890: MESOGONIMUS. 1898: CLINOSTOMUM. [1899: PARAGONIMUS (type)]. [1899: POLYSARCUS (type)]. 1900: PARAGONIMUS.

westermanni Leuckart, K. G. F. R., 1889a, 404, for Kerbert, C., 1878a, 271-273. 1889: DISTOMA. 1890: MESOGONIMUS. 1891: DISTOMA. 1898: DISTOMA (MESOGONIMUS). 1899: POLYSARCUS (type). 1924: METAGONIMUS [?lapsus].

westermanni Stiles, C. W.; & Hassall, A., 1900b, 762, for westermanii. 1900: PARAGONIMUS.

westermarni Loiselet, J., 1927a, 43, for westermanii. 1927: PARAGONIMUS.

westrumbii Cobbold, T. S., 1860a, 45, AMPHISTOMA sphaerocephalum Westrumb renamed. 1860: HOLOSTOMUM.

westsibiricum Isaichikov, I. M., 1925g, 6, 7-9, 10, 11, 12, 13, 16-17. 1925: ECHINOPARYPHIUM.

wetlugensis Skvortsov, A. A., 1924a, 204, 209, 210. 1924: CERCARIA.

WETZELITREMA Rayski, C.; & Fahmy, M. A. M., 1962a, 187, 188, 193 (tod: W. melanitae).

whartoni Price, E. W., 1939d, 83, 86, 87, fig. 1G. 1939: POLYSTOMOIDELLA (tod).

whipplius Kimpel, H. G., 1939a, 3 [nomen nudum]. 1939: NEODACTYLOGYRUS. 1955: DACTYLOGYRUS.

whitentoni Croft, J. W., 1933a, 259-266, pl. 37, figs. 1-5. 1933: CERCARIA.

whitteni Manter, H. W., 1954b, 477, 555, 557, 563, figs. 88-89. 1954: CARDICOLA.

WILDERIA Pratt, H. S., 1914b, 412-416 (tod: W. elliptica).

williamsi Price, 1938c, 190-192, figs. 6-9. 1938: ACANTHOCOTYLE. 1963: PSEUDACANTHOCOTYLA (Yamaguti, S., 1963a, 112).

wilsoni Harrah, E. C., 1922a, 12, 35, 40-41, 46, 79, pl. 3, fig. 6. 1922: CYCLOCOELUM. 1926: CORPOPYRUM. 1948: WARDIANUM.

wilsoni Manter, H. W., 1944a, 87-89, pl., figs. 1-4. 1944: LOIMOSINA (tod).

WINKENTHUGESIA Price, E. W., 1943a, 13, 15 (tod: W. thyrites (Hughes, 1928)).

winogradoffi von Jaksch, R., 1897a, 219, for sibiricum. 1897: DISTOMA.

winteri Brenes Madrigal, R. R.; & Arroyo Sancho, G., 1961f, 55 [nomen nudum] (Aves, Costa Rica); 1962a, 210, 212-213, 226, 227, fig. 6 (Jacana spinosa spinosa; riñon; Aranjuez, Provincia de Puntarenas, Costa Rica). 1962: TANAISIA.

winteri Caballero y C., E.; & Bravo Hollis, M., [1962b], 205-209, pls., figs. 4-7 (Carcharhinus lamiella; branquias; Miramar, Guaymas, Sonora, Golfo de California, Mexico). [1962]: LOIMOS.

winteri Caballero y C., E.; & Bravo Hollis, M., 1965, 535, 536, 537-541, figs. 1-4 (Caranx latus; branquias; norte de Tuxpan, Veracruz, Mexico). 1965: HELIXAXINE (tod).

wiskowskyi Pigulevskii, S. V., 1953a, 263, 338-343, fig. 81. 1953: PHYLLODISTOMUM (PHYLLODISTOMUM).

wiśniewskii Ślusarski, W., 1958a, 288-296, 460, 487-488, figs. 11-22. 1958: EXCOITOCAECUM.

witenbergi Ciurea, I., 1933c, 55, 71-76, 80, 86, 89, 90, 96, 109, 110, 112, 113, 114, 117, 119, 123, 130, 131, 132, pl. 9, figs. 23-25, pl. 16, figs. 50-53, pl. 19, figs. 65-69. 1933: METASCOCOTYLE.

witenbergi Skrjabin, K. I., 1948b, 258, 291-292, fig. 161 (n. n. for Leucochloridium sp. Witenberg, 1925). 1958: LEUCOCHLORIDIUM. 1952: UROGONIMUS.

witenbergi Tret'iakova, O. N., (1940) [typed Mss.] (1940): HYPTIASMUS.

witenbergi Vaz, Z., 1932a, 5, 16, 24-26, 37, 39, fig. 2. 1932: WITENBERGIA (tod).

WITENBERGIA Vaz, Z., 1932a, 5, 16, 24, 37, 38 (tod: W. witenbergi).

witenbergiella Kagan, I. G., 1950b, 19 (n. n. for Leucochloridium macrostomum of Witenberg, 1925). 1950: UROGONIMUS.

WLASSENKOTREMA Skrjabin, K. I., 1956d, 37 (tod: W. longicollum).

wolgaensis Skvortsov, A. A., [1935a], 319-321, 325, 326, figs. 1-2. [1935]: NOTOCOTYLUS (QUINQUESERIALIS). 1939: QUINQUESERIALIS.

wolgensis Skvortsov, A. A., 1924a, 202-203, 208, 210, figs. 1-2. 1924: CERCARIA.

wrighti Odening, K., 1962b, 56, 57, 59 (syn.: R. sp. Wright, 1956 aus Fratercula arctica, R. sp. Wright, 1956 aus Puffinus puffinus). 1962: RENICOLA.

wrightii Ward, H. B., 1916d, 15. 1916: CERCARIA.

wui Long, S.; & Lee, W. C.; 1964a, 571-572, 579, fig. 4 (Elopichthys bambusa; intestine; Taihu). 1964: BUCEPHALOPSIS.

wunderi Bykhovskii, B. E., 1931a, 234-236, figs. 1-2. 1931: DACTYLOGYRUS. 1938: NEODACTYLOGYRUS.

wurtzi Deblock, S.; & Capron, A., 1960b, 140-145, fig. 1 (Ixobrychus minutus; intestine; Somme, France). 1960: EURYCEPHALUS.

wyomingensis Scott, J. W.; & Honess, R. F., 1933a, 87. 1933: DISTOMULUM [provisional name; nomen solum].

xanthophilis Hargis, W. J., 1956b, 157, 160-161, 162, figs. 10-14. 1956: HETERAXINE. 1962: HETERAXINOIDES (Price, E. W., 1962c, 407).

xanthophiloides Price, E. W., 1962c, 402, 407, 408, 414, pl. IV, figs. 5-8 (Leiostomus xanthurus; gills; Massachusetts, U. S. A.). 1962: HETERAXINOIDES.

xanthosomum Creplin, F. C. H., 1846a, 138. 1846: DISTOMA. 1898: OPISTHORCHIS. 1902: METORCHIS.

xanthosomus compascuus Kowalewski, M., 1898f, 71. 1898: OPISTHORCHIS. 1928: METORCHIS.

xant[h]osomus minor Nardelli, L., 1946a, 8-12, figs. 1-3. 1946: METORCHIS.

xenentodi Jain, S. L., 1958b, 450, for xenentodoni. 1958: UROCLEIDUS.

xenentodoni Jain, S. L., 1959d, 155, 156-159, figs. 1-6. 1959: UROCLEIDUS. 1964: GUSSEVIA (Kohn, A.; & Paperna, I., 1964a). 1963: HAPLOCLEIDUS (Yamaguti, S., 1963a, 69).

xenistii Manter, H. W., 1940a, 325, 366-367, 370, 451, 468, 469, 470, 471, pl. 36, fig. 38, pl. 37, fig. 39. 1940: OPECOELUS.

xenocypris Akhmerov, A. K., 1952a, 185, 186, 210, fig. 3 v. 1952: DACTYLOGYRUS 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 44).

XENODISTOMUM Stafford, J., 1904a, 843 (mt: S. melanocystis).

xenodontis Cordero, E. H.; & Vogelsang, E. G., 1928a, 636-641, figs. 1-6. 1928: DISTOMA. 1929: OPISTHOGENES.

XENOPERA Nicoll, W., 1915d, 34-36 (tod:X. insolita).

XENOPHARYNX Nicoll, W., 1912f, 851-854 (tod: X. solus).

xenopi Nigrelli, R. F.; & Maraventano, L. W., 1944a, 184, 187-189, 190, fig. 2. 1944: DIPLOSTOMULUM.

xenopi Porter, A., 1920a, 128-133. 1920: ECHINOSTOMA.

xenopi Porter, A., 1938a, 4, 8, 176, 179-182, 278, 453, pl. 16, figs. 1-4. 1938: CERCARIA.

xenopi Porter, A., 1938a, 6, 9, 381-385, pl. 58, figs. 1-2. 1938: OPISTHIOGLYPHE.

xenopi Price, E. W., 1943c, 83-85, figs. 1A-B. 1943: POLYSTOMA. 1957: PROTOPOLYSTOMA (Bykhovskii, B. E., 1957a, 280).

xenopi victoriani Vercammen-Grandjean, P. H., 1960d, 59-60, pls. 3, 5, figs. 24-32. 1960: POLYSTOMA.

xenorhynchi Wahid, S., 1962b, 211-213, figs. 1-4 (Xenorhynchus asiaticus; large intestine; London Zoological Gardens). 1962: DISSURUS.

xesuri Yamaguti, S., 1938c, 3, 127-128, fig. 77. 1938: HYSTEROLECITHA.

xesuri Yamaguti, S., 1940b, 36, 77-78, fig. 32. 1940: COITOCAECUM. 1947: OZAKIA.

xesuri Yamaguti, S., 1940b, 35, 42-44, figs. 4-5. 1940: HALIOTREMA. [1959]: ANCYROCEPHALUS.

xesuri Yamaguti, S., 1940b, 35, 63-64, figs. 24-25. 1940: OPECHONA. 1957: LEPOCREADIUM. 1960: PREPTETOS.

xiphiados MacCallum, G. A.; & MacCallum, W. G., 1916a, 148-153, pl. 1, figs. 1-5. 1916: KOELLIKERIA. 1926: DIDYMOCYSTIS. 1940: WEDLIA.

XIPHIDIOTREMA Senger, C. M., 1953a, 341-343 (tod: X. lockerae).

XYSTRETRUM Linton, E., 1910b, 18.

yaito Yamaguti, S., 1968, 17, 161-162, figs. 123 (Monogenetic trematodes of Hawaiian fishes) (Euthynnus yaito; gill; Hawaii). 1968: ALLOPSEUDAXINE.

yamaguti Nigam, V. V., 1944a, 1-4, 7, pl. 1944: PETASIGER.

yamaguti Srivastava, H. D., 1937f, 294. 1937: DISCOGASTER.

yamaguti Yin, W. -Y.; & Sproston, N. G., [1949a], 48, 50. [1949]: GYRODACTYLUS elegans.

YAMAGUTIA Srivastava, H. D., 1937h, 295; 1939m, 91, 92-93 (tod: Y. lateroporus).

YAMAGUTICOTYLA Price, E. W., 1959a, 22, 23 (tod: Y. truncata).

yamagutii Ito, J., 1957a, 447-449, figs. 15-17. 1957: CERCARIA.

yamagutii Manter, H. W., 1947a, 302-303, 375, 385, fig. 49. 1947: NEONOTOPORUS.

yamagutii Manter, H. W.; & Pritchard, M. H., 1962, 117 n. n. for Pseudoheterolebes chilomysteri Yamaguti, 1959. 1962: HETEROLEBES.

yamagutii Meserve, F. G., 1938a, 29, 69-70, 71, 88-89, pl. 10, figs. 81-85. 1938: CESTRACOLPA. 1946: AXINE.

yamagutii Mizelle, J. D.; & Price, C. E., 1964b, 579, 581, 582-583, pl., figs. 35-44 (Scatophagus argus; California). 1964: METAHALIOTREMA.

yamizensis Ogata, T., 1939a, 626-627. 1939: LECITHODENDRIUM. 1958: PROSTHODENDRIUM. (Yamaguti, S., 1958a, 824). 1960: ACANTHATRIUM (PROSTHODENDRIUM (Etges, F. J., 1960c, 527).

yankapinensis Goodman, J. D., 1951c, 57, 64, 65, 67-69, fig. 8. 1951: CERCARIA.

yehi Dissanaike, A. S., 1961c, 1, 2, 3-5, figs. 1-2, pl. I, fig. 1 (B-C) (Canis familiaris; small intestine; Colombo, Ceylon). 1961: HETEROPHYOPSIS.

yenchingensis Faust, E. C., 1930h, 147-148, pl. 24, fig. 3, 3a. 1930: CERCARIA.

yogena Cort, W. W.; & Brachett, S., 1937d, 266, 268-274, figs. 1-4, pl. 1. 1937: CERCARIA.

yokagaui Abdel Azim, M., 1938a, 121, for yokogawai. 1938: HAPLORCHIS.

yokagawa Manson, P., 1914a, 827, for yokogawai. 1914: HETEROPHYES.

yokogamai Vazquez-Colet, A.; & Africa, C. M., 1939a, 203, for yokogawai. 1939: HAPLORCHIS.

YOKOGAWA Leiper, R. T., 1913g, 282-285 (mt: Y. yokogawa).

yokogawa Leiper, R. T., 1913g, 282, 283, for yokogawai. 1913: HETEROPHYES.

yokogawai Katsurada, F., 1912c, 3483-3489. 1912: HETEROPHYES. 1912: METAGONIMUS (type). 1913: YOKOGAWA (type). 1913: TOCOTREMA. 1927: PARAGONIMUS. 1925: LOXOTREMA.

yokogawai Katsuta, I., 1932c, 253-265, pl., figs. 1-8; English suppl., pp. 25-28. 1932: MONORCHOTREMA. 1936: HAPLORCHIS.

yokogawai Kobayasi, H., 1942c, 214, 215, 216-218, 222, fig. 14. 1942: CENTROCESTUS.

yokogawai Oiso, T., 1927a, 863-864; English summary, 6-7, 2 pls., figs. 1-10. 1927: BILHARZIELLA. 1929: ORNITHOBILHARZIELLA [? lapsus]. [1931: PSEUDOBILHARZIELLA]. 1938: PSEUDOBILHARZIELLA. 1945: TRICHOBILHARZIA.

yokogawai elliptica Kobayashi, H., 1942c, 197-200, 204, 206, 207, 210, 212, 221, fig. 1. 1942: HAPLORCHIS.

yokogawai ovatus (Kobayashi, H., 1912a, 785-786, figs. 1-8). (?1932): METAGONIMUS.

yokogawai takahashi (Suzuki, M. in Takahashi, S., 1929c, 1503, 1504, 1505, 1507, 1508, 1509, 1510, 1512, 1513, pl., figs. 7-8). 1953: METAGONIMUS.

yokotei Komiya, Y., 1941b, 121-126, figs. 1-10. 1941: CERCARIA.

yokoyawai Chen, H. T., 1934b, 75, for yokogawai. 1934: METAGONIMUS.

yorkei Nagaty, H. F., 1930a, 97-108, figs. 1-4. 1930: NAGMIA (tod). 1934: PETALODISTOMUM. [1953]: PETALODISTOMUM (PETALODISTOMUM).

yoshidae Cort, W. W.; & Nichols, E. W., 1920a, 12, 13. 1920: CERCARIA.

yoshidai Ozaki, Y., 1939a, 29-37, pl., figs. 1-3. 1939: HAPALORHYNCHUS. 1942: COEURITREMA. 1958: TREMARHYNCHUS.

yosidensis Ogata, T., 1942f, 327-329, fig. 1942: PLAGIORCHIS.

yucatanensis Stunkard, H. W., 1938d, 34-37, 38, fig. 1. 1938: PARABASCOIDES (mt).

yunnanensis Ho, L. -Y.; et al., 1959a, 987-997, fig. 2. 1959: PARAGONIMUS.

zacconis Yamaguti, S., 1934a, 249, 292-294, fig. 21. 1934: CAUDOTESTIS. [1954]: PLAGIOPORUS [(CAUDOTESTIS)]. 1958: PLAGIOPORUS (PLAGIOPORUS).

zacharovi Layman, E. M., 1926d, 61, 70, 71, pl. 2, fig. 3. 1926: METORCHIS.

zachvatkini Gusev, A. V., 1955b, 209, 210, 356, 364, 368, 369, 394, 397, fig. 11 (1). 1955: DACTYLOGYRUS. 1963: NEODACTYLOGYRUS (Yamaguti, S., 1963a, 44).

zachwatkini Pigulevskii, S. V., 1953a, 347, 420, 425, fig. 108. 1953: PHYLLODISTOMUM (CATOPTROIDES).

zakharowi Skrjabin, K. I., 1920f, 10; 1921a, 3-4, fig. 1920: EUCOTYLE.

zalesskyi Gusev, A. V., 1955b, 231, 234, 394, 397, pl., fig. 22 (4). 1955: DACTYLOGYRUS.

zalophi Price, E. W., 1932h, 35, 36-38, 59, pl. 9, fig. 38. 1922: APOPHALLUS. 1933: PRICETREMA (tod).

ZALOPHOTREMA Stunkard, H. W.; & Alvey, C. H., 1929b, 106-107 (mt: Z. hepaticum).

zancli Hanson, M. L., 1953a, 447, 450-451, fig. 2a-b. 1953: SCHISTORCHIS.

zancli Manter, H. W.; & Pritchard, M. H., 1960b, 165, 166, 167, figs. 1-2. 1960: DUOSPHINCTER.

zancli Yamaguti, S., 1968, 15, 93-94, fig. 69 (Monogenetic trematodes of Hawaiian fishes). (Zanclus canescens; Acanthurus dussumieri, A. olivaceus, A. mata, Ctenochaetus strigosus; gills; Hawaii). 1968: HALIOTREMA.

zancli Yamaguti, S., 1968, 16, 110-111, fig. 83 (Monogenetic trematodes of Hawaiian fishes) (Zanclus canescens; gills; Hawaii). 1968: PSEUDOHALIOTREMATOIDES.

zanclus Mizelle, J. D.; & Price, C. E., 1964a, 81, 82, 86-87, pl., figs. 1-10 (Zanclus canescens; gills; southwest Pacific Ocean). 1964: PSEUDOHALIOTREMA.

zandti Bykhovskii, B. E., 1933c, 29-30, figs. 11-12. 1933: DACTYLOGYRUS. 1938: NEODACTYLOGYRUS.

zarudnii Skrjabin, K. I., 1927i, 54 [nomen nudum]. 1927: RENICOLA.

zarudnyi Skrjabin, K. I., 1924e, 86, 87, fig. 4. 1924: TAMERLANIA (mt). 1950: TANAISIA. 1958: TANAISIA (TAMERLANIA).

zarudnyi vietnamenis Odening, K., 1963b, 493-496, 498, 501, fig. 3 (Garrulax chinensis; Nierenkanäle; Viet-Nam). 1963: TANAISIA (TAMERLANIA).

zduni Bidulina, M. I., 1956a, 25. 1956: CERCARIA.

zebrini Yamaguti, S., 1936g, 1-3, fig. 1. 1936: LEPOCREADIOIDES (tod).

zederi Rudolphi, C. A., 1805a, 44 [evidently not as specific combination, but as Monostoma Zeder]. 1805: MONOSTOMA.

zeloticus Travassos, L. P.; Teixeira de Freitas, J. F.; & Bührnheim, P. F., 1966, 63-64 (Atas Soc. Biol., Rio de Janeiro, v. 10 (3)) (Caranx hippos; Estomago; Estado do Espirito Santo). 1966: SEPAROGERMIDUCTUS.

zernowi Sinitsin, D. F., 1911a, 30-31, 37, 89, pl. 4, figs. 64-65. 1911: CERCARIA.

ZEUCOCHLORIDIUM Skrjabin, K. I.; & Massino, B. G., 1925a, 455, for Leucochloridium.

ZEUGORCHIS Nicoll, W., 1906b, 514 (mt: Z. acanthus).

ZEUGORCHIS Stafford, J., 1905a, Apr. 11, 691-692 (mt: Z. aequatus).

ZEUXAPTA Unnithan, R. V., 1957a, 36, 43, 118 (tod: Z. zyxivaginata).

zhukovi Caballero y C., E.; & Bravo Hollis, M., [1964a], 193-201, figs. 22-28 (Oligoplites altus; Manzanillo, Colima). [1964]: HETERAXINOIDES.

zibethica Vasil'ev, A. E., (1939), 93-100 (Trudy Karel. Gosud. Pedagog. Inst., s. Biol. (1)). (1939): PLAGIORCHIS eutamiatus.

zibethicai Gupta, S. P., 1962b, 66-69, fig. (Ondatra zibethica; duodenum; Ile Perrot, Quebec, Canada). 1962: QUINQUESERIALIS.

zibethicus Barker, F. D.; & East, A. M., 1915a, 192-193, pl. 2, fig. 3. 1915: WARDIUS (type). 1929: PSEUDODISCUS. 1932: WATSONIUS.

zigzagorchis Chin, T. H., 1963a, 399-401, 402, fig. 5 (Rana boulengeri; urinary bladder; Kweiyang, China). 1963: GORGODERINA (NEOGORGODERINA).

zoarcii Bykhovskii, B. E., 1959a, 198. 1959: MICROCOTYLE.

ZONOCOTYLE Travassos, L. P., 1947a, 513, 515 (tod: Z. bicaecata).

ZONORCHIS Travassos, L. P., 1944a, vi, 19, 153-154.

zonuri Malan, J. R., 1939a, 22, 23-26, 31, 34, 36, 38, 68, figs. 1-2. 1939: PARADISTOMUM. 1944: EUPARADISTOMUM. [1957]: PLATYNOTREMA.

ZOOGENUS Yamaguti, S., 1958a, 51, for Zoonogenus.

ZOOGONEUS Fuhrmann, O., 1928b, 104, for Zoogonus.

ZOOGONIMUS Mönnig, H. O., 1922a, 45, for Zoogonus.

ZOOGONOIDES Odhner, T., 1902b, 61, 64 (tod: Z. viviparus).

ZOOGONUS Looss, A., 1901d, 439 (tod: Z. mirus).

ZOONOGENUS Nicoll, W., 1912e, 200-202 (mt: Z. vividus).

zostera Sinitsin, 1911a, 10-12, 13, 37, 42, 88, 89, 112, pl. 1, figs. 12-15. 1911: CERCARIA. 1911: ADOLESCARIA. 1911: PARTHENITA.

zschokkei Mola, P., 1912b, 491, 496-497, pl. 1, figs. 3-4. 1912: TROCHOPUS. 1939: MEGALOCOTYLE.

zschokkei Volz, W., 1899d, 231-234, 237, pl. 20. 1899: DISTOMA. 1903: RENIFER. 1938: NEORENIFER. 1952: OCHETOSOMA.

zuluana Porter, A., 1938a, 7, 9, 395-396, pl. 55, fig. 4. 1938: CERCARIA.

zygochorde Lutz, A., 1933b, 370, 376, 398-399, 402, pl. 80, fig. 19. 1933: DICRANOCERCARIA.

ZYGOCOTILE Reyes, R. V., 1938a, 18, for Zygocotyle.

ZYGOCOTYLE Stunkard, H. W., 1916b, 26 (tod: Z. ceratosa).

ZYPEROSOMUM Skrjabin, K. I.; & Massino, B. A., 1925a, 455, for Lyperosomum.

zyxivaginata Unnithan, R. V., 1957a, 43, for Axine seriolae Meserve, 1938.
1957: ZEUXAPTA (tod).

☆U. S. GOVERNMENT PRINTING OFFICE : 1968 O - 320-965